

VAIA Wall-mounted single-lever mixer without drain - Chrome

VAIA

36 867 809 Product version from 4/1/2024



- 4-7/8" Projection
- Rigid spout
- Round aerated stream
- Spout hole diameter 1-1/2"
- Hole diameter single-lever mixer 2-1/4"
- Mixer with flange Ø 3-1/8"
- 2-1/8" diameter flange for spout
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB (ADA)

(ADA)

	Chrome	36 867 809-00 0010
	Brushed Platinum	36 867 809-06 0010
	Platinum	36 867 809-08 0010
	Brushed Light Gold (PVD)	36 867 809-27 0010
	Brushed Durabronze (23kt Gold)	36 867 809-28 0010
	Brushed Dark Brass (PVD)	36 867 809-39 0010
	Brushed Bronze (PVD)	36 867 809-42 0010
	Brushed Dark Bronze (PVD)	36 867 809-43 0010
	Brushed Champagne (22kt Gold)	36 867 809-46 0010
	Champagne (22kt Gold)	36 867 809-47 0010
	Brushed Dark Platinum	36 867 809-99 0010


Required article



Rough for wall-mounted faucet - 35 860 970-90
0010

- Min. rough in depth 3"
- Max. rough in depth 3-3/4"
- Rough can be rotated to position the lever on top or to the left of the spout.

mm [inches]




Codes & Standards

ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC
EPA WaterSense	NSF372	NSF61	WaterSense

Certificates and sustainability

IAPMO_6397	IAPMO_N-4976	IAPMO_4976 (	IAPMO_8834	EPD-DOR-20230287 -IBA1-EN Environmental.prod uct-declarat
------------	--------------	--------------	------------	--



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
8	90 31 20 087 00-00	Plug with O-ring Ø 7 x 2,1 mm - Chrome	1.00	10
7	90 31 11 063 00 90	Mounting bracket Threaded pin With hex socket With cup point M5 x 4 mm -	1.00	2
2	09 24 03 269 90	Nipple Ø 46 x 48,50 mm -	1.00	2
5	90 28 22 366 00-00	Outlet - Chrome	1.00	10
6	09 20 80 021-00	Handle Lever 45 x 39 x 116 mm - Chrome	1.00	60
4	09 27 80 011-00	Escutcheon For spout Ø 60 x 37 mm - Chrome	1.00	10
11	90 15 05 064 01 90	EHM cartridge With adapter plate incl. mounting wrench Ø 35 mm x 58,6 mm -	1.00	-
Spare part can no longer be ordered, please order the replacement item				
9015050460190 EHM cartridge with cartridge insert , torque wrench Ø 35 mm x 58,6 mm -				
3	09 14 10 084 90	O-Ring EPDM 70 48 x 3,5 mm -	1.00	2
12	90 30 09 064 00 90	assembly wrench For cartridge nut -	1.00	2
1	09 24 03 072 10 90	Extension 1/2" x 20 mm -	1.00	2
10	90 27 80 012 00-00	Escutcheon Ø 55 x 18 mm - Chrome	1.00	10
9	09 11 02 288-00	Hood Ø 45 x 55 mm - Chrome	1.00	10
13	12 869 970 90	Extension 3/4" -	1.00	2