

MEM Touchfree Lavatory Touchfree Faucet without drain - Chrome

MEM

44 521 782 Product version from 4/1/2025



- Infrared sensor technology
- 6-1/2" Projection
- Total height 12-3/8"
- Height to aerator/spout outlet 8-1/8"
- 1-3/8" hole diameter
- Rigid spout
- Water flow rate limited to max. 1.2 gpm
- Rectangular aerated stream
- Thermal disinfection
- Automatic shut-off after 30 seconds
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x 3/8" flexible supply line
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included


NOTE: A tempering device is recommended for installation in public areas. Please refer to your local building codes.

	Chrome	44 521 782-00 0010
	Brushed Platinum	44 521 782-06 0010
	Platinum	44 521 782-08 0010
	Dark Chrome	44 521 782-19 0010
	Brushed Light Gold (PVD)	44 521 782-27 0010
	Brushed Durabronze (23kt Gold)	44 521 782-28 0010
	Matte Black	44 521 782-33 0010
	Brushed Dark Brass (PVD)	44 521 782-39 0010
	Brushed Bronze (PVD)	44 521 782-42 0010
	Brushed Champagne (22kt Gold)	44 521 782-46 0010
	Brushed Chrome	44 521 782-93 0010
	Brushed Dark Platinum	44 521 782-99 0010

MEM Touchfree Lavatory Touchfree Faucet without drain - Chrome

MEM

44 521 782 Product version from 4/1/2025




Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	NSF372
----------------	------------------------------------	------	--------

Certificates and sustainability

IAPMO_6397	IAPMO_4976 (	EPD-DOR-20230287 -IBA1-EN Environmental product-declaration
------------	--------------	---



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
6	12 506 970 90	High pressure hoses -	1.00	2
4	04 30 04 100 00 90	Flexible supply line M8x1 x 3/8" x 420 mm -	2.00	2
9	90 10 01 247 02 90	Valve box -	1.00	2
3	09 31 20 027 10-00	Plug M8 x 1 - Chrome	1.00	10
7	09 24 03 185-00	Nipple Reducing coupling 1/2" x 3/8" - Chrome	1.00	10
8	90 30 50 081 00 90	Mixing valve -	1.00	2
1	90 28 22 373 01-00	Outlet - Chrome	1.00	10
5	04 23 10 044 08 90	Mounting bracket -	1.00	2
2	09 14 10 132 90	O-Ring EPDM 70 6,0 x 1,5 mm -	1.00	2