




## FLEX

### SHOWER DOOR INSTALLATION INSTRUCTIONS

#### IMPORTANT

DreamLine™ reserves the right to alter, modify or redesign products at any time without prior notice. For the latest up-to-date technical drawings, installation instruction and other informative materials, please refer to the [support.BathAuthority.com](http://support.BathAuthority.com) web page.




Please read these instructions carefully before installing. If you have any questions regarding installation, please call our technical support specialists Monday through Friday 9:00 AM – 5:00 PM EST at Phone: [1-866-731-2244](tel:1-866-731-2244), Fax: [1-866-227-1533](tel:1-866-227-1533) or e-mail our technical support group at [support@BathAuthority.com](mailto:support@BathAuthority.com).

For more information on [DreamLine™ Shower Doors](http://www.BathAuthority.com) please visit [www.BathAuthority.com](http://www.BathAuthority.com)


## Preparation

1. After opening all boxes and packages, read this introduction carefully. Check that all of the needed parts are included in the package, by marking all the components on the "Detailed Diagram of Shower Door Components". Examine boxes and packages for shipping damage. If the unit is damaged, defective, or is missing parts, contact our customer support department within 5 business days of the delivery date. **DreamLine™ will not replace any damaged products or missing parts free of charge after 5 business days or if the product has been installed.** Feel free to contact DreamLine™ if you have any questions.
2. **Refer to local building codes for installation compliance standards. Building and plumbing codes may vary by location, and DreamLine™ is not responsible for code compliance standards for your project and will not accept any returns for this reason.**
3. Surface of floor must be solid and level prior to the installation so that it is able to support the total weight of the unit. Be sure that all walls are at right angles. Some adjustments, cutting and drilling may be necessary during the installation process.

## Tools Required



## Detailed Diagram of Shower Door Components




### Part List

01	Wall profile	2pcs	05	Round head screw ST4.2x25	8pcs
02	Door assembly	1set	06	Decorative cover	8pcs
03	Wall anchor	8pcs	07	Flanged anti-water strip	1pc
04	Round head screw ST4.2x10	8pcs	08	Bottom anti-water strip	1pc

**NOTE:** Unpack your unit carefully and inspect it. Lay it out and identify all parts using the Detailed Diagram of Shower Door Components and part list in your manual as a reference. Before discarding the carton, check for small hardware bags that tend to fall to the bottom of the box. If any parts are damaged or missing, please contact DreamLine for replacement.

**NOTE:** Retain these installation instructions for future reference.

# Door Assembly Diagram



## Shower Door Installation

**NOTE:** The installation of this door requires two installers.

**NOTE:** The door can be installed on the shower base or custom threshold.

1. Prior to the Shower door installation, Shower base installation and plumbing must be completed.

See Fig. 1 for details.




Fig. 1

2. Attach the **Wall profiles (01)** all the way onto the **Door assembly (02)** from both sides. Make sure the flange of the **Wall profiles** faces inside the shower.

See Fig. 2 & Fig. 3 for details.




Fig. 2




Fig. 3

3. Move the **Door assembly (02)** with the **Wall profiles (01)** onto the Shower base with Stationary glass side tight to the wall. Pull Glass door side of the **Door assembly** by stretching top and bottom Expanding rails to extend the **Door assembly** towards the opposite side of the wall. If your top and bottom wall opening measurements are different or if the walls are out-of-plumb, make adjustments by slightly pulling the **Wall profiles** out of the **Door assembly**.

**NOTICE:**

The maximum adjustable lengths of the Expanding rails are: **4½"**

See Fig. 4 for details.




Fig. 4

- Level the **Door assembly (02)** vertically using the level.

See Fig. 5 for details.




Fig. 5

- Have second installer hold the **Door assembly (02)** in the correct position; mark the wall through the predrilled holes on the flange of the **Wall Profiles (01)**.

See Fig. 6 for details.





Fig. 6

6. Set the **Door assembly (02)** aside; drill the holes using **Ø5/16"** drill bit and insert the **Wall anchors (03)**.

See Fig. 7 for details.




Fig. 7

7. Apply silicone along the **Wall Profiles (01)** and around the holes on the wall.  
Place the **Wall Profiles** back on the Shower base into correct position and secure it to the walls using the **Round head screws ST4.2×25 (05)**.

See Fig. 8 and Fig. 9 for details.




Fig. 8




Fig. 9

8. Place the **Door assembly (02)** back on the Shower base.

See Fig. 10 for details.




Fig. 10

9. Insert the **Door assembly (02)** with the Stationary glass side into the **Wall profile (01)**.

See Fig. 11 for details.




Fig. 11

10. Extend the **Door assembly (02)** toward the other wall and insert Glass door side into the **Wall profile (01)**.

See Fig. 12 and Fig. 13 for details.




Fig. 12




Fig. 13

11. Make sure the **Door assembly (02)** is fully extended inside the **Wall profiles (01)**.

Adjust top and bottom Expanding rails to the same length using tape measure.

See Fig. 14 for details.




Fig. 14

12. Drill holes in top and bottom Expanding rails through the predrilled holes using  $\text{Ø } 1/8''$  drill bit.

**ATTENTION:**

**Do not drill the Expanding rail throughout, only the first layer.**

Secure the Expanding rails using **Round head screws ST4.2×10 (04)**.

Cover exposed screw heads with **Decorative covers (06)**.

See Fig. 15 and Fig. 16 for details.




Fig. 15




Fig. 16

13. Do the final adjustments of the **Door assembly (02)** in the **Wall profiles (01)**. Open and close the Glass door to make sure that the magnetic strips are fully attracted to each other.  
Drill the holes in the aluminum profile of the Door assembly through predrilled holes in the **Wall profile** using  $\text{Ø } 1/8''$  drill bit.

**ATTENTION:**

**Do not drill the profiles throughout, only the first layer.**

Secure the **Door assembly** inside the **Wall profile** using the **Round head screws ST4.2×10 (04)**.

Cover the exposed screw heads with the **Decorative covers (06)**.

See Fig. 17 for details.




Fig. 17

14. Attach **Flanged Anti-water strip (07)** to the vertical edge of the Stationary glass.  
Attach **Bottom Anti-water strip (08)** to the bottom edge of the Glass door.

See Fig. 18 for details.




Fig. 18

15. Apply the sealant along the connection of the **Wall profiles (01)** and inside wall of shower and the connection of the bottom Expanding rail and Shower base from both inside and outside the shower.

See Fig. 19 for details.




Fig. 19

## **Product Maintenance**

To insure long lasting life for your acrylic back walls, wipe them off after each use with a soft cloth. To clean the acrylic back walls use only non-abrasive liquid cleaners. Never use abrasive cleansers, metal brushes or scrapers that could scratch or dull the surface.

To insure long lasting life for your glass shower products, wipe them off after each use with a soft cloth. Rinse and wipe off the glass using either soft cloth or squeegee to prevent soap buildup. Never use abrasive cleaners and cleaning products that contain scouring agents because this may scratch the surface. Never use bristle brushes or abrasive sponges.

To assure a long lasting hardware finish, wipe off the metal parts after each use with a soft cloth. Do not use abrasive cleaners or cleaning products containing ammonia, bleach or acid. If accidentally used, rinse the surface as soon as possible to prevent finish peeling or corrosion. After cleaning the shiny finishes, rinse thoroughly and wipe dry with soft cloth. Clean stainless steel surfaces at least once a week. When applying stainless steel cleaner or polish, work with (not across) the grain. Never use abrasive sponge or cloth, steel wool or wired brushes.



## DREAMLINE LIMITED WARRANTY

### Bath Authority LLC's ("DreamLine") exclusive written warranty effective April 2, 2012

This warranty extends only to the original owner/end-user for household use only and is not transferable to a subsequent owner. This warranty applies only to DreamLine™ products purchased from an authorized dealer and installed in United States or Canada. Proof of purchase (original sales receipt) must be provided with all warranty claims. **In no event shall the liability of DreamLine™ exceed the purchase price of the unit.**

If DreamLine™ shower & tub doors, shower enclosures and shower bases are used commercially, DreamLine™ warrants such products to be free from defects in material and workmanship for one (1) year from initial date of purchase from an authorized dealer, with all other terms of this warranty applying except duration. If DreamLine™ vanities, vessel sinks and shower columns are used commercially, DreamLine™ warrants such products to be free from defects in material and workmanship for three (3) months from initial date of purchase from an authorized dealer, with all other terms of this warranty applying except duration. **DreamLine™ Jetted and Steam Shower Cabins are not intended for commercial use and there is no warranty extended for these products for commercial use.**

DreamLine™ hereby disclaims all warranties for products sold as dealer or store displays. DreamLine™ hereby disclaims all warranties for products used outside of the United States or Canada whether expressed or implied, including but not limited to the implied warranties of merchantability and fitness for a particular purpose.

DreamLine™ will, at its election, repair, replace with product of equal value or make appropriate adjustment where DreamLine's analysis or inspection of warranty claim discloses any such defects occurring in normal usage within the warranty period. DreamLine warranty obligation shall be discharged upon tender of replacement or repair. Purchaser's refusal to accept the tender terminates warranty obligation.

Cost of freight for returning products to DreamLine™ for repairs or replacement under this limited warranty are the responsibility of the customer. Cost of freight associated with shipping of replacement product or parts to the customer may be charged to customer. Any product replaced or repaired during the warranty period will be covered only for the remaining period of the original warranty. In no event will DreamLine be liable for costs of repair or replacement of any installation material, including but not limited to tiles, marble, etc. **DreamLine™ is not responsible for installation, removal or reinstallation costs of any product requiring warranty services.**

Improper modification or alteration of any DreamLine™ products will void the warranty. DreamLine product installations and repairs must be performed by either a DreamLine authorized agent or a licensed experienced professional contractor - installation or repairs performed by any other party shall void the warranty. This warranty shall not apply to breakage or damages caused by normal wear and tear, fault, carelessness, abuse, misuse, misapplication, improper maintenance, alteration or modification of the unit, as well as chemical or natural corrosion, accident, fire, flood, act of God or any other casualty. Improper care and cleaning will void the warranty. Use of cleaners containing abrasive cleansers, ammonia, bleach, acids, waxes, alcohol, solvents or other products not recommended for chrome or similar finish, glass or acrylic will void the warranty. For additional product maintenance instructions please refer to product installation manual. DreamLine™ is not responsible for any issues arising in connection with errors or omissions in information provided on DreamLine's websites. The warranty does not extend to any non-DreamLine™ plumbing or components installed by installers, end users or by any party other than DreamLine™.

**THE FOREGOING WARRANTIES ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. BATH AUTHORITY LLC ("DREAMLINE") AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. DREAMLINE™ IS NOT LIABLE FOR PERSONAL INJURIES OR DEATH TO ANY PERSON OR FOR ANY DIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGE, LOSS OF USE, LOSS OF TIME, LOSS OF PROFITS, INCONVENIENCE, INCIDENTAL EXPENSES, LABOR OR MATERIAL CHARGES, OR ANY OTHER COSTS RESULTING FROM THE USE OF ITS PRODUCTS OR PERTAINING TO THE APPLICATION OF THE PRESENT WARRANTY, OR RESULTING FROM THE REMOVAL OR REPLACEMENT OF ANY PRODUCT OR ELEMENT OR PART COVERED BY THIS WARRANTY.**



DreamLine™ is not responsible for product code compliance or for verifying building code restrictions on installation or use and any such compliance is excluded from this warranty. DreamLine™ reserves the right to modify this warranty at any time - such warranty modification will not alter warranty applicable at the time of sale of the products in question. The warranty terms for specific products are:

#### **SHOWER & TUB DOORS, SHOWER ENCLOSURES AND SHOWER BASES**

DreamLine™ warrants shower & tub doors, shower enclosures and shower bases to be free from defects in workmanship and materials under normal residential use for a period of five (5) years from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

#### **SHOWER CABINS (JETTED & STEAM)**

DreamLine™ warrants glass, acrylic and finish to be free from defects in workmanship for a period of five (5) years from initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer; and plumbing, electrical and steam generator components for a period of one (1) year from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

#### **SHOWER COLUMNS**

DreamLine™ warrants shower columns to be free from defects in workmanship and materials under normal residential use for a period of one (1) year from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

#### **VANITIES AND VESSEL SINKS**

DreamLine™ warrants bathroom vanities and vessel sinks to be free from defects in workmanship and materials under normal residential use for a period of one (1) year from the initial date of purchase by the owner/end-user, contractor or builder from an authorized dealer.

Some states/provinces do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may also have other rights, which vary from state/province to state/province.



---

TEL: [866-731-2244](tel:866-731-2244)

FAX: [866-227-1533](tel:866-227-1533)

[www.BATHAUTHORITY.COM](http://www.BATHAUTHORITY.COM)

For more information on [DreamLine™ Shower Doors](http://www.BathAuthority.com) please visit [www.BathAuthority.com](http://www.BathAuthority.com)