


DuraStyle Two-piece toilet for SensoWash® # 216051..00 / 216051..85

< 14 1/8" Inch >



| Two-piece toilet for SensoWash® | Dimension | Weight | Order number |
|--|------------------------|--------|--------------|
| (without tank), syphonic, only in combination with SensoWash, 12" rough-in, connecting elements for SensoWash with concealed connections included, vertical outlet, cUPC® listed* | | | |
| Colors | | | |
| 00 White 20 HygieneGlaze (an antibacterial ceramic glaze that provides almost indefinite effectiveness) | | | |
| Variant | | | |
| ♣ 1.32/0.92 gpf | 14 1/8" x 27 1/2" Inch | 92 lb | 216051..00 |
| ♣ 1.28 gpf | 14 1/8" x 27 1/2" Inch | 92 lb | 216051..85 |
| Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number. | | | |
| Accessory for ceramics | | | |
| Tank for bottom left supply, cUPC® listed* | 15 3/8" x 6 3/4" Inch | 30 lb | 093520 |
| Mounting set for One-Piece and Two-Piece toilets, outlet 3/8" - male thread, wall connection 1/2" - female thread, 1/2", North American version | 17 3/4" Inch | 1.1 lb | 001417 |
| Suitable products | | | |

DuraStyle Two-piece toilet for SensoWash® # 216051..00 / 216051..85

|< 14 1/8" Inch >|

| | | |
|---|-------------------------------|---------------|
| <p>SensoWash® Starck C shower-toilet seat for DuraStyle* rear-, front and oscillating wash, individual adjustment of water-, air- and seat surface temperature as well as nozzle position and jet strength, power actuated lid and seat, night light, 2 individually programmable user profiles, remote control included, self-cleaning wand, on / off-button, with concealed connections, Quick release: easy seat unit removal and attachment, 14 3/4" x 20 1/2" Inch</p> | <p>14 3/4" x 20 1/2" Inch</p> | <p>610200</p> |
| <p>SensoWash® Slim shower-toilet seat for DuraStyle* rear-, front and oscillating wash, with slow close, night light, remote control included, locking function via remote control, self-cleaning wand, on / off-button, with concealed connections, automatic drainage in periods of prolonged disuse, 14 3/4" x 21 1/4" Inch</p> | <p>14 3/4" x 21 1/4" Inch</p> | <p>611200</p> |

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inch & mm and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.

DuraStyle Tank # 0935200005 / 0935200085

|< 15 3/8" Inch >|




| Tank | Dimension | Weight | Order number |
|--|-----------------------|--------|--------------|
| for bottom left supply, cUPC® listed* | | | |
| Colors | | | |
| 00 White | | | |
| Variant | | | |
| ♣ 1.32/0.92 gpf, with dual flush piston valve, top flush | 15 3/8" x 6 3/4" Inch | 30 lb | 0935200005 |
| ♣ 1.28 gpf, with single flush piston valve, top flush | 15 3/8" x 6 3/4" Inch | 30 lb | 0935200085 |

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inch & mm and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.

SensoWash® Slim SensoWash® Slim shower-toilet seat for DuraStyle* # 611200001001300

| < 14 3/4" Inch > |



| SensoWash® Slim shower-toilet seat for DuraStyle* | Dimension | Weight | Order number |
|--|------------------------|---------|-----------------|
| rear-, front and oscillating wash, with slow close, night light, remote control included, locking function via remote control, self-cleaning wand, on / off-button, with concealed connections, automatic drainage in periods of prolonged disuse | | | |
| Colors | | | |
| 00 White | | | |
| Variant | | | |
| AC 100-120V, 50-60 Hz, individual adjustment of water temperature, spray wand position and water spray intensity, seat and lid easily removable with one hand | 14 3/4" x 21 1/4" Inch | 12.1 lb | 611200001001300 |
| Infobox | | | |
| Install a water water softener with water hardness ≥ 2.4 mmol/l ($\geq 14^\circ$ dH or 24° fH). | | | |
| Suitable products | | | |
| One-Piece toilet for SensoWash® only in combination with SensoWash, syphonic, 12" rough-in, connecting elements for SensoWash with concealed connections included, vertical outlet, cUPC® listed*, 14 5/8" x 28 3/8" Inch | 14 5/8" x 28 3/8" Inch | | 215751 |
| Toilet wall-mounted for SensoWash® washdown model, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, Durafix included, cUPC® listed*, 14 5/8" X 24 3/8" Inch | 14 5/8" X 24 3/8" Inch | | 253759 |
| Toilet close-coupled for SensoWash® (without tank), only in combination with SensoWash, washdown model, outlet for vario connector set, for horizontal and vertical outlet, length adjustable from 2 3/4" - 6 3/4", and vario connecting bend, vertical outlet from 6 3/4" - 8 5/8", connecting elements for SensoWash with concealed connections included, hardware included, cUPC® listed*, 14 5/8" x 27 1/2" Inch | 14 5/8" x 27 1/2" Inch | | 215659 |

SensoWash® Slim SensoWash® Slim shower-toilet seat for DuraStyle* # 611200001001300

|< 14 3/4" Inch >|

| | | |
|--|------------------------|--------|
| Two-piece toilet for SensoWash® (without tank), syphonic, only in combination with SensoWash, 12" rough-in, connecting elements for SensoWash with concealed connections included, vertical outlet, cUPC® listed*, 14 1/8" x 27 1/2" Inch | 14 1/8" x 27 1/2" Inch | 216051 |
| Toilet wall-mounted Duravit Rimless for SensoWash® rimless, washdown model, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, Durafix included, cUPC® listed*, 14 5/8" X 24 3/8" Inch | 14 5/8" X 24 3/8" Inch | 254259 |

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inch & mm and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.