


ME by Starck One-Piece toilet Duravit Rimless for SensoWash®
217351..01 / 217351..85

| < 14 1/8" Inch > |



One-Piece toilet Duravit Rimless for SensoWash®	Dimension	Weight	Order number
rimless, connecting elements for SensoWash with concealed connections included, syphonic, 12" rough-in, only in combination with SensoWash, vertical outlet, cUPC® listed*			
Colors			
00 White 20 HygieneGlaze (an antibacterial ceramic glaze that provides almost indefinite effectiveness)			
Variant			
◆ 1.32/0.92 gpf, with dual flush mechanism	14 1/8" x 28 3/4" Inch	153 lb	217351..01
◆ 1.28 gpf, with single flush piston valve, top flush	14 1/8" x 28 3/4" Inch	153 lb	217351..85
Sanitary ceramics with the special WonderGliss surface finish will remain clean and attractive-looking for a long time to come. When ordering WonderGliss please add a "1" as eleventh digit to the model number.			
Mounting set for One-Piece and Two-Piece toilets, outlet 3/8" - male thread, wall connection 1/2" - female thread, 1/2", North American version	17 3/4" Inch	1.1 lb	001417
Suitable products			
SensoWash® Starck C shower-toilet seat for ME by Starck, Starck 2, Starck 3 and Darling New* rear-, front and oscillating wash, individual adjustment of water-, air- and seat surface temperature as well as nozzle position and jet strength, power actuated lid and seat, night light, 2 individually programmable user profiles, remote control included, self-cleaning wand, on / off-button, with concealed connections, Quick release: easy seat unit removal and attachment, 14 5/8" x 20 1/4" Inch	14 5/8" x 20 1/4" Inch		610001

ME by Starck One-Piece toilet Duravit Rimless for SensoWash®
217351..01 / 217351..85

|< 14 1/8" Inch >|


SensoWash® Slim shower-toilet seat for ME by Starck, Starck 2, Starck 3 and Darling New* rear-, front and oscillating wash, with slow close, night light, remote control included, locking function via remote control, self-cleaning wand, on / off-button, 14 3/4" x 21 1/4" Inch
with concealed connections, automatic drainage in periods of prolonged disuse, 14 3/4" x 21 1/4" Inch

611000

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inch & mm and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.

SensoWash® Slim SensoWash® Slim shower-toilet seat for ME by Starck, Starck 2, Starck 3 and Darling New* # 611000001001300

| < 14 3/4" Inch > |



SensoWash® Slim shower-toilet seat for ME by Starck, Starck 2, Starck 3 and Darling New*	Dimension	Weight	Order number
rear-, front and oscillating wash, with slow close, night light, remote control included, locking function via remote control, self-cleaning wand, on / off-button, with concealed connections, automatic drainage in periods of prolonged disuse			
Colors			
00 White			
Variant			
AC 100-120V, 50-60 Hz, individual adjustment of water temperature, spray wand position and water spray intensity, seat and lid easily removable with one hand	14 3/4" x 21 1/4" Inch	12.1 lb	611000001001300
Infobox			
Install a water water softener with water hardness ≥ 2.4 mmol/l ($\geq 14^\circ$ dH or 24° fH).			
Suitable products			
Toilet wall-mounted for SensoWash® washdown model, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, Durafix included, cUPC® listed*, 14 5/8" x 24 3/8" Inch	14 5/8" x 24 3/8" Inch		254459
Toilet wall-mounted for SensoWash® washdown model, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, Durafix included, cUPC® listed*, 14 5/8" x 24 3/8" Inch	14 5/8" x 24 3/8" Inch		222659
Toilet close-coupled for SensoWash® (without tank), washdown model, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, hardware included, cUPC® listed*, 14 3/4" x 28 3/8" Inch	14 3/4" x 28 3/8" Inch		212959
Toilet wall-mounted for SensoWash® washdown model, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, Durafix included, cUPC® listed*, 14 1/8" x 24 3/8" Inch	14 1/8" x 24 3/8" Inch		253359

**SensoWash® Slim SensoWash® Slim shower-toilet seat for ME
by Starck, Starck 2, Starck 3 and Darling New* #
611000001001300**

| < 14 3/4" Inch > |

Toilet wall-mounted Duravit Rimless for SensoWash® rimless, washdown model, Durafix included, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, cUPC® listed*, 14 3/8" x 22 1/2" Inch	14 3/8" x 22 1/2" Inch	252959
Toilet floorstanding for SensoWash® back-to-wall, washdown model, hardware included, horizontal outlet, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, cUPC® listed*, 14 5/8" x 23 5/8" Inch	14 5/8" x 23 5/8" Inch	216959
Two-piece toilet for SensoWash® (without tank), syphonic, 12" rough-in, vertical outlet, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, cUPC® listed*, 14 1/8" x 28" Inch	14 1/8" x 28" Inch	217151
One-Piece toilet Duravit Rimless for SensoWash® rimless, connecting elements for SensoWash with concealed connections included, syphonic, 12" rough-in, only in combination with SensoWash, vertical outlet, cUPC® listed*, 14 1/8" x 28 3/4" Inch	14 1/8" x 28 3/4" Inch	217351
Toilet wall-mounted Duravit Rimless for SensoWash® rimless, washdown model, Durafix included, only in combination with SensoWash, connecting elements for SensoWash with concealed connections included, cUPC® listed*, 14 5/8" x 22 1/2" Inch	14 5/8" x 22 1/2" Inch	256359

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inch & mm and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.