

## Door Configuration #5

- Euro American Cylinder Below Above Handle
- $3\frac{5}{8}"$  Center to Center

*Door Manufacturers Reference:*

Crestline<sup>®</sup>, Hoppe<sup>®</sup>, Hurd<sup>®</sup>, KFV<sup>®</sup>, Kolbe & Kolbe<sup>®</sup>, Lincoln<sup>®</sup>, Loewen<sup>®</sup>, Paddock Lockmaster<sup>™</sup>, Peachtree<sup>®</sup>, Semco<sup>®</sup>, Sierra Pacific<sup>®</sup>, Signature<sup>®</sup>, Simpson<sup>®</sup>, Therma-Tru<sup>®</sup>, Vetter<sup>®</sup>, Willmar<sup>®</sup>, Windsor<sup>®</sup>, Weathershield<sup>®</sup>




**Disclaimer:**

Door Manufacturers listed under each configuration are for reference only and are subject to change. Some retro fitting may be necessary. Please contact Emtek's customer service department to confirm product model.

# Door Configuration #5 Specification Sheet

## Components & Door Thickness

### Door Configuration #5 Euro Cylinder Below Handle 3 5/8" Center to Center



### Keyed Plates with Euro Cylinder

Standard Door Thickness: 1 5/8" - 1 3/4"	Extended Door Thickness: 1 7/8" - 2 1/4"	Extended Door Thickness: 2 3/8" - 2 3/4"
<b>Standard Components:</b> <ul style="list-style-type: none"> <li>• 2 5/8" Euro Cylinder</li> <li>• 3 3/4" Steel Spindle</li> <li>• 2" Rosette Screws</li> </ul>	<b>Extended Components:</b> <ul style="list-style-type: none"> <li>• 3 1/8" Euro Cylinder</li> <li>• 3 3/4" Steel Spindle</li> <li>• 2" Rosette Screws</li> </ul>	<b>Extended Components:</b> <ul style="list-style-type: none"> <li>• 3 5/8" Euro Cylinder</li> <li>• 4 1/2" Steel Spindle</li> <li>• 2 1/2" Rosette Screws</li> </ul>

### Non-Keyed Plates with Euro-Style Half-Cylinder


Standard Door Thickness: 1 5/8" - 1 3/4"	Extended Door Thickness: 1 7/8" - 2 1/4"	Extended Door Thickness: 2 3/8" - 2 3/4"
<b>Standard Components:</b> <ul style="list-style-type: none"> <li>• 1 19/32" Euro Half-Cylinder</li> <li>• 3 3/4" Steel Spindle</li> <li>• 2" Rosette Screws</li> </ul>	<b>Extended Components:</b> <ul style="list-style-type: none"> <li>• 1 19/32" Euro Half-Cylinder</li> <li>• 4 1/2" Steel Spindle</li> <li>• 2" Rosette Screws</li> </ul>	<b>Extended Components:</b> <ul style="list-style-type: none"> <li>• 2 3/32" Euro Half-Cylinder</li> <li>• 4 1/2" Steel Spindle</li> <li>• 2 1/2" Rosette Screws</li> </ul>

### Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, & dummy (uses screws only)

Standard Door Thickness: 1 5/8" - 2"	Extended Door Thickness: 2 1/8" - 2 3/4"
<b>Standard Components:</b> <ul style="list-style-type: none"> <li>• 3 3/4" Steel Spindle (half-spindle for fixed handle out/operating handle in)</li> <li>• 2" Rosette Screws</li> </ul>	<b>Extended Components:</b> <ul style="list-style-type: none"> <li>• 4 1/2" Steel Spindle (half-spindle for fixed handle out/operating handle in)</li> <li>• 2 1/2" Rosette Screws</li> </ul>

## CONSTRUCTION KEYING

- Lost ball system.
- Last four pin locations drilled for lost ball application.
- Master key wafers used for code variability.
- Construction keys and owner keys sent separately.
- Order by indicating "**Construction Keyed, House #\_**" next to applicable locks.



Construction devices used on one or all of last four positions.



Dimples drilled in plug in this position.

### Charge for Construction Keying - \$4.00 per Cylinder (List)

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of \$8.00 (list) per cylinder.

### Charge for Re-Keying - \$4.00 per Cylinder (List)

- Locks that are keyed to code or keyed alike in a house group will be charged \$4.00 (list) per cylinder.

### Keying to Code

- Order by indicating "Key Code XXXXX" next to applicable locks.

### Keying Alike

- Order by indicating "Keyed Alike" next to applicable locks if only one keyed alike group is wanted.
- If ordering multiple groups (houses) indicate "**Keyed Alike House #\_**" next to applicable locks.

# Door Configuration #5 Specification Sheet

Trim & Cylinders for Multi Point Locks

Swinging Patio Door Hardware - Set includes Plates, Handles and Cylinders (where applicable)

Crestline®, Hoppe®, Hurd®, KfV®, Kolbe & Kolbe®, Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree®, Semco®, Sierra Pacific®, Signature®, Simpson®, Therma-Tru®, Vetter®, Willmar®, Windsor®, Weathershield®

<b>Keyed with Euro Profile Cylinder</b> (for Active Door, Schlage Keyway Standard, Rekeyable)	
<p>1 1/2" x 11" Plates, Product Codes 1511, 1531, 1551, 1571, 1591, 15A1</p>	<p>2" x 10" Plates, Product Codes 1521, 1541, 1561, 1581, 1501, 15B1</p>
<b>Non-Keyed, Passage</b> (for Semi-Active Door)	
<p>1 1/2" x 11" Plates, Product Codes 1512, 1532, 1552, 1572, 1592, 15A2</p>	<p>2" x 10" Plates, Product Codes 1522, 1542, 1562, 1582, 1502, 15B2</p>
<b>Non-Keyed, Euro Profile Style Thumbturn Inside</b> (for Active Door)	
<p>1 1/2" x 11" Plates, Product Codes 1513, 1533, 1553, 1573, 1593, 15A3</p>	<p>2" x 10" Plates, Product Codes 1523, 1543, 1563, 1583, 1503, 15B3</p>
<b>Non-Keyed, Fixed Handle Outside, Operating Handle Inside</b> (for Semi-Active Door)	
<p>1 1/2" x 11" Plates, Product Codes 1514, 1534, 1554, 1574, 1594, 15A4</p> <p>Fixed</p>	<p>2" x 10" Plates, Product Codes 1524, 1544, 1564, 1584, 1504, 15B4</p> <p>Fixed</p>
<b>Dummy Pair</b> (for Non-Active Door)	
<p>1 1/2" x 11" Plates, Product Codes 1515, 1535, 1555, 1575, 1595, 15A5</p> <p>Fixed</p>	<p>2" x 10" Plates, Product Codes 1525, 1545, 1565, 1585, 1505, 15B5</p> <p>Fixed</p>