


Product Specifications for E20172-11MS

•	Toddet opecifications for E20172-11Wo		
	Job Name:	Job Type:	
	Quantity:	Comments	
	Ç		



E20172-11MS Cells LED Flush / Wall Mount



Finish Metallic Silver

Lamping Number of Bulb(s) Light Type

Light Type	LED
Bulb Type	LED
Max Bulb Wattage	21.6
Max Fixture Wattage	21.6
Rated Life	N/A
Rated Lumens	±1,512
Color Temp	±3,000 K
Bulb(s) Included	Yes
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	Standard/Lutron® CL or Leviton® LED Recommended

Glass/Shade
Matte White

Measurements	
Width	13.00"
Height	3.50"
Length	13.00"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	4.20 lb(s)
Height Adjustable	No
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Product Category

Flush Mount

Shippii	ng
Carton	Weig
Carton	Widt

Cilipping	
Carton Weight	5.70 lb(s)
Carton Width	15.80"
Carton Height	7.30"
Carton Length	15.80"
Carton Cubic Feet	N/A
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Ochtmodion	
Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No

Other	Equivalents
-------	-------------

UPC Code	845094076544	Incandescent Watts	N/A
Material	Metal+Acrylic	Fluorescent Watts	N/A

ET2 Contemporary Lighting and all designs, logos and images © 2015 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.