



Product Specifications for EG90903

Job Name:	Job Type:
Quantity:	Comments:



**EG90903**  
**Carte Red Glass**

**Finish**

**Glass/Shade**

**Product Category**

Red

Pendant System

**Lamping**

**Measurements**

**Shipping**

Number of Bulb(s)	N/A	<b>Width</b>	5.00"	<b>Carton Weight</b>	1.50 lb(s)
Light Type	N/A	<b>Height</b>	6.00"	<b>Carton Width</b>	6.13"
Bulb Type		<b>Length</b>	N/A	<b>Carton Height</b>	8.38"
Max Bulb Wattage	N/A	<b>Extension</b>	N/A	<b>Carton Length</b>	6.13"
Max Fixture Wattage		<b>Back Plate Width</b>	N/A	<b>Carton Cubic Feet</b>	N/A
Rated Life	N/A	<b>Back Plate Height</b>	N/A	<b>Master Pack</b>	4
Rated Lumens	N/A	<b>HCO</b>	N/A	<b>Master Pack Weight</b>	7.50 lb(s)
Color Temp	N/A	<b>Min Overall Height</b>	N/A	<b>Master Pack Width</b>	13.00"
Bulb(s) Included	No	<b>Max Overall Height</b>	N/A	<b>Master Pack Height</b>	9.50"
Light Up/Down	N/A	<b>Hanging Weight</b>	1.06 lb(s)	<b>Master Pack Length</b>	13.00"
Beam Spread	N/A	<b>Height Adjustable</b>	N/A	<b>Master Cubic Feet</b>	N/A
CRI	N/A	<b>Slope</b>	N/A	<b>UPS Shippable</b>	Yes
Photo Cell Included	N/A	<b>Chain Length</b>	N/A		
Ballast/Driver/Transformer	No	<b>Wire Length</b>	N/A		
Dimmable	N/A	<b>Canopy Width</b>	N/A		
		<b>Canopy Height</b>	N/A		
		<b>Canopy Length</b>	N/A		

**Certification**

**Other**

**Equivalents**

<b>Safety Rating</b>	Dry	<b>UPC Code</b>	845094020530	<b>Incandescent Watts</b>	N/A
<b>Energy Star</b>	No	<b>Material</b>	N/A	<b>Fluorescent Watts</b>	N/A
<b>CA Title 24</b>	No				
<b>CA Title 20</b>	No				
<b>ADA</b>	No				

ET2 Contemporary Lighting and all designs, logos and images © 2014 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.