


Product Specifications for E41300-SA		
Job Name:	Job Type:	
Quantity:	Comments	



### E41300-SA **Alumilux AL 7-Light LED Wall Mount**



\*height from center of outlet to the top of the fixture

### Finish Satin Aluminum

## Lamping Number of Bulb(s) **Light Type Bulb Type**

LED Max Bulb Wattage Max Fixture Wattage 7 **Rated Life** ±5,000 Hours **Rated Lumens** ±560 **Color Temp** ±3,000 K Bulb(s) Included Integrated Light Up/Down N/A **Beam Spread** N/A N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No **Dimmable** No

### Glass/Shade

Other

**UPC Code** 

Material

7

LED

Measurements	
<b>V</b> idth	
Height	
Length	

8.00" N/A 3.50" **Extension Back Plate Width** N/A **Back Plate Height** N/A **HCO** 5.00" Min Overall Height N/A **Max Overall Height** N/A Hanging Weight 1.60 lb(s) **Height Adjustable** N/A Slope N/A Chain Length N/A Wire Length N/A **Canopy Width** N/A Canopy Height N/A Canopy Length N/A

# **Product Category**

Wall Sconce

#### Chinning

10.00"

Shipping	
Carton Weight	2.20 lb(s)
Carton Width	5.91"
Carton Height	12.60"
Carton Length	9.45"
Carton Cubic Feet	N/A
Master Pack	4
Master Pack Weight	11.00 lb(s)
Master Pack Width	13.39"
Master Pack Height	13.60"
Master Pack Length	20.08"
Master Cubic Feet	N/A
UPS Shippable	Yes

### Certification

Safety Rating	Wet
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	Yes

### **Equivalents**

Aluminum

845094060437

Incandescent Watts	N/A
Fluorescent Watts	N/A

ET2 Contemporary Lighting and all designs, logos and images © 2015 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.