


CAMHAVEN™

FP8095
Ceiling Fan**



	A	B
Fan w/4.5" downrod	19.76"	13.44"
Fan w/12" downrod	27.26"	20.94"
Fan w/18" downrod	33.26"	26.94"
Fan w/24" downrod	39.26"	32.94"
Fan w/36" downrod	51.26"	44.94"
Fan w/48" downrod	63.26"	56.94"
Fan w/60" downrod	75.26"	68.94"
Fan w/72" downrod	87.26"	80.94"

INSTALLATION REQUIREMENTS:

Ceiling fan attaches to electrical junction box securely anchored and capable of withstanding a load of at least 50 lbs.

ELECTRICAL REQUIREMENTS:

Ceiling fan requires a grounded electrical supply line of 120 volts AC, 60 Hz, 15 amp circuit.

MOTOR SPECS:

172 x 17 motor is designed for optimal performance with this fan.

BLADE SETS:

A set of five 20" reversible Plywood blades is included.

CONTROL OPTIONS:

TR24WH hand-held remote control with wall mount is included. Push button remote control has 3 fan speeds, infinite light levels and off button. Optional CWRL4 and C25 wall controls, CRL4WH and CRL8TS hand-held remote controls are available—sold separately. Instructions are provided with each control.

LIGHTING OPTIONS:

Two 75-watt halogen minican bulbs included. See our catalog or visit www.fanimation.com for available lighting options.

DOWNROD OPTIONS:

Fan comes with 1" dia. x 4.5" long downrod (DR1-45). Optional downrods available in 12", 18", 24", 36", 48", 60", and 72" lengths. A downrod coupler is available for installations requiring a downrod longer than 72". Fan can be mounted on a sloped ceiling upto 30°. Most sloped ceiling installations require a downrod longer than the standard 4.5" downrod. Optional sloped ceiling ball kits (SCB1-52) are available for slope angles greater than 30° and up to 52°. Call technical support for more information.

LOCATION USE:

Fan is rated for dry location only.

Available Finishes		
Fan / Housing Assembly	Blade	
OB Oil-rubbed Bronze	Cherry/Walnut with Frosted White Glass	
BA Bronze Accent	Cherry/Walnut with Frosted White Glass	
PW Pewter	Cherry/Walnut with Frosted White Glass	
WH White	White with Frosted White Glass	

Airflow / Energy Efficiency Info (120V)					
Fan Speed	Max RPM	CFM	CFM / Watts	Amps	Watts
High	188	5813	87	0.56	67
Med	111	3419	135	0.43	25
Low	48	1497	176	0.27	9