

Series 7, Contemporary Tall Double DishDrawer Dishwasher

Series 7 | Contemporary




Doing the dishes got easier. Load one drawer while the other washes – with the top drawer fitting your large dinner plates easily.

- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Built-in water softener improves wash performance by reducing unwanted minerals in the water
- Flexible racking can be folded down to fit bigger dishes

DIMENSIONS

Height	34 - 36 3/8 "
Width	23 9/16 "
Depth	22 9/16 "



FEATURES & BENEFITS

- Ease of use**
DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.
- Independent wash**
With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

- Quick, Sanitize and Extra Dry options**
The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.
- Quiet performer**
Running at a very low decibel rating, these DishDrawer™ dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)	
Cutlery basket	•
Kickstrip	true
Knife clip and multipurpose clip	•

Capacity and loading	
Accommodates round plates up to	12.25" (top) 11" (bottom)
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	14
Place settings	14
Place settings per drawer	7
Place settings per drawer	7

Consumption	
Energy usage	282kWh/year

In-use energy carbon emissions estimate	99.5kgCO2e/year	Rated current	15 A	Water supply	3/8" to suit Male Compression Fitting
Water usage (per wash cycle)	3.81 gal running both tubs	Supply frequency	60Hz		
		Supply voltage	100 - 120V		
Controls		Product Dimensions		SKU 82332	
Electronic fault/Diagnostic indicator	•	Depth	22 9/16 "	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
End of cycle beeps	•	Height	34 - 36 3/8 "		
Energy saving delay start option of up to 12 hours	•	Width	23 9/16 "		
Keylock	•				
Rinse aid indicator light	•	Wash Program Modifiers		Other product downloads available at fisherpaykel.com	
Smart appliance	•	Extra Dry	•		
		Quick	•		
		Sanitise	•		
		Wash modifiers	3		
Features		Wash Programs		↓ 2D-DWG Double DishDrawer™ Dishwasher	
Built-in water softener	•	Delicate	•	↓ 2D-DXF Double DishDrawer™ Dishwasher	
Fan assisted drying	•	Eco	•	↓ Data Sheet Double DishDrawer™ Dishwasher	
Flood protection	•	Fast	•	↓ Energy Label Double DishDrawer™ Dishwasher	
Flow through detergent dispenser	•	Heavy	•	↓ Installation Guide Double DishDrawer™ Dishwasher	
Motor type	BLDC	Medium	•	↓ Installation Guide (English)	
Quiet operation	•	Rinse	•	↓ Installation Guide (French)	
SmartDrive™ technology	•	Wash programs	6	↓ Revit Double DishDrawer™ Dishwasher	
				↓ Rhino Double DishDrawer™ Dishwasher	
				↓ Sketchup Double DishDrawer™ Dishwasher	
				↓ User Guide EN & FR	
				↓	
Performance		Water connection		Where applicable:	
Noise on standard cycle top drawer	42 dBA	Supplied hose to suit 3/8" (9mm) male compression fitting	•		
		Water pressure	100kPa - 1000kPa		
Power Requirements					
Amperage	10A				
Electric circuit	3				

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 1.888.936.7872 W www.fisherpaykel.com