SPEC SHEET > OR36SCG6X1 > Dual Fuel Range 36"

Date: 05.03.2019 > 1



OR36SCG6X1 Dual Fuel Range 36"

Classic

Get heritage styling with contemporary performance in this 36" Fisher & Paykel Freestanding Range. You can cook several dishes at the same time with its spacious gas cooktop and generously sized, self-cleaning convection oven. Instant heat and precise control add modern functionality to the classic styled brushed stainless steel with black glass finish.

Brushed Stainless Steel with black glass

Dimensions

Depth	25 1/4"
Height	35 3/4 - 37 1/4"
Width	35 7/8"

Features & Benefits

Multi-shelf cooking

Our AeroTechTM system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced softclose door, durable cooktop trivets and glowing halo dials all add up to an exceptional, premium range.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The self-clean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large capacity oven

The generous 4.9 cu.ft total capacity oven gives you plenty of space to cook multiple dishes at once.

Precise contro

Accurate electronically-controlled oven heat gives you better results in the kitchen.

Specifications

Accessories	
2-pc grill system (Broil pan & Grill rack)	•
Broil pan	•
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	•
Hob rear trim (optional)	3 1/8" (part 81654)
Kick strip, stainless steel (optional)	Part 81659
Pyrolytic-proof shelf runners	1 se
Small pot support	1 (part 533981)
Wok stand	1 (part 534678)

Cleaning


Pyrolytic self-clean

Cicannig
Acid resistant graphite enamel
Dishwasher safe trivets
Drop down broil element

Pyrolytic-proof shelf runners

Removable oven door/s

Removable shelf runners



SPEC SHEET > OR36SCG6X1 > Dual Fuel Range 36"

Date: 05.03.2019 > 2

Controls		
Audio feedback •		
Automatic cooking/minute timer •		
Automatic pre-set temperatures •		
Bright chromed, cast zinc dials with illuminated		
halos		
Celsius/Fahrenheit temperature •		
Electronic clock •		
High resolution display •		
Interior light •		
Laser etched graphics •		
Precise electronic temperature control •		
Sabbath mode •		
Turned stainless steel clock buttons •		
Turned stainless steel clock crown (dial)		
Cooktop features		
Brass burner spreader (power burner)		
Dishwasher safe trivets •		
Embossed brass burner cap (power burner)		
Gas Cooktop- Sealed range top •		
Hob rail •		
LPG/Natural gas compatible •		

Cooktop performance	
Dual wok burner inner / outer (LPG)	1000 - 18000 BTU
Dual wok burner inner / outer (natural gas)	1000 - 18000 BTU
Max burner power	18000 BTU
Number of burners	5
Semi-rapid burner (LPG) x2	1500 - 8000 BTU
Semi-rapid burner (natural gas) x2	1500 - 8000 BTU
Total cooktop power	62000 BTU
Triple ring wok burner (LPG) x2	6100 - 14000 BTU
Triple ring wok burner (natural gas) x2	6100 - 14000 BTU
Details	
UPC Code	822843813063
Gas requirements	
Supply Pressure (LPG)	11" W.C.P
Supply Pressure (natural gas)	4" W.C.P
Installation cutout dimensions	
Depth	25 1/4 "
Width	36 "

Oven features	
AeroTech TM technology	•
Automatic rapid pre-heat	•
Combined Warming/Storage Drawer	•
Concealed element	•
Electronic oven control	•
Full extension telescopic sliding shelves	2 sets (part 578744)
Internal light	4 x 25W halogen (2 side & 2 top)
Pyrolytic-proof shelf runners	•
Self cleaning	•
Soft open/close door	•
True Convection	•
Twin cavity fans	•
Oven functions	
Aero™ Bake	•
$Aero^{TM}$ $Broil$	•
Aero™ Pastry with Pizza mode	•
Bake	•
Main oven- Bake	•
Maxi Broil	•
Number of Functions	9
Rapid proof	•
Roast	•
Self-clean function	•

True AeroTM

Oven performance	
Broil	4300 W
Combined Warming/Storage Drawer	220 W
CoolTouch door	Quadruple glazed
Shelf positions	7
Total oven capacity	4.9 cu ft
Power requirements	
AMP draw	30 A
Supply frequency	60 Hz
Supply voltage	208 - 240 W
Safety	
Advanced cooling system	•
Anti-tilt bracket	•
Auto re-ignition system	•
Balanced oven door	•
Catalytic venting system	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	5/8 gallon
Style And Series	
Product Style	Classic
Warranty	
Warranty	2 years
SKU	81306

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2019

Other product downloads available at fisherpaykel.com