QUICK REFERENCE GUIDE > RDV3-485GD-N

# Dual Fuel Range, 48", 5 Burners with Griddle, Selfcleaning

Series 9 | Professional

Stainless Steel | Natural gas




With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Gas cooktop with griddle and a top burner heat up to 23,500 BTU, for seriously fast boiling
- · 6.9 cu ft total oven capacity across two oven cavities

Ensure perfect results with the food probe, included

# **DIMENSIONS**

Height	35 3/4 - 36 3/4"
Width	47 7/8"
Depth	29 1/8"



### **FEATURES & BENEFITS**

#### Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

#### Generous capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

#### Cooking flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

# Cooktop power

Sealed dual flow burners deliver cooktop power up to 23,500 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

#### Design quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron grates, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

# Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

#### **SPECIFICATIONS**

#### Accessories

Square handle option

AH-R48

## **Burner ratings**

Maximum burner power

23500 BTU

Power back centre	23500BTU	Fitting and pipe	½ NPT, min. %" 🛭 flex line		
Power back left	18500BTU	Supply Pressure (natural gas)	6" to 9" W.C	Rangetop features	
Power back right	18500BTU			Sealed Dual Flow Burners™	5
Power front left	18500BTU	Oven features		Sealed range top	•
Power front right	18500BTU	Concealed element	•	Vent trim included	•
Power griddle	24000BTU	Electronic oven control	•		
Total cooktop power	121500 BTU	J Full extension telescopic . Recommended Back		Recommended Back Guards	Ventilation
		Internal light	•	Combustible situation	BGRV3-3048H
Capacity		Titanium coated, illuminated	•	Non combustible situation	BGRV2-3048 / BGRV2-1248
Shelf positions	5			Recommended hood	HCB48-12_N (48""
Shelf positions	5	Oven functions			
Total capacity second oven	2.1cu ft	Dehydrate	•	Safety	
		Pastry bake	•	ADA compliant	•
Cleaning		Warm	•		
Dishwasher proof grates	•			Secondary oven features	
Pyrolytic self-clean	•	Oven performance		3/4 Extension racks	2
		Bake power	4600	Concealed element	•
Controls		Broil	3600W	Electronic oven control	•
Dial with illuminated halo	•	Main oven - True convection	2500W	Food probe	•
Electric circuit	4 wire			Internal light	•
High resolution display	•	Power requirements			
Metal illuminated dials	•	Amperage	50A	Secondary oven functions	
Multi-language interface	•	Rated current	50A	Air fry	•
Precise cooking with food	•	Supply frequency	60Hz	Bake	•
Recipe and food based	•			Classic bake	•
Sabbath mode	•	Product dimensions		Convection bake	•
Tilting touch screen interface	•	Depth	29 1/8"	Convection broil	•
Wi-Fi connectivity	•	Height	35 3/4 - 36 3/4"	Maxi broil	•
		Width	47 7/8"	Number of secondary oven	11
Gas Requirements			, 2	Pastry bake	•

QUICK REFERENCE GUIDE > RDV3-485GD-N Date: 07.04.2022 > 3

Pizza bake	•
Rapid proof	•
Roast	•
Warm	•
SKU	81894

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com



User Guide



Guide d'utilisation



User Guide



Installation Guide



Specification Guide Dual Fuel Range



Data Sheet Dual Fuel Range



Planning Guide Dual Fuel Range



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

**T** 1.888.936.7872 **W**www.fisherpaykel.com