

PPS-5 – Outdoor Contact Input Photosensor

Catalog#	Prepared by
Project	Date
Comments	Type

Overview

The Outdoor Contact Input Photosensor is a system accessory for Greengate Lighting Control Systems. It allows control of lighting levels based on how much natural light is present and is intended for outdoor use.

Features

- Outdoor light level sensor in weatherproof housing
- Provides contact closure input to lighting control panel when light level drops below threshold
- Extended temperature range for outdoor operation



Specifications

Operating Environment	Temperature: -40°F to 158°F (-40°C to 70°C) Suitable for outdoor use
Input Voltage	24 VDC
Output Signal	Maximum load 10A @ 24 VDC
Wiring	Moisture proof, color coded lead wire Wire length: 6"
Housing	Weatherproof Lexan®
Sensor Size	3.5"H x 1.25"W x 0.25"D
Threaded Stem	Stem adds 2" to overall height Swivel base provides 1/2", 14 thread end that fits 1/2" knock out.

Description/Operation


This system accessory is used in conjunction with a lighting control panel to switch circuits ON or OFF based on outdoor light levels. The Outdoor Contact Input Photosensor connects to the control panel low voltage switch inputs. The photosensor constantly monitors the level of sunlight and provides a signal to the lighting control panel when the light level crosses the switching threshold.

Installation


This system accessory will require mounting and wiring at the site.

Wiring Diagrams

LiteKeeper 16 & 32



LiteKeeper 8



Ordering

This is an accessory for Greengate Lighting Control Systems. It is not an integral part of the system. There is no factory assembly needed.

Cat #	Description
PPS-5	Outdoor Contact Input Photosensor

Eaton
1000 Eaton Boulevard
Cleveland, OH 44122
United States
Eaton.com

Eaton's Cooper Controls Business
203 Cooper Circle
Peachtree City, GA 30269
coopercontrol.com

© 2014 Eaton
All Rights Reserved
Printed in USA
Publication No. ACC131644
October 22, 2014

Eaton is a registered trademark.
All other trademarks are property
of their respective owners.