

GROHTHERM SMARTCONTROL  
Triple Function Thermostatic Trim  
with Control Module

MODEL # 29138A00

Pure Freude  
an Wasser



**Product Description:**

**GROHTHERM SMARTCONTROL**

**Triple Function Thermostatic Trim with Control Module**

**Standard Specification:**

- Required rough-in-set sold separately (GROHE Rapido SmartBox 35 601 000)
- Metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), 6° angle adjustable
- 3/8" (10 mm) thin profile escutcheon
- **GROHE StarLight** finish
- SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to Full Flow
- Includes various icons to customize push buttons
- **GROHE TurboStat** Compact cartridge with wax thermoelement
- **GROHE SafeStop** safety button at 100°F/38°C
- Built-in check valve with dirt strainer
- Multiple outlets can be run simultaneously
- Maximum flow performance combined: 9.5gpm (36L/min) @ 43.5 psi (3 bar)
- Optional flow reducer for CALGreen compliance included

**Applicable Codes & Standards:**

- ASME A112.18.1/CSA B125.1
- MASS

**Color:**

- 29138A00

# RAPIDO SMARTBOX Universal Rough-In Box

MODEL # 35601000

*Pure Freude an Wasser*

**GROHE**

GROHE America, Inc | 200 North Gary Avenue, Suite G, Roselle, IL 60172  
Phone: +1 (800) 444-7643 | Fax: +1 (800) 225-2778 | us-customerservice@grohe.com



## Product Description: Universal Rough-In Box

### Standard Specification:


- 3 outlets 1/2" Female NPT
- 2 inlets 1/2" Female NPT
- Installation depth 3"-4" (75-105 mm)
- Pre-mounted flushing plug
- Stable built-in box and plaster guard
- Mounting options for solid walls and dry walls
- Trim not included

### Applicable Codes & Standards:

- ASME A112.18.1/CSA B125.1

### Color:

- 35601000 StarLight Chrome





RAINSHOWER MONO 310  
Shower Head 1 Spray

MODEL # 26569A00

Pure Freude  
an Wasser

GROHE



**Product Description:**  
RAINSHOWER MONO 310  
Shower Head 1 Spray

**Standard Specification:**

- GROHE PureRain
- Spray plate hard graphite
- Ball joint with turning angle  $\pm 10^\circ$
- 1/2" Connection thread
- **GROHE EcoJoy** 1.75 gpm (6.6 l/min) flow limiter
- **GROHE DreamSpray** perfect spray pattern
- **GROHE StarLight** finish
- **SpeedClean** anti-lime system
- Inner WaterGuide for a longer life
- Suitable for instantaneous heater
- Min. recommended pressure: 15 psi (1.0 bar)

**Applicable Codes & Standards:**

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- EPA WaterSense®
- CalGreen
- MASS


**Color:**

□ 26569A00

RAINSHOWER  
16" Shower Arm  
MODEL # 28540BE0

Pure Freude  
an Wasser

GROHE



**Product Description:**  
RAINSHOWER  
16" Shower Arm

**Standard Specification:**

- 1/2" (13 mm) NPT Male Threads
- Can be used with all Rainshower shower heads except Rainshower Jumbo (28 783)
- **GROHE StarLight** finish

**Applicable Codes & Standards:**

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1



**Color:**

- 28540BE0 Polished Nickel InfinityFinish

RAINSHOWER  
Shower Wall Union, 1/2"  
MODEL # 26635BE0

Pure Freude  
an Wasser

GROHE



**Product Description:**  
RAINSHOWER  
Shower Wall Union, 1/2"

**Standard Specification:**

- 1/2" NPT Female Threads
- Check valve included to prevent backflow
- GROHE StarLight finish

**Applicable Codes & Standards:**

- ASME A112.18.1/CSA B125.1

**Color:**  
□ 26635BE0

ROTAFLEX METAL LONGLIFE  
Longlife Metal shower hose  
Twistfree 1500  
MODEL # 28417A00

*Pure Freude  
an Wasser*

**GROHE**  




**Product Description:**

**ROTAFLEX METAL LONGLIFE**

**Longlife Metal shower hose Twistfree 1500**

**Standard Specification:**

- 59"
- Metal
- Longlife
- Strengthened model
- Tensile strength 500 N  
Pressure resistance: up to 16 bar
- Heat resistance 165°F
- AntiFold bend proof
- Universal connection G 1/2" x 1/2"
- Rotation cone for Twist-free function
- Silicone strip prevents hand shower from turning while in body spray position
- **GROHE StarLight** finish
- Blister pack

**Applicable Codes & Standards:**

- ASME A112.18.1/CSA B125.1


**Color:**

- 28417A00

SENA STICK  
Hand Shower  
MODEL # 26465A00

Pure Freude  
an Wasser

GROHE



**Product Description:**  
SENA STICK  
Hand Shower

**Standard Specification:**

- 1 Spray: Normal
- Metal
- GROHE EcoJoy 1.75 gpm (6.6 l/min) flow limiter
- GROHE DreamSpray perfect spray pattern
- GROHE StarLight finish
- SpeedClean anti-lime system
- Inner WaterGuide for a longer life
- Universal mounting system (fits all standard shower hoses)
- Suitable for instantaneous heater

**Applicable Codes & Standards:**

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- EPA WaterSense®
- CalGreen


**Color:**

- 26465A00 Hard graphite

RAINSHOWER  
Wall Hand Shower Holder  
MODEL # 27074A00

Pure Freude  
an Wasser

GROHE



**Product Description:**  
RAINSHOWER  
Wall Hand Shower Holder

**Standard Specification:**

- Non-Adjustable Shower Head
- With round escutcheon
- GROHE StarLight finish

**Applicable Codes & Standards:**

- ASME A112.18.1/CSA B125.1



**Color:**  
□ 27074A00



CONCETTO  
Tub Spout  
MODEL # 13274A01

Pure Freude  
an Wasser

GROHE



ADA

**Product Description:**  
CONCETTO  
Tub Spout

**Standard Specification:**

- Wall mount
- GROHE StarLight finish
- Flow control
- 6 11/16" (170 mm) spout reach
- 1/2" (13 mm) NPT Male Threads

**Applicable Codes & Standards:**

- Energy Policy Act of 1992
- ASME A112.18.1/CSA B125.1
- ICC/ANSI A117.1
- MASS

**Color:**

□ 13274A01