
House of Troy Quality Lighting Products







TABLE OF CONTENTS





← P10-101-B

FINISH: Polished Brass & Black Marble

HEIGHT: Adjusts from 0" to 12"

BASE: 4½" Square

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10"

CORD: 9' Brown





← P10-123-81

FINISH: Mahogany Bronze HEIGHT: Adjusts from 0" to 13"

BASE: 5" round

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10" CORD: 9' Brown



A

P10-163

FINISH: Polished Brass & Crystal HEIGHT: Adjusts from 0" to 13"

BASE: 5" round

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10"

CORD: 9' Brown



P10-107-61

FINISH: Polished Brass

HEIGHT: Adjusts from 0" to $10\frac{1}{2}$ "

BASE: 5" Octagon

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10" CORD: 9' Brown



Phone: 800-428-5367















P10-131-71 \leftarrow

FINISH: Antique Brass

HEIGHT: Adjusts from 0" to 10 ½"

BASE: 5" round

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10"

CORD: 9' Brown



HEIGHT: Adjusts from 0" to 10 ½"

BASE: 5" round

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10"





FINISH: Polished Brass HEIGHT: Adjusts from

0" to 11"

BASE: 5" round BULB: One 40T10 or

60T10

SWITCH: On shade SHADE: 10"

CORD: 9' Brown





← P14-233-617

FINISH: Black with Polished

Brass Accents

HEIGHT: Adjusts from 0"

to 16 ½"

BASE: 5 1/8" Square BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14"

CORD: 9' Black



& Crystal

60T10



P14-233-C71

FINISH: Antique Brass

& Chestnut Bronze

HEIGHT: Adjusts from

0" to 16½"

BASE: 51/8" Square

BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown



P14-203 FINISH: Polished Brass HEIGHT: Adjusts from 0" to 12½" BASE: 6" Octagon BULB: Two 40T10 or 60T10 SWITCH: On base SHADE: 14" CORD: 9' Brown







P14-204

FINISH: Polished Brass HEIGHT: Adjusts from 2" to 16"

BASE: $6\frac{1}{4}$ " round

BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown







← P14-502-52

FINISH: Satin Nickel with Black Leather

HEIGHT: Adjusts from 0" to 12"

BASE: 5½" Square BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown





FINISH: Satin Nickel with Black Leather

HEIGHT: Adjusts from 7" to 19½"

BASE: 5½" Square

BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown





Phone: 800-428-5367





P14-202-81


FINISH: Mahogany Bronze HEIGHT: Adjusts from 0" to 13"
BASE: 5" Square
BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown









← P14-201

FINISH: Polished Brass HEIGHT: Adjusts from 0" to 14"

BASE: 6" Square

BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown









✓ P14-232-C71

FINISH: Antique Brass & Chestnut Bronze

HEIGHT: Adjusts from 0" to 14³/₄"

BASE: 51/8" Square

BULB: Two 40T10 or 60T10

SWITCH: On base SHADE: 14" CORD: 9' Brown



P14-262

FINISH: Satin Brass with Gold Highlights

HEIGHT: Adjusts from 0" to 14"

BASE: 51/8" Square

BULB: Two 40T10 or 60T10 SWITCH: On base

SHADE: 14"

CORD: 9' Brown





← P14-242-71

FINISH: Antique Brass

HEIGHT: Adjusts from 8" to 16"

BASE: $6\frac{3}{8}$ " round

BULB: Two 40T10 or 60T10

SWITCH: In-line 6" from base

SHADE: 14"


CORD: 9' Brown

Craft Collection



Advent Collection

DESK/PIANO LAMPS



← AP14-41-71

FINISH: Antique Brass
HEIGHT: Adjusts from 0" to 12"

BASE: 6" round BULB: Two 40T10 SWITCH: In-line 6" from base

SHADE: 14" CORD: 9' Brown



→ AP14-41-91

FINISH: Oil Rubbed Bronze

HEIGHT: Adjusts from 0" to 12" BASE: 6" round

BULB: Two 40T10 SWITCH: In-line 6" from base

SHADE: 14" CORD: 9' Brown



AP14-41-61

FINISH: Polished Brass

HEIGHT: Adjusts from 0" to 12"

BASE: 6" round BULB: Two 40T10

SWITCH: In-line 6" from base

SHADE: 14"

CORD: 9' Brown

Advent Collection



← AP14-40-7

FINISH: Black
HEIGHT: Adjusts from 3½" to 12½"
BASE: 6" round
BULB: Two 40T10
SWITCH: In-line 6"

from base SHADE: 14" CORD: 9' Black





→ AP10-20-61

FINISH: Polished Brass HEIGHT: Adjusts from $3\frac{1}{2}$ " to $11\frac{1}{2}$ "

BASE: 5" round BULB: One 40T10 SWITCH: On shade SHADE: 10" CORD: 9' Brown







AP10-20-7

FINISH: Black
HEIGHT: Adjusts from 3½" to 11½"

BASE: 5" round BULB: One 40T10 SWITCH: On shade

SHADE: 10" CORD: 9' Black



 $\begin{array}{lll} \mbox{FINISH:} & \mbox{Antique Brass} \\ \mbox{HEIGHT:} & \mbox{Adjusts from} \\ \mbox{$3\frac{1}{2}$" to $11\frac{1}{2}$} \\ \mbox{BASE:} & \mbox{5" round} \\ \mbox{BULB:} & \mbox{One 40T10} \\ \mbox{SWITCH:} & \mbox{On shade} \\ \end{array}$

SHADE: 10"

CORD: 9' Brown





← P15-80-51

FINISH: Satin Brass

HEIGHT: Adjusts from 14" to 18"

BASE: 5½" round BULB: Two 40T10 SWITCH: On base SHADE: 15" CORD: 9' Clear








Digital Piano



Upright Piano



PF14-250

FLUORESCENT OPTION Uses One F8T5WW Bulb



← P14-250

FINISH: Polished Brass HEIGHT: Adjusts from 0" to 8"

BASE: 6" round

BULB: Two 40T10 or 60T10 SWITCH: In-line 6" from base

SHADE: 14" CORD: 9' Brown



P10-150

FINISH: Polished Brass HEIGHT: Adjusts from 0" to 8" BASE: 6" round

BULB: One 40T10 or 60T10

SWITCH: On shade SHADE: 10" CORD: 9' Brown





P14-250-617

FINISH: Black with Polished Brass Accents

HEIGHT: Adjusts from 0" to 8"

BASE: 6" round

BULB: Two 40T10 or 60T10 SWITCH: In-line 6" from base

SHADE: 14" CORD: 9' Black







LED SPECIFICATIONS

P	\mathbf{I}^{F}	III	U	L	LIVIE	73

I	Product	CRI	Watts	Lumens	CCT	Lifetime	Equivalent Incandescent
ı	PLED100s	75	2.2	80	3000K	30,000 hrs	40 Watts




LED Desk/Piano









CCT



SWITCH: Toggle On Shade

SHADE: 14"

CORD: 10' Black with Transformer







PLED200-527
FINISH: Black w/ Satin Nickel

HEIGHT: 13½"

BASE: 5" Diameter
BULB: LED

SWITCH: Toggle On Shade CORD: 10' Black with Transformer

SHADE: 14"

PLED201-527

FINISH: Black w/ Satin Nickel

HEIGHT: 7"

BASE: 5" Diameter BULB: LED

SWITCH: Toggle On Shade

CORD: 10' Black with Transformer SHADE: 14"



PLED201-617

FINISH: Black w/ Brass

HEIGHT: 7"

BASE: 5" Diameter BULB: LED


SWITCH: Toggle On Shade

CORD: 10' Black with Transformer

SHADE: 14"



Product	CRI	Watts	Lumens	CCT	Lifetime	Equivalent Incandescent
PLED200s	93	2.4	57.6	3400K	30,000 hrs	35 Watts



LED Desk/Piano







PIANO LAMPS



FINISH: Black

HEIGHT: 3" from top of clamp

to top of arm

CLAMP: Felt-lined, adjusts up to 11/2"

BULB: LED

SWITCH: Toggle on Shade

SHADE: 14"

CORD: 10' Black with transformer



FINISH: Polished Brass HEIGHT: 3" from top of clamp

to top of arm


CLAMP: Felt-lined, adjusts up to 11/2"

BULB: LED

SWITCH: Toggle on Shade

SHADE: 14"

CORD: 10' Black with transformer



SWITCH: Center of light bar

SHADE: 19"

CORD: 10' Black with transformer



GPLED19-61

FINISH: Polished Brass

HEIGHT: 5" from top of clamp to top of arm

CLAMP: Felt-lined, adjusts up to 11/2"

BULB: LED

SWITCH: Center of light bar

SHADE: 19"

CORD: 10' Black with transformer

LED SPECIFICATIONS

Product	CRI	Watts	Lumens	ССТ	Lifetime	Equivalent Incandescent
GPTLED	93	2.4	57.6	3400K	30,000 hrs	(4) 15 Watts
GPLED	75	2.2	80	3000K	30,000 hrs	(4) 15 Watts
ALED	75	1.9	59.5	8000K	30,000 hrs	(1) 15 Watts

Phone: 800-428-5367

Battery Operated



BULB: LED

SWITCH: On back of shade

SHADE: 15" long

BATTERIES: 4AA (Not Included)

ALED15-7

FINISH: Black HEIGHT: 5"

CLAMP: 23/8"W x 3"H, Expands to

fit surfaces up to 3/4" wide.

BULB: LED

SWITCH: On back of shade SHADE: 15" long

BATTERIES: 4AA (Not Included)

Grand Piano



GPXL-617

FINISH: Black w/ Brass Accents

HEIGHT: Adjustable

CLAMP: Felt-lined, adjusts up to 11/2"

BULB: Four 15T4 SWITCH: In-line 3" from clamp SHADE: 1" x 22" Rotating CORD: 10' Black



GPXL-627

FINISH: Black w/ Chrome Accents

HEIGHT: Adjustable

CLAMP: Felt-lined, adjusts up to 11/2"

BULB: Four 15T4 SWITCH: In-line 3" from clamp

SHADE: 1" x 22" Rotating CORD: 10' Black



GPXL22-61

FINISH: Polished Brass HEIGHT: Adjustable CLAMP: Felt-lined, adjusts up to 11/2"

BULB: Four 15T4

SWITCH: In-line 3" from clamp SHADE: 1" x 22" Rotating CORD: 10' Brown

PIANO LAMPS




Counter Balance





PIANO LAMPS



BASE: 5" Square

BULB: 13W-PL fluorescent

SWITCH: On base
SHADE: 10"
CORD: 11' black
with transformer

→ P10-190-M (short arm)

FINISH: Polished Brass & Black Marble HEIGHT: Adjusts from 0" to 20"

BASE: 5" Square


BULB: 13W-PL fluorescent

SWITCH: On base SHADE: 10"

CORD: 11' black with transformer









P10-191-52M

FINISH: Satin Nickel &

Black Marble


HEIGHT: Adjusts from 0" to 26"

BASE: 5" Square

BULB: 13W-PL fluorescent

SWITCH: On base SHADE: 10"

CORD: 11' black with transformer



FINISH: Polished Brass & Black Marble

HEIGHT: Adjusts from 0" to 26"

BASE: 5" Square

BULB: 13W-PL fluorescent

SWITCH: On base

SHADE: 10"

CORD: 11' black with transformer


FLUORESCENT SPECIFICATIONS

Product	CRI	Watts	Lumens	CCT	Equivalent Incandescent
P10-190 P10-191	82	13	688	2700K	55 Watts

Counter Balance













Barrister Collection [1]





FINISH: Belgian Bronze

HEIGHT: 231/2"

BASE: 91/2" Diameter BULB: (2) 60W G10

SWITCH: In-Line CORD: 10' Brown

SHADE: 10" x 15" x 71/2"

Black Parchment Gold Lining



→ BAR101-BB

FINISH: Belgian Bronze

HEIGHT: 26"

BASE: 51/2" Square

BULB: 100W 3-way

SWITCH: On Socket

CORD: 10' Brown

SHADE: 8" x 13" x 9"

Black Parchment Gold Lining





BAR102-BB

FINISH: Belgian Bronze

HEIGHT: 26"

BASE: 91/2" x 5" Rectangle

BULB: 100W Type A

SWITCH: In-Line CORD: 10' Brown

SHADE: (7" x 10") x (10" x 15") x 9"

Black Parchment Gold Lining



→ BAR125-BB

FINISH: Belgian Bronze

DEPTH: 8"

HEIGHT: 16"

BULB: 100W Type A

SHADE: 5" x 9" x 8"

Black Parchment

Gold Lining

BACKPLATE: 43/4" Diameter

Direct Wire Only



Club Collection



Club Collection







FINISH: Antique Silver

BASE: 7" Round ARM: Extends 12"

SWITCH: On Socket







FINISH: Antique Brass HEIGHT: 25" BASE: 7" Round ARM: Extends 12" BULB: One 60W Type A SWITCH: On Socket

SHADE: Off-white Softback 6½" x 13" x 10"

CORD: 10' Brown



CL-250-AB

FINISH: Antique Brass HEIGHT: 25" to 31" BASE: 7" Round BULB: One 100W Type A

SWITCH: On Socket SHADE: Off-white Softback 6½" x 13" x 10"

CORD: 10' Brown



CL251-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 25" BASE: 7" Round ARM: Extends 12"

BULB: One 60W Type A SWITCH: On Socket

SHADE: Off-white Softback 6½" x 13" x 10"

CORD: 10' Brown





FLOOR/TABLE LAMPS



Phone: 800-428-5367 www.houseoftroy.com

Club Collection






Coach Collection /w!



→ CH850-AB

FINISH: Antique Brass HEIGHT: 301/4" BASE: 8" Diameter

BULB: 100W 3-way SWITCH: On Socket CORD: 10' Gold SHADE: 14"x 15" x 10"







CH850-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 301/4"

BASE: 8" Diameter BULB: 100W 3-way

SWITCH: On Socket

CORD: 10' Brown

SHADE: 14"x 15" x 10" Off White Silk

Softback





CH850-AS

FINISH: Antique Silver

HEIGHT: 301/4"

BASE: 8" Diameter BULB: 100W 3-way

SWITCH: On Socket

CORD: 10' Silver

SHADE: 14"x 15" x 10"

White Silk Soft-





FINISH: Antique Brass

HEIGHT: 18"

BASE: 4¾" Diameter

BULB: 60W-B10 Candelabra

SWITCH: In-Line CORD: 10' Gold

SHADE: 4"x 6" x 6" Off White Hardback



← CH880-OB

TABLE LAMPS

FINISH: Oil Rubbed Bronze

HEIGHT: 15"

BASE: 6" x 4" Rectangle BULB: (2) 60W-B10 Candelabra

SWITCH: In-Line CORD: 10' Brown

SHADE: (4"x 6") x (8" x 12") x 6"

Off White Hardback



CH876-AB

FINISH: Antique Brass

HEIGHT: 121/2"

BASE: 6" x 4" Rectangle BULB: 60W Type A SWITCH: In-Line CORD: 10' Gold

SHADE: (6"x 4") x (10" x 6") x 7" Off White Hardback



→ CH877-AS

FINISH: Antique Silver

HEIGHT: 131/2"

BASE: 4¾" Diameter BULB: 60W-B10 Candelabra

SWITCH: In-Line CORD: 10' Silver SHADE: 6"x 8" x 6" White Hardback





← CH878-AS

FINISH: Antique Silver

HEIGHT: 12"

BASE: 4¾" Diameter BULB: 60W-B10 Candelabra

SWITCH: In-Line CORD: 10' Silver SHADE: 4"x 6" x 6" White Hardback



← CH875-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 14"

BASE: 51/4" Diameter BULB: 60W Type A SWITCH: In-Line CORD: 10' Brown SHADE: 6"x 9" x 7" Off White Hardback







Coach Collection /w!





Flex Collection



FLOOR/TABLE/WALL LAMPS





FLX100-BLK

FINISH: Black with Antique Brass

HEIGHT: 561/2"

ARM: 12"

BASE: 101/4" Diameter

BULB: 100W 3-way

SWITCH: On Socket

CORD: 10' Black

SHADE: 6" x 10" x 9" Off-white Linen Hardback



FLX100-CHB

FINISH: Chestnut Bronze

with Chrome HEIGHT: 561/2"

ARM: 12"

BASE: 101/4" Diameter

BULB: 100W 3-way

SWITCH: On Socket

CORD: 10' Black

SHADE: 6" x 10" x 9" White Linen Hardback



Generation Collection



G175-GT

FINISH: Granite ARM.: 10" BACKPLATE: 51/4" Diameter

BULB: 50W GU10 SWITCH: Full Range Dimmer In Shade

SHADE: 61/2" x 31/4" x 11/2"

CORD: 10' Ivory, 30" cord cover



G175-CHB

FINISH: Chestnut Bronze

ARM: 10"

BACKPLATE: 51/4" Diameter

BULB: 50W GU10

SWITCH: Full Range Dimmer In Shade

SHADE: 61/2" x 31/4" x 11/2"

CORD: 10' Ivory, 30" cord cover



G275-CHB

FINISH: Chestnut Bronze

HEIGHT: 13¾"

ARM: 101/4"

BACKPLATE 51/4" Diameter

BULB: 100W Type A

SWITCH: Full Range Dimmer On Socket

SHADE: Off-White Linen Hardback

8½" x 11½" x 9"

CORD: 10' Ivory, 30" cord cover



G275-HB

FINISH: Hammered Bronze

HEIGHT: 13¾"

ARM: 101/4"

BACKPLATE 51/4" Diameter

BULB: 100W Type A

SWITCH: Full Range Dimmer On Socket

SHADE: Off-white Linen Hardback

81/2" x 111/2" x 9"

CORD: 10' Ivory, 30" cord cover



FINISH: Granite

HEIGHT: 13¾" ARM: 101/4"

BACKPLATE 51/4" Diameter

BULB: 100W Type A SWITCH: Full Range Dimmer On Socket

SHADE: White Linen Hardback 8½" x 11½" x 9" CORD: 10' Ivory, 30" cord cover



G275-WT

FINISH: White HEIGHT: 13¾"

ARM: 101/4"

BACKPLATE 51/4" Diameter BULB: 100W Type A

SWITCH: Full Range Dimmer on Column

SHADE: White Linen Hardback 81/2" x 111/2" x 9"

CORD: 10' White, 30" cord cover



TABLE / WALL LAMPS



Generation Collection

FINISH: Chestnut Bronze HEIGHT: Adjusts 47" to 60" BASE: 10" Diameter BULB: 150W Type A

SWITCH: Full Range Dimmer SHADE: Off-white Linen 11" x 13" x 9"

CORD: 10' Brown



G200-HB

FINISH: Hammered Bronze
HEIGHT: Adjusts 47" to 60"
BASE: 10" Diameter
BULB: 50W GU10
SWITCH: Full Range Dimmer

SHADE: Off-white Linen 11" x 13" x 9"

CORD: 10' Brown



← G200-WT

FINISH: White

HEIGHT: Adjusts 47" to 60" BASE: 10" Diameter

BULB: 150W Type A

SWITCH: Full Range Dimmer SHADE: White Linen

11" x 13" x 9" CORD: 10' White



→ G100-GT FINISH: Granite

HEIGHT: Adjusts 32½" to 45"

BASE: 10" Diameter BULB: 50W GU10

SWITCH: Full Range Dimmer In Shade

SHADE: 6½" x 3¼" x 1½"

CORD: 10' Black





FINISH: Granite

HEIGHT: Adjusts 47" to 60"

BASE: 10" Diameter BULB: 150W Type A

SWITCH: Full Range Dimmer

SHADE: White Linen

11" x 13" x 9"

CORD: 10' Black



→ G100-CHB

FINISH: Chestnut Bronze

HEIGHT: Adjusts 32½" to 45"

BASE: 10" Diameter

BULB: 50W GU10

SWITCH: Full Range Dimmer

In Shade

SHADE: 61/2" x 31/4" x 11/2"

CORD: 10' Brown






Generation Collection /w!













G375-BLK

30" Cord Cover

FINISH: Black
PROJECTION: Extends 24½"
BACKPLATE: 5" x 5"
BULB: LED
SWITCH: On Shade
SHADE: 11¼"
CORD: 10' Ivory



G375-HB FINISH: Hammered Bronze

PROJECTION: Extends 24½"

BACKPLATE: 5" x 5"

BULB: LED

SWITCH: On Shade

SHADE: 11¼"

CORD: 10' Ivory
30" Cord Cover



FINISH: Chestnut Bronze
PROJECTION: Extends 24½"

BACKPLATE: 5" x 5"

BULB: LED

SWITCH: On Shade

SHADE: 11¼"

CORD: 10' Ivory
30" Cord Cover



← G375-GT

FINISH: Granite
PROJECTION: Extends 24½"
BACKPLATE: 5" x 5"
BULB: LED
SWITCH: On Shade
SHADE: 11¼"
CORD: 10' Ivory
30" Cord Cover

→ G375-WT

FINISH: White

PROJECTION: Extends 24½"

BACKPLATE: 5" x 5"

BULB: LED

SWITCH: On Shade

SHADE: 11½"

CORD: 10' White



Grand Isle Collection





GI750-AB

FINISH: Antique Brass

HEIGHT: 241/2"

BASE: 61/2"

BULB: 100W Type A

SWITCH: Hi-lo On Cord

6" from Base

SHADE: Opal Glass

10" x 71/4"

CORD: 10' Brown



GI750-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 241/2"

BASE: 61/2"

BULB: 100W Type A

SWITCH: Hi-lo On Cord

6" from Base

SHADE: Opal Glass 10" x 71/4"

CORD: 10' Brown

TABLE/WALL LAMPS









Phone: 800-428-5367



Greensboro Collection

GR900-OB/AB

Cover plate provided for standard junction box when necessary.



← GR900-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 11"

ARM: Extends 83/4" BACKPLATE: 31/4" x 5" BULB: 60W B10

SWITCH: In-line

SHADE: Off White Linen Hardback

4" x 71/4" x 6" CORD: 10' White



FINISH: Antique Brass

HEIGHT: 13"

PROJECTION: Extends 111/4" BACKPLATE: 51/4" Diameter

BULB: 75W Type A SWITCH: In-line

SHADE: Off White Linen Hardback 6" x 9" x 7"

CORD: 10' White



FINISH: Oil Rubbed Bronze

HEIGHT: 13"


PROJECTION: Extends 111/4" BACKPLATE: 51/4" Diameter

BULB: 75W Type A SWITCH: In-line

SHADE: Off White Linen Hardback

6" x 9" x 7"

CORD: 10' White



PROJECTION: Extends 83/4" BACKPLATE: 31/4" x 5"

BULB: 60W B10 SWITCH: In-line

SHADE: Off White Linen Hardback

4" x 71/4" x 6"

CORD: 10' White





→ GR902-AB

FINISH: Antique Brass

HEIGHT: 12"

PROJECTION: Extends 91/2" BACKPLATE: 2" x 4"

BULB: 75W Type A

SWITCH: In-line

SHADE: Off White Linen Hardback 5" x 8' X 7"

CORD: 10' White



→ GR902-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 12"

PROJECTION: Extends 91/2" BACKPLATE: 2" x 4" BULB: 75W Type A

SWITCH: In-line

SHADE: Off White Linen Hardback

5" x 8' X 7"

CORD: 10' White



High Ball Collection

FLOOR/TABLE/WALL LAMPS



HBC-101-BP

FINISH: Chrome with Black

HEIGHT: 57" BASE: 101/4"

BULB: One 100W Type A SWITCH: On Socket SHADE: Black Parchment 6" x 10" x 9"


CORD: 10' Black





HBC-101-GS with optional Gray Silk Hardback





HBC-100

FINISH: Chrome with Black

HEIGHT: 621/4" BASE: 101/4"

CORD: 10' Black

BULB: Two 100W Type A SWITCH: Pull Chain On Socket

SHADE: Gray Silk Hardback 17" x 18" x 10"



HBC-150


FINISH: Chrome with Black

HEIGHT: 30"" BASE: 71/2" Round

BULB: Two 75W Type A SWITCH: Pull Chain On Socket

SHADE: Gray Silk Hardback 12" x 13" x 8" CORD: 10' Black

Home/Office Collection





"See Better, Feel Better"

The products on this page can accept a natural, full spectrum, glare-free compact fluorescent bulb from **BULBRITE**.



CORD: 10' ivory, 30" cord cover

↑ WS12-61-J

FINISH: Polished Brass HEIGHT: 5"

ARM: Extends 16" BACKPLATE: 5" Round

BULB: One 100W Type A SWITCH: On-off On Socket SHADE: 83/4" x 33/4"

CORD: 10' ivory, 30" cord cover



FINISH: Satin Nickel
HEIGHT: 5"

ARM: Extends 16"
BACKPLATE: 5" Round
BULB: One 100W

BULB: One 100W Type A SWITCH: On-off On Socket SHADE: 8¾" x 3¾" CORD: 10' ivory, 30" cord cover

1 6

Home/Office Collection



WALL SWING LAMPS



Home/Office Collection

DOUBLE WALL SWINGS



SWING ARM LAMPS



FINISH: Oil Rubbed Bronze
HEIGHT: 13 ½" column
BASE: 7 ½" Round
BULB: One 100W Type A
SWITCH: On-off On Socket
SHADE: 8 ½" x 3 ¾"
CORD: 9' Brown




→ D435-51-J

FINISH: Satin Brass
HEIGHT: 13 ½" column
BASE: 7½" Round
BULB: One 100W Type A
SWITCH: On-off On Socket
SHADE: 8 ¼" x 3 ¾"

SHADE: 8 ½" x 3 ¾" CORD: 9' Brown



Home/Office Collection





D436-71

FINISH: Antique Brass
HEIGHT: 23 ½"
BASE: 7 ½" Round
BULB: One 100W 3-way
SWITCH: On Socket

SHADE: Off-white Linen hardback

6½" x 12" x 7"

Attaches with acrylic diffuser

CORD: 9' Brown





FLOOR/TABLE SWING ARM LAMPS




Phone: 800-428-5367 www.houseoftroy.com

Home/Office Collection



→ PH100-52-J

FINISH: Satin Nickel
HEIGHT: Adjusts 34" to 48"
BASE: 10½" Round
BULB: One 100W Type A
SWITCH: On-off On Socket
SHADE: 8 ½" x 3¾"
CORD: 10' Clear



← PH100-51-J

FINISH: Satin Brass
HEIGHT: Adjusts 34" to 48"
BASE: 10½" Round
BULB: One 100W Type A
SWITCH: On-off On Socket
SHADE: 8 ½" x 3¾"
CORD: 10' Brown



PH100-71-J

FINISH: Antique Brass
HEIGHT: Adjusts 34" to 48"
BASE: 10½" Round
BULB: One 100W Type A
SWITCH: On-off On Socket
SHADE: 8½" x 3¾"
CORD: 10' Brown



PH100-91-J

FINISH: Oil Rubbed Bronze
HEIGHT: Adjusts 34" to 48"
BASE: 10½" Round
BULB: One 100W Type A
SWITCH: On-off On Socket
SHADE: 8 ½" x 3¾"
CORD: 10' Brown



← PH100-62-J

FINISH: Chrome
HEIGHT: Adjusts 34" to 48"
BASE: 10½" Round
BULB: One 100W Type A
SWITCH: On-off On Socket
SHADE: 8½" x 3¾"
CORD: 10' Clear



PH100-61-J

FINISH: Polished Brass
HEIGHT: Adjusts 34" to 48"
BASE: 10½" Round
BULB: One 100W Type A
SWITCH: On-off On Socket
SHADE: 8½" x 3¾"
CORD: 10' Brown



"See Better, Feel Better"

The products on this page can accept a natural, full spectrum, glare-free compact fluorescent bulb from **BULBRITE**



FLOOR SWING ARM LAMPS



Phone: 800-428-5367 www.houseoftroy.com

Hyde Park Collection



HP775-WB-AG

FINISH: Weathered Brass

HEIGHT: 11" BACKPLATE: 5" Round

BULB: One 60 W Type A SWITCH: Full Range Dimmer

on Backplate

SHADE: Art Glass 53/4" x 63/4"

CORD: 10' Ivory, 30" cord cover

HP775-WB-OG

FINISH: Weathered Brass

HEIGHT: 11" BACKPLATE: 5" Round

BULB: One 60 W Type A

SWITCH: Full Range Dimmer on Backplate

SHADE: Opal Glass 5 3/4" x 6 3/4"

CORD: 10' Ivory, 30" cord cover



HP775-OB-OG

BACKPLATE: 5" Round BULB: One 60 W Type A

SWITCH: Full Range Dimmer on Backplate

SHADE: Opal Glass 5¾" x 6¾" CORD: 10' Ivory, 30" cord cover





FINISH: Oil Rubbed Bronze

HEIGHT: 11" BACKPLATE: 5" Round

BULB: One 60 W Type A SWITCH: Full Range Dimmer on Backplate

SHADE: Art Glass 53/4" x 63/4"

CORD: 10' Ivory, 30" cord cover



WALL SCONCES/SWING ARM LAMPS

HP725-OB-AG FINISH: Oil Rubbed Bronze HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round BULB: One 60 W Type A SWITCH: Full-range Dimmer on Backplate SHADE: Art Glass 23/4" x 51/2" x 7" CORD: 10' Ivory, 30" cord cover HP725-OB-WL FINISH: Oil Rubbed Bronze HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round



FINISH: Oil Rubbed Bronze

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate

SHADE: Metal 5" x 7½" x 6¼ CORD: 10' Ivory, 30" cord cover

HP725-OB-BP

FINISH: Oil Rubbed Bronze

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round

BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Black Parchment 5" x 9" x 7" CORD: 10' Ivory, 30" cord cover



BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Off-white Linen Hardback

5" x 9" x 7"

CORD: 10' Ivory, 30" cord cover

Hyde Park Collection



HP725-WB-BP

FINISH: Weathered Brass

HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round

BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Black Parchment 5" x 9" x7" CORD: 10' ivory, 30" cord cover



HP725-WB-WL

FINISH: Weathered Brass

HEIGHT: 10" ARM: 14"

BACKPLATE: 5" Round

BULB: One 100 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Off-white Linen Hardback 5" x 9" x 7"

CORD: 10' Ivory, 30" cord cover



HP725-WB-MSWB

HEIGHT: 10" ARM: 14" BULB: One 100 W Type A SWITCH: Full-range Dimmer on Backplate SHADE: Metal 5" x 71/2" x 61/4" CORD: 10' Ivory, 30" cord cover





HEIGHT: 10" ARM: 14" BACKPLATE: 5" Round

BULB: One 60 W Type A

SWITCH: Full-range Dimmer on Backplate SHADE: Art Glass 2¾" x 5½" x 7" CORD: 10' Ivory, 30" cord cover

TABLE/WALL SWING LAMPS



Phone: 800-428-5367 www.houseoftroy.com

Hyde Park Collection







HP750-WB-BP

FINISH: Weathered Brass

HEIGHT: 26"

BASE: 7" Round

BULB: One 100 W Type A SWITCH: Full Range Dimmer

on base

SHADE: Black Parchment

5" x 9" x 7"

CORD: 10' Brown



FINISHS: Weathered Brass

HEIGHT: 26"

BASE: 7" Round

BULB: One 60 W Type A

SWITCH: Full Range Dimmer on base

SHADE: Art Glass

2¾" x 5½" x 7"

CORD: 10' Brown



FLOOR/TABLE LAMPS



Phone: 800-428-5367 www.houseoftroy.com



Library



FINISH: Oil Rubbed Bronze

HEIGHT: 5"
ARM: 11 ½"
BACKPLATE: 5" Diameter
BULB: Two 60T10
SWITCH: Full-range Dimmer

on Backplate SHADE: 16"

CORD: 10' ivory, 30" cord cover



← PL16-WB

FINISH: Weathered Brass

HEIGHT: 5"
ARM: 11 ½"
BACKPLATE: 5" Diameter
BULB: Two 60T10
SWITCH: Full-range Dimmer on Backplate

SHADE: 16"

CORD: 10' ivory, 30" cord cover



DL10 lamps are direct wire only

♦ D

DL10-WB

FINISH: Weathered Brass HEIGHT: 2 3/4"

ARM: 11 ½"

BACKPLATE: 2 ¾" x 4 ½"

BULB: One 60T10

SWITCH: On Shade

SHADE: 10"



DL10-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 2 ¾" ARM: 11½"

BACKPLATE: 2 ¾" x 4 ½" BULB: One 60T10 SWITCH: On Shade SHADE: 10"



Library



WALL SWING LAMPS



BACKPLATE: 13/4" x 31/2"

SWITCH: On Socket SHADE: Off-white Softback 5" x 10" x 6 3/4" CORD: 11' Ivory, 30" cord cover

Pin-up Only

BULB: One 60W Medium Base

LL660-OB

ARM: Extends 111/2"

SWITCH: On Socket SHADE: Off-white Softback



LL660-SN

FINISH: Satin Nickel HEIGHT: 13"

ARM: Extends 111/2"

BACKPLATE: 13/4" x 31/2"

Pin-up Only

BULB: One 60W Medium Base

SWITCH: On Socket SHADE: White Softback

5" x 10" x 63/4"

CORD: 11' Ivory, 30" cord cover





LL660-PB

FINISH: Polished Brass

HEIGHT: 13"

ARM: Extends 111/2"

BACKPLATE: 13/4" x 31/2"

Pin-up Only

BULB: One 60W Medium Base

SWITCH: On Socket

SHADE: Off-white Softback 5" x 10" x 6 3/4"


CORD: 11' Ivory, 30" cord cover





Lincoln Collection





FINISH: Weathered Brass HEIGHT: Adjusts from 8" to 22"

BASE: 6" Round

BULB: One 100W Type A SWITCH: In-line, 6" from base

SHADE: 5" x 9" x 7" Black Parchment

CORD: 10' Brown





FLOOR/TABLE LAMPS

→ OL600-WB

FINISH: Weathered Brass HEIGHT: Adjusts from 48" to 59"

BASE: 10" Round
BULB: One 150W 3-way
SWITCH: On Socket
SHADE: Black Parchment
11" x 15" x 9"

CORD: 10' Brown



OL650-WB

FINISH: Weathered Brass

HEIGHT: Adjusts from 8" to 22"

BASE: 6" Round

BULB: One100W Type A


SWITCH: Socket

SHADE: 8.5" x 11.5" x 7.75"

Black Parchment

CORD: 10' Brown





FINISH: Oil Rubbed Bronze

HEIGHT: Adjusts from 48" to 59" BASE: 10" Round

BULB: One 150W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback

11" x 15" x 9"

CORD: 10' Brown





TABLE LAMPS

→ N-653-OB


FINISH: Oil Rubbed Bronze

HEIGHT: 301/4" BASE: 9" Round BULBS: One 100W 3-way SWITCH: On Socket

SHADE: Off-white Softback 10" x 18" x 101/4"

CORD: 10' Brown





← N-653-AB

FINISH: Antique Brass

HEIGHT: 30¹/₄

BASE: 9" Round

BULBS: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Softback 10" x 18" x 101/4"

CORD: 10' Brown

Phone: 800-428-5367

www.houseoftroy.com



FLOOR/TABLE LAMPS







Opal Glass

N-600-AB

FINISH: Antique Brass HEIGHT: 743/4 "

BASE: 12" Round BULB: One 150W Type A

SWITCH: Floor Dimmer

SHADE: 9" x 1134" Amber Glass

CORD: 10' Brown

N-600-OB

FINISH: Oil Rubbed

Bronze

HEIGHT: 74¾ " BASE: 12" Round BULB: One 150W Type A

SWITCH: Floor Dimmer SHADE: 9" x 113/4" Amber Glass

CORD: 10' Brown

Newport Collection





Newport Collection



FLOOR LAMPS



Phone: 800-428-5367 www.houseoftroy.com

Shelburne Collection



S340-MB

FINISH: Mahogany Bronze, Black & Tan Marble

BASE: 51/3" Square

BULB: One 100W Type A SWITCH: On Socket

SHADE: Off-white Softback 5½" x 12" x 8½"

CORD: 10' Brown





FINISH: Antique Brass with

HEIGHT: 25 1/4"

BASE: 5 1/2" square

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen with

Brown trim 7" x 13" x 9 ½"

CORD: 9' brown





S330-52

FINISH: Satin Nickel with

Black Leather

HEIGHT: 25 1/4"

BASE: 5 1/2" square BULB: One 100W 3-way

SWITCH: On Socket

SHADE: White Linen with

Black trim 7" x 13" x 9 ½"

CORD: 9' brown



Shelburne Collection



✓ DSK-430-MB

FINISH: Oil Rubbed Bronze &

Black and Tan Marble

HEIGHT: 13 ¾"
BASE: 5" Square

BULB: 60T10 SWITCH: On base

SHADE: 9" Amber Glass

CORD: 9' Brown




Phone: 800-428-5367



Vision







DESK/WALL SWING LAMPS



▼ V-501-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 19" BASE: 7" Round

BULB: Q100/T4 Halogen (included) SWITCH: Full Range Dimmer on base

SHADE: 51/4" x 23/4" CORD: 10' Brown



Vision



FLOOR SWING LAMPS



Glass Wall Sconces





WL601-AB

FINISH: Antique Brass HEIGHT: 10 1/4" BACKPLATE: 2 3/8" x 4 3/8" BULB: One 60T10 SHADE: White Glass 7 ¾" x 1 ¾"



FINISH: Polished Chrome HEIGHT: 10 1/4" BACKPLATE: 2 3/8" x 4 3/8" BULB: One 60T10 SHADE: White Glass 7 3/4" x 1 7/8"





← WL601-OB

FINISH: Oil Rubbed Bronze HEIGHT: 10 1/4"

BACKPLATE: 2 3/8" x 4 3/8" BULB: One 60T10 SHADE: Amber Glass 7 3/4" x 1 1/8"





WL601-PB

FINISH: Polished Brass HEIGHT: 10 1/4" BACKPLATE: 2 3/8" x 4 3/8" BULB: One 60T10 SHADE: White Glass 7 3/4" x 1 7/8"

> Cover plate provided for standard junction box when necessary.







WL601-SN

BULB: One 60T10 SHADE: White Glass 7 3/4" x 11/8"





WL602-AB

FINISH: Antique Brass
HEIGHT: 13"
BACKPLATE: 2 1/2" x 12 1/2"
BULB: One 60T10
SHADE: White Glass,
7 3/4" x 1 1/8"



WL602-SN

FINISH: Satin Nickel
HEIGHT: 13"
BACKPLATE: 2 ½" x 12 ½"
BULB: One 60T10
SHADE: White Glass,
7 ¾" x 1½"



Cover plate provided for standard junction box when necessary.

Glass Wall Sconces




← WL604-SB

FINISH: Satin Brass HEIGHT: 113/8" BACKPLATE: 21/2" x 53/4"

BULB: One 60B10 candelabra

SHADE: White Glass,

41/4" x 1 7/8" x 33/4"





WL604-SN

FINISH: Satin Nickel HEIGHT: 113/8" BACKPLATE: 2½" x 5¾"

BULB: One 60B10 candelabra SHADE: White Glass





→ WL615-OB

FINISH: Oil Rubbed Bronze HEIGHT: 10 1/4"

BACKPLATE: 3 ½" x 5 ¾"

BULB: One 60G16 ½ candelabra

SHADE: Amber Glass, 4" x 1¾" x 5"



FINISH: Satin Nickel HEIGHT: 10 1/4" BACKPLATE: 3 ½" x 5 ¾" BULB: One 60G16 1/2 candelabra

SHADE: White Glass 4" x 13/4" x 5"



GLASS WALL SCONCES



WL612-SN

FINISH: Satin Nickel HEIGHT: 8 1/2" BACKPLATE: 2 1/8" x 5 1/8" BULB: One 60G16 1/2 candelabra SHADE: White Glass

3 ½" x 3 ¾" x 1 ½"



WL612-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 8 1/2" BACKPLATE: 2 %" x 5 %"

BULB: One 60G16 1/2 candelabra

SHADE: Amber Glass, 3 ½" x 3 ¾" x 1 ½"

WL612-AB FINISH: Antique Brass HEIGHT: 8 1/2" BACKPLATE: 2 1/8" x 5 1/8" BULB: One 60G16 1/2 candelabra SHADE: White Glass 3 ½" x 3 ¾" x 1 ½"

Cover plate provided for standard junction box when necessary.

> Phone: 800-428-5367 www.houseoftroy.com

Glass Wall Sconces





WL650-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 12" BACKPLATE: 5" x 6"

BULB: One 60W Type A SHADE: White Glass 51/4" x 5"



FINISH: Antique Silver HEIGHT: 12"

BACKPLATE: 5" x 6"

BULB: One 60W Type A SHADE: White Glass

51/4" x 5"



← WL650-AB

FINISH: Antique Brass HEIGHT: 12"

BACKPLATE: 5" x 6"

BULB: One 60W Type A SHADE: White Glass

GLASS WALL SCONCES



WL651-AS

FINISH: Antique Silver HEIGHT: 11" BACKPLATE: 6" x 6"

BULB: One 60W Type A SHADE: White Glass 5% " x 5 "



WL651-AB

FINISH: Antique Brass HEIGHT: 11" BACKPLATE: 6" x 6" BULB: One 60W Type A SHADE: White Glass 5 1/6" x 5 1/4"





WL651-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 11" BACKPLATE: 6" x 6"

BULB: One 60W Type A SHADE: White Glass 5½" x 5½"



WL652-AS

FINISH: Antique Silver HEIGHT: 12" BACKPLATE: 43/4" x 43/4" BULB: One 60W Type A SHADE: White Glass

51/4" x 5"



WL652-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 12" BACKPLATE: 43/4" x 43/4"

BULB: One 60W Type A SHADE: White Glass 51/4" x 5 "



WL652-AB

FINISH: Antique Brass HEIGHT: 12" BACKPLATE: 43/4" x 43/4" BULB: One 60W Type A

SHADE: White Glass



Wall Sconces

→ WL609-SB

FINISH: Satin Brass HEIGHT: 133/4" BACKPLATE: 2 1/4" x 4 1/2"

SHADE: Off-white Softback





WL620-CB

FINISH: Copper Bronze HEIGHT: 12 1/4"

BACKPLATE: 4 1/4" Round

BULB: One 60B10 candelabra SHADE: Off-White Softback 4" x 6½" x 7"



WL609: Cover plate provided for standard junction/switch box when necessary.



→ WL609-SN

FINISH: Satin Nickel HEIGHT: 13¾"

BACKPLATE: 2 1/4" x 4 1/2"

BULB: One 60B10 candelabra

SHADE: White Softback 4 1/8" x 7" x 5 3/4"



WALL SCONCES



Phone: 800-428-5367 www.houseoftroy.com

Wall Swings



WALL SWING LAMPS



Wall Swings



★ WS-750-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 15"

ARM: Extends 19" BACKPLATE: 5" x 6"

BULB: One 100W 3-way

SWITCH: On Socket SHADE: Off-white Linen Hardback

5" x 12" x 8½"

CORD: 11' Ivory, 30" cord cover



BULB: One 100W 3-way SWITCH: On Socket

SHADE: Off-white Linen Hardback 5" x 12" x 8½"

CORD: 11' Ivory, 30" cord cover



FINISH: Antique Silver

HEIGHT: 15"

ARM: Extends 19"

BACKPLATE: 5" x 6"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: White Linen Hardback

5" x 12" x 8½"

CORD: 11' Ivory, 30" cord cover



♦ WS-752-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 14"

ARM: Extends 19"

BACKPLATE: 43/4" x 43/4"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback

8" x 9" x 8"

CORD: 11' Ivory, 30" cord cover





BULB: One 100W 3-way

SHADE: White Linen Hardback

8" x 9" x 8"

CORD: 11' Ivory, 30" cord cover

SWITCH: On Socket

WS752-AB

FINISH: Antique Brass

HEIGHT: 14"

ARM: Extends19" BACKPLATE: 434" x 434"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: Off-white Linen Hardback

8" x 9" x 8"

CORD: 11' Ivory, 30" cord cover



Wall Swings



← WS751-AB

FINISH: Antique Brass HEIGHT: 15" ARM: Extends 19" BACKPLATE: 6" x 6"

BULB: One 100W 3-way
SWITCH: On Socket

SHADE: Off-white Linen Hardback

6" x 9" x 8 ½"

CORD: 11' Ivory, 30" cord cover



HEIGHT: 15"

ARM: Extends 19"

BACKPLATE: 6" x 6"

BULB: One 100W 3-way SWITCH: On Socket

SHADE: Off-white Linen Hardback

6" x 9" x 8 $\frac{1}{2}$ "

CORD: 11' Ivory, 30" cord cover

LL623-SN

FINISH: Satin Nickel HEIGHT: 17" ARM: Extends 9½"

BACKPLATE: 5½" Round
BULB: One 100W Type A +25R14N

SWITCH: Rotary On Socket SHADE: White Linen Hardback

8" x 10" x 8"

CORD: 10' Ivory, 30" cord cover



WS751-AS

FINISH: Antique Silver

HEIGHT: 15"

ARM: Extends 19"

BACKPLATE: 6" x 6"

BULB: One 100W 3-way

SWITCH: On Socket

SHADE: White Linen Hardback

6" x 9" x 8 ½"

CORD: 11' Ivory, 30" cord cover



← LL623-OB

FINISH: Oil Rubbed Bronze

HEIGHT: 17"

ARM: Extends 9½"
BACKPLATE: 5½" Round

BULB: One 100W Type A

+25R14N

SWITCH: Rotary On Socket SHADE: Off-white Linen Hardback

8" x 10" x 8"

CORD: 10' Ivory, 30" cord cover

WALL SWING LAMPS



Phone: 800-428-5367 www.houseoftroy.com

Corridor Lamps









COR100-OB

FINISH: Oil Rubbed Bronze

w/ Art Glass

HEIGHT: 41/2" EXTENSION: 3¾" BACKPLATE: 4½" x 4½" SHADE: 14"

COR102-SN

FINISH: Satin Nickel HEIGHT: 5½" EXTENSION: 31/4" BACKPLATE: 51/2" Diameter

SHADE: 13"

FLUORESCENT SPECIFICATIONS

EXTENSION: 31/4"

BACKPLATE: 41/2" x 41/2" SHADE: 14"


Bulb	CRI	CCT	Watts	Lumens	Lifetime
F8T5-WW	82	3000K	8	460	5,000 hrs



Contract Picture Light







Finishes

Black #7
White #9
Satin Brass #51
Satin Nickel #52
Polished Brass #61
Chrome #62
Antique Brass #71
Weathered Brass #76
Oil Rubbed Bronze #91

NOTE: Custom orders available on request.

SIZE SELECTION Shade length should be one half the width of the image it is illuminating.


FLUORESCENT SPECIFICATIONS

Ballast attached to/


Shade Size	Bulb	CRI	CCT	Watts	Lumens	Lifetime
24"	F14-T5	82	3000K	14	1200	15,000 hrs.
36"	F21-T5	82	3000K	21	1900	15,000 hrs.
48"	F28-T5	82	3000K	28	2600	15,000 hrs.


Height Adjustm Screw

Bulbs not included. Non stock item, call for lead time and availability.



Classic Traditional™





Craftsmanship and reliability are traditions at House of Troy.

Polished Metal Reflector

Soldered Seamless End Caps

Finishes

Gold #1

Gold Wrinkle #2 Bronze #5 Pewter #31 Satin Brass #51 Statuary Bronze #56 Polished Brass #61 Antique Brass #71 Weathered Brass #76 Mahogany Bronze #81

NOTE: Custom orders available on request.






There are 25 procedures involved in the assembly of a Classic Traditional™ picture light. This handson assembly process assures a quality product.

shade positioning

from artwork



Adjustable arm

END CAP PROFILES ACTUAL SIZE

Classic ContemporaryTM




Finishes

Gold #1 Satin Brass #51 Satin Nickel #52 Polished Brass #61 Chrome #62

Paintable 8' Ivory Cord with In-line Switch

attached 3' from plug

Specifications



SIZE SELECTION
Shade length should be

Shade length should be one half the width of the image it is illuminating.

Soldered Seamless

End Caps

C16" shade two 25 or 40T10F bulbs



Slide Arm for

adjusts 5" to 7' from artwork

horizontal extension

Metal Safety Sleeve

Ball Swivel for

shade positioning

MA14-AB

two 25 or 40T10F bulbs

Mantel Light




MA14-B

HEIGHT: 4½" BASE: 15" wide, 3" deep 10' Brown Cord Exits Back of Shade. In-Line Switch 15" from Fixture.

Finishes

Polished Brass (B) Antique Brass (AB) Mahogany Bronze (MB)



Phone: 800-428-5367 www.houseoftroy.com

Classic Traditional[™] LED



Finishes

Gold #1 Gold Wrinkle #2 Bronze #5 Pewter #31 Satin Brass #51 Statuary Bronze #56 Polished Brass #61 Antique Brass #71 Weathered Brass #76 Mahogany Bronze #81


SIZE SELECTION Shade length should be one half the width of the image it is illuminating.



TLED14-7 1

LED SPECIFICATIONS

Shade Sizes	CRI	ССТ	Watts	Lumens	Lifetime	Equivalent Incandescent
10"	93	3400K	1.6	38.4	30,000 hrs	(1) 25 Watt
14"	93	3400K	2.4	57.6	30,000 hrs	(2) 25 Watt
24"	93	3400K	4	96	30,000 hrs	(3) 25 Watt
36"	93	3400K	6.4	153.6	30,000 hrs	(5) 25 Watt





Finishes


Polished Brass #61 Mahogany Bronze #81

NOTE: Custom orders available on request.

BACKPLATE DIMENSIONS

DTLED10/14	4½" x 4½" x ½"
DTLED24	4" x 15" x ½"
DTLED36	4" x 26" x ½"






Phone: 800-428-5367

www.houseoftroy.com








Phone: 800-428-5367

www.houseoftroy.com



Direct Wire Slim-line™ LED &



SIZE SELECTION


Shade length should be one half the width of the image it is illuminating.

LED SPECIFICATIONS

Shade Size	CRI	CCT	Watts	Lumens	Lifetime	Equivalent Incandescent
14"	93	3400K	2.4	57.6	30,000 hrs	(2) 15 Watt
24"	93	3400K	4	96	30,000 hrs	(4) 15 Watt

Battery Operated Slim-line[™] LED






Uses 4 C Batteries (not included). Switch on LED array.

Battery Operated Traditional LED





Phone: 800-428-5367 www.houseoftroy.com



ALED15-1



- 24 Hours on 4 AA batteries (not included)
- 30,000 hours LED life

Finishes

Gold #1 Black #7

 $Advent_{^{11}}$ RDLESS

14" Fluorescent

UV Tested—Safe For Artwork, Maximum Light Output Up To 45 Hours with 4 D batteries (not included).

Finishes

Satin Nickel #52 Brass #61 Antique Brass #71



7" Incandescent >

Illuminates 6–8 hours with only 4 AA batteries (not included).

Finishes

Polished Brass #61 Antique Brass #71



Classic Rechargable Battery Operated

Clip: 23/8"W x 3"H,

up to $\frac{3}{4}$ " wide.

Expands to fit surfaces


Rechargable Battery Operates 6–8 hours per charge.

Recharger included.

Shade Length and **Bulb Information**



One #40, 8 hour and one #46, 6 hour bulb included



Practical only where power is not available.

Finishes

Gold #1 Statuary Bronze #56 Polished Brass #61






This light combines simple construction with moderate pricing. It has many quality features and is a reliable lighting alternative.

Finishes


Polished Brass #61 Antique Brass #71

Specifications



A14"shade


two 25T10F bulbs





Finishes

Black #7 Satin Brass #51 Satin Nickel #52 Antique Brass #71



Advent... PROFILE

The Profile light uses incandescent bulbs and is available in a 16" length.






The black finish of the Profile light matches and compliments the frame and art work.

Specifications

APR 16" shade two 15T4 bulbs included





$Advent_{\text{m}}$

PORTABLE SPOT LIGHTS



SP-510-52 HEIGHT: 6 ½"

18" from shade









Table/Floor Spots

SP-520-52 HEIGHT: 6"

SP-530-52 HEIGHT: 6 to 9"



Mini-cans

SP-510-7 HEIGHT: 6 ½"

SP-512-7 HEIGHT: 6 ½"



Table/Floor Spots

SP-530-7 HEIGHT: 6 to 9"



SP-520-7 HEIGHT: 6"

Black Finish

SWITCH: On 10' black cord, 18" from shade



White Finish

SWITCH: On 10' white cord, 18" from shade



Mini-cans

SP-512-9 SP-510-9 HEIGHT: 6 ½" HEIGHT: 6 ½"



Table/Floor Spots

SP-520-9 HEIGHT: 6"

SP-530-9 HEIGHT: 6 to 9"



Mini-cans

SP-510-61 S HEIGHT: 6 ½" H


SP-512-61 HEIGHT: 6 ½"



Table/Floor Spots

SP-530-61 HEIGHT: 6 to 9"





Advent. LIGHT STRIP

WITH SWIVELS

Finishes

Black #7 White #9

Polished Brass #61



The accent light with many uses

China Cabinets, Stereo Racks, Trophy Cases, Under Shelf, Art/Sculpture, Night Lighting, Wall Units, Bookcases, etc.



Length and Bulb Information

ALS 10"

Bulbs last an average of 40,000 hours (6 watts per 10" of light strip). Bulbs are in a self-contained unit and are not replaceable. Comes with 5' 9" cord, switch 3" from fixture.

Installs in minutes without tools.

⊒ ALS 30"


Advent CLIP-ON LIGHT

Ideal for use with laptop computers, easels, music stands and home office spaces.



Quality Features

Shade Swivels to Direct Light Black #7





Transformer, Snap Mount and Halogen bulb included

Product #	Bulb (included)	Gooseneck	Switch
HL3-12	5W	12"	dimmer
HL3-18	5W	18"	dimmer
HL4-12	10W	12"	on/off
HL4-18	10W	18"	on/off



BED LAMPS



UC SERIES


UNDER CABINET LIGHTS


Line Voltage Incandescent System

Includes:

- 10' Cord with Snap-on Plug
- Hardware to convert to Direct Wire

Quality Features





Tilt down feature for bulb replacement.




UC-18-32

UC-13-9

Specifications

Bulbs sold separately



Finishes

White #9 Brushed Aluminum #32 Polished Brass #61

UC 45" eight 25T6 bulbs

Custom Direct Mount Lights





A Classic Traditional Direct Mount Light illuminates a menu board.


House of Troy Direct Mount Lights can be installed into paneling. This is an attractive feature for library use and enhances the look of book shelves and display areas. Call our customer service department for quotes on this custom alternative.

All A, B, C dimensions may be modified to meet your specifications.


Classic Direct Mount







Slim-line Direct Mount



Illuminate your bookshelves with our Slimline Custom Direct Mount Lights.

Mounting Detail

1/4 "Diameter Escutcheon
Washer and Nut provided
8' Cord standard, supplied
with unmounted snap-on plug

Questions & Answers

O. What does LED stand for?

A. LED stands for Light Emitting Diode.

Q. Is a LED a bulb?

A. No, they are tiny semi-conductors encapsulated in plastic, which protect their components and help focus the light.

Q. Why do LEDs use such little power?

A. Incandescent bulbs create light by applying power to a filament, which glows and produces light and heat. LEDs do not use a filament, so produce very little heat, making them far more efficient in consumption and output.

Q. How long do LEDs last?

A. LEDs last from 30,000-100,000 hours. As LEDs get older they dim and fade, rather than burn out. Incandescent bulbs last between 1,000-2,000 hours.

Q. LEDs are more expensive than other lighting options, why?


A. LEDs require different components to operate properly, such as a circuit board, drivers or transformers, and housings. As demand for LED products has increased, costs have come down.

O. What are CRI and CCT?

A. The Color Rendering Index (CRI) is a measure of the ability of a light source to reproduce the colors generated by a reference light source of the same color temperature. For example, a CRI of 100%, taken at a color temperature of noon day sunlight (5500K) will exactly reproduce the colors found on a sunny day at noon.

The Correlated Color Temperature (CCT) is a measurement used to define the color of a light source. It is used to indicate the "coolness" or "warmness" of a light. Color temperature of light is typically measured in degrees Kelvin or just Kelvin.

Examples of Color Temperature



Q. Will I save money with LED lighting?

A. LEDs typically use 5-15% of the electricity of incandescent lighting. LED savings are found over the life of the LED in energy consumption. This does not include the cost of the 15-30 replacement incandescent bulbs over the life of the LED.

Q. Are LEDs harmful to my artwork?

A. House of Troy LED light output is of conservation quality. Our LEDs have no UV found in incandescent and fluorescent bulbs that can be harmful to your art.

Benefits of LEDs

- Low power consumption (costs less to light)
- Very efficient, focused light, little heat
- Extremely long life span (30,000-50,000 hrs)
- Durable, insensitive to vibration
- No UV
- Environmentally friendly (no mercury or other toxins)
- Recyclable

Q. What size picture light should I use?

A. Measure the width of the image and use a picture light approximately ½ the size. Consider the lighting requirements of the room.

Q. What color picture light should I consider?

A. Depending on your personal taste, you may select a finish that matches your frame, or you may select a finish that stands on its own or is in keeping with the décor of the room.

Q. Is there a way to eliminate the cord?

- A. There are several ways to deal with the cord:
- 1. Install a recessed outlet (sometimes called a "clock outlet") behind the artwork. Making sure that the lamp is not plugged in, cut the cord to the appropriate length and attach a flat snap-on plug (available from House of Troy). Ideally, connect this to a dimmer switch on the wall.
- 2. Use Cord Covers.
- 3. Paint the cord to match the wall color.
- 4. Place furniture, plants, or other décor to hide most of the cord.
- 5. Use an insulated staple to attach the cord to the baseboard. This keeps the cord straight and improves its appearance.
- 6. Several battery-operated picture lights are available. These lights provide minimum light and will last up to 45 hours.

Q. What type of bulbs are used in picture lights?

A. Refer to the House of Troy brochure for size and wattage bulb.


Remember to use a frosted bulb if the reflector in your light is smooth.


Only use a clear bulb if the reflector is pebbled. A clear bulb with a smooth reflector produces unnecessary reflections on the artwork.

A dimmer is an effective way to adjust the amount of light for your artwork.


Q. How do you install a picture light?

A. All House of Troy picture lights come with mounting hardware and may be attached to either the picture frame or the wall. The only tools necessary are a screw driver and something to start a screwhole, such as a small nail or awl.






Mounting on Metal Frame




Mounting on Wall

Q. In what order are shade dimensions given in this catalog?

A. See drawing below.






Q. How do you measure a Desk/ Piano Lamp?

A. Adjustable Desk/Piano lamps are measured in the locations shown in the drawing below.



Q. How is the arm extension measured on Swing Arm Lamps?

A. On Wall Swings, the measurement is from the front of the backplate to the center of the socket. On Desk Lamps, the measurement is from the front of the post to the center of the socket.



Q. How can we display these products in our store?

A. Call our Customer Service department for Picture Light display options.



Picture Light Finishes

Our Classic and Slim-line™ picture lights are offered in the most popular finishes. If you would like a finish that is not stocked, call our customer service department for lead time and cost.

The antique and weathered brass finishes are applied then rubbed by hand to achieve the proper effect. For this reason there are slight surface variations which are expected and desirable.

The stocked finishes are listed on the product page. Refer to this page for a color representation of finish.



Hammered Bronze (HB)



Gold #1



Gold Wrinkle #2



Bronze #5




Black #7




White #9



Pewter #31



Brushed Aluminum #32



Satin Brass #51



Satin Nickel #52




Statuary Bronze #56






Antique Brass #71



Weathered Brass #76



Mahogany Bronze #81



Oil Rubbed Bronze #91



Chestnut Bronze (CHB)



Granite (GT)

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	ITEM	PAGE
A14-61	119	C5-1	110	CPL48-52	107	FLX100-CHB	43	HL4-18	122	N603-OB	84
A14-71	119	C5-51	110	CPL48-61	107	FLX125-AB	42	HP16-61	113	N603-PTR	84
A7-61	119	C5-52	110	CPL48-62	107	FLX125-CH	42	HP16-71	113	N604-AB	85
A7-71	119	C5-61	110	CPL48-7	107	FLX150-AB	42	HP16-76	113	N604-OB	85
AB7-61	118	C5-62	110	CPL48-71	107	FLX150-BLK	42	HP16-91	113	N604-PTR	85
AB7-71	118	C9-1	110	CPL48-76	107	FLX150-CHB	42	HP30-61	113	N606-AB	85
ABF14-52	118	C9-51	110	CPL48-91	107	G100-CHB	46	HP30-71	113	N606-OB	85
ABF14-61	118	C9-52	110	D435-51-F	59	G100-GT	46	HP30-76	113	N650-AB	80
ABF14-71	118	C9-61	110	D435-51-J	59	G150-CHB	45	HP30-91	113	N650-OB	80
AC7-61	123	C9-62	110	D435-91-F	59	G150-GT	45	HP700-OB-A		N651-AB	78
AC7-71	123	CH800-AB	41	D435-91-J	59	G175-CHB	44	HP700-OB-B		N651-OB	78
ACL7-7	122	CH800-AS	41	D436-52	60	G175-GT	44	HP700-OB-M		N651-PTR	78
AG-51	119	CH800-OB	41	D436-71	60	G200-CHB	46	HP700-OB-W		N652-AB	80
AG-52	119	CH825-AB	40	D436-91	60	G200-GT	46	HP700-WB-A		N652-OB	80
AG-7	119	CH825-AS	40	DC16-61	111	G200-HB	46	HP700-WB-B		N653-AB	79 7 0
AG-71	119	CH825-OB	40	DC16-62	111	G200-WT	46	HP700-WB-M		N653-OB	79
ALED15-1	25/118	CH850-AB	38	DC9-61	111	G250-CHB	45	HP700-WB-W HP725-OB-A		OL600-OB	77
ALED15-7	25/118	CH850-AS CH850-OB	38 38	DC9-62 DCF12-51	111 107	G250-GT	45	HP725-OB-B		OL600-WB	77
ALS10-61 ALS10-7	122 122	CH875-OB	39	DCF12-51 DCF12-52	107	G250-HB	45 45	HP725-OB-M		OL650-OB OL650-WB	76 77
ALS10-7 ALS10-9	122	CH876-AB	39	DCF12-32 DCF12-71	107	G250-WT G275-CHB	45 44	HP725-OB-W		OL651-OB	76
ALS10-9 ALS20-61	122	CH877-AS	39	DCF24-51	107	G275-CHB G275-GT	44	HP725-WB-A		OL651-WB	76
ALS20-01 ALS20-7	122	CH878-AS	39	DCF24-51 DCF24-52	107	G275-HB	44	HP725-WB-B		P10-007-617	31
ALS20-7 ALS20-9	122	CH879-AB	38	DCF24-71	107	G275-HB G275-WT	44	HP725-WB-M		P10-007-627	31
ALS30-61	122	CH880-OB	39	DL10-OB	71	G300-BLK	47	HP725-WB-W		P10-101-B	2
ALS30-7	122	CL200-AB	37	DL10-WB	71	G300-BER G300-CHB	47	HP750-OB-A		P10-107-61	3
ALS30-9	122	CL200-AS	37	DL20-OB	72	G300-GT	47	HP750-OB-B		P10-107-81	3
AP10-20-61	16	CL200-OB	37	DL20-WB	72	G300-HB	47	HP750-OB-M		P10-108	4
AP10-20-7	16	CL201-AB	36	DSK428-G61	87	G300-WT	47	HP750-OB-W	L 67	P10-111	4
AP10-20-71	16	CL201-AS	36	DSK428-G71	87	G350-BLK	48	HP750-WB-A	.G 68	P10-111-71	4
AP10-21-61	17	CL201-OB	36	DSK430-MB	87	G350-CHB	48	HP750-WB-B	P 68	P10-111-MB	4
AP10-21-71	17	CL202-AB	35	DSL14-51	115	G350-GT	48	HP750-WB-M	SWB68	P10-123	2
AP10-21-91	17	CL202-AS	35	DSL14-52	115	G350-HB	48	HP750-WB-W	/L 68	P10-123-81	2
AP10-22-61	17	CL202-OB	35	DSL14-71	115	G350-WT	48	HP775-OB-A	G 64	P10-130	5
AP14-40-61	16	CL225-AB	33	DSL14-91	115	G375-BLK	49	HP775-OB-O	G 64	P10-131-61	5
AP14-40-7	16	CL225-AS	33	DSL24-51	115	G375-CHB	49	HP775-WB-A	.G 64	P10-131-71	5
AP14-40-71	16	CL225-OB	33	DSL24-52	115	G375-GT	49	HP775-WB-C	G 64	P10-150	20
AP14-41-61	15	CL250-AB	34	DSL24-71	115	G375-HB	49	HP8-61	113	P10-150-617	20
AP14-41-71	15	CL250-AS	35	DSL24-91	115	G375-WT	49	HP8-71	113	P10-152	3
AP14-41-91	15	CL250-OB	35	DSL36-51	115	GI750-AB	50	HP8-76	113	P10-163	2
AP14-42-61	17	CL251-AB	34	DSL36-52	115	GI750-OB	50	HP8-91	113	P10-165-627	3
APH16-52	120	CL251-AS	34	DSL36-71	115	GI751-AB	51	L10-61	123	P10-190-M	29
APH16-61	120	CL251-OB	34	DSL36-91	115	GI751-OB	51	LL623-OB	104	P10-191-52M	29
APH16-7	120	COR100-AB	106	DSLED14-51	116	GI775-AB	51	LL623-SN	104	P10-191-61	28
APH16-71	120	COR100-OB COR100-SN	106	DSLED14-52 DSLED14-71	116 116	GI775-OB	51	LL660-AB	73	P10-191-61C	28
APR16-52	120	COR101-AB	106 106	DSLED14-71 DSLED14-91	116	GP10-61	27	LL660-OB	73	P10-191-61M	29
APR16-61 APR16-7	120 120	COR101-AB	106	DSLED14-91 DSLED24-51	116	GP10-7 GP10-81	27 27	LL660-PB LL660-SN	73	P10-191-71	28 28
APR16-71	120	COR101-SN	106	DSLED24-52	116	GP10-81 GP14-61	27	LL662A-AB	73 74	P10-191-81 P10-192-617	31
BAR101-BB		COR102-AB	106	DSLED24-71	116	GP14-7	27	LL662A-OB	74	P10-192-627	31
BAR102-BB		COR102-OB	106	DSLED24-91	116	GP14-81	27	LL662A-PB	74	P14-201	12
BAR103-BB		COR102-SN	106	DT14-61	111	GPLED19-61	25	LL662A-SN	74	P14-201-81	12
BAR125-BB		CPL24-51	107	DT14-81	111	GPLED19-7	25	LL663-AB	75	P14-201-AB	12
BL10-AB	123	CPL24-52	107	DT24-61	111	GPTLED-61	25	LL663-PB	75	P14-201-GT	12
BL10-PB	123	CPL24-61	107	DT24-81	111	GPTLED-7	25	LL663-SN	75	P14-202	11
BSLED14-51	1 117	CPL24-62	107	DT36-61	111	GPXL22-61	26	MA14-AB	110	P14-202-81	11
BSLED14-52	2 117	CPL24-7	107	DT36-81	111	GPXL-617	26	MA14-B	110	P14-202-AB	11
BSLED14-71	1 117	CPL24-71	107	DT8-61	111	GPXL-627	26	MA14-MB	110	P14-203	7
BSLED14-91	1 117	CPL24-76	107	DT8-81	111	GR900-AB	52	N600-AB	81	P14-203-81	7
BTLED14-1	117	CPL24-9	107	DTLED10-61	112	GR900-OB	52	N600-AB-O	81	P14-203-AB	7
BTLED14-51		CPL24-91	107	DTLED10-81	112	GR901-AB	52	N600-OB	81	P14-203-GT	7
BTLED14-61		CPL36-51	107	DTLED14-61	112	GR901-OB	52	N600-OB-O	81	P14-204	8
BTLED14-71		CPL36-52	107	DTLED14-81	112	GR902-AB	52	N600-PTR	81	P14-204-81	8
BTLED14-81		CPL36-61	107	DTLED24-61	112	GR902-OB	52	N600-PTR-O	81	P14-204-AB	8
C16-1	110	CPL36-62	107	DTLED24-81	112	HBC-100	53	N601-AB	82	P14-212	10
C16-51	110	CPL 36-71	107	DTLED36-61	112	HBC-101-BP	53	N601-OB	82	P14-231-61	10
C16-52	110	CPL36-71 CPL36-76	107 107	DTLED36-81 FL10-GT	112 30	HBC-101-GS	53	N601-PTR	82	P14-231-71	10
C16-61	110	CPL36-76 CPL36-9	107	FL10-G1 FL10-MB	30	HBC-150 HL3-12	53	N602-AB	83	P14-232-C71	13
C16-62	110	CPL36-91	107	FLX100-AB	43	HL3-12 HL3-18	122 122	N602-OB N602-PTR	83 83	P14-233-617 P14-233-C71	6
128		CPL30-91 CPL48-51	107	FLX100-AB		HL3-18 HL4-12	122	N602-PTR N603-AB	83 84	P14-233-C/1	6 13
120		1 0.11.0.31	107	I DATE OF BER	.5	TILT-12	122	11003-AD	04	114-242-71	13

ITEM	PAGE	ITEM	PAGE	ITEM	PAGE	l ITEM	PAGE	ITEM	PAGE	I ITEM	PAGE
P14-246	10	RR8-1	113	SL6-9	114	T24-81	108	T9-81	108	V503-SN	90
P14-250	20	RT8-1	118	SL6-91	114	T30-1	108	TLED10-1	112	WL601-AB	92
P14-250-617	20	RT8-56	118	SL84-51	114	T30-2	108	TLED10-2	112	WL601-OB	92
				SL84-51 SL84-52	114	T30-21	108	TLED10-21	112	WL601-PB	92
P14-262	13	RT8-61	118					TLED10-51		WL601-PC	92
P14-264	6	RWB	122	SL84-61	114	T30-5	108		112		
P14-280	9	S330-52	86	SL84-62	114	T30-51	108	TLED10-51	112	WL601-SN	92
P14-280-WB	9	S330-71	86	SL84-7	114	T30-56	108	TLED10-56	112	WL602-AB	93
P14-501-52	9	S340-MB	86	SL84-71	114	T30-61	108	TLED10-61	112	WL602-SN	93
P14-501-71	9	S341-MB	86	SL84-76	114	T30-71	108	TLED10-71	112	WL604-SB	94
P14-502-52	8	SL11-51	114	SL84-9	114	T30-76	108	TLED10-76	112	WL604-SN	94
P14-D01	19	SL11-52	114	SL84-91	114	T30-81	108	TLED10-81	112	WL609-SB	98
P15-80-51	18	SL11-61	114	SLED20-52	116	T36-1	108	TLED14-1	112	WL609-SN	98
P15-80-52	18	SL11-62	114	SLED20-61	116	T36-2	108	TLED14-2	112	WL612-AB	95
P15-81-5262	18	SL11-7	114	SLED20-62	116	T36-31	108	TLED14-31	112	WL612-OB	95
P15-83-52	18	SL11-71	114	SLED20-71	116	T36-5	108	TLED14-5	112	WL612-SN	95
P15-90-52	19	SL11-76	114	SP510-52	121	T36-51	108	TLED14-51	112	WL615-OB	94
P15-90-61	19	SL11-9	114	SP510-61	121	T36-56	108	TLED14-56	112	WL615-SN	94
P16-100-627	14	SL11-91	114	SP510-7	121	T36-61	108	TLED14-61	112	WL616-AB	99
P16-101-627	14	SL16-51	114	SP510-9	121	T36-71	108	TLED14-71	112	WL616-CB	99
		SL10-51 SL16-52	114	SP512-52	121	T36-76	108	TLED14-76	112	WL616-PB	99
P16-D02-617	19							TLED14-70		WL620-CB	98
P16-D02-627	19	SL16-61	114	SP512-61	121	T36-81	108		112	WL650-AB	96
PC14-503-52	14	SL16-62	114	SP512-7	121	T4-1	108	TLED24-1	112		
PC14-503-71	14	SL16-7	114	SP512-9	121	T4-2	108	TLED24-2	112	WL650-AS	96
PF14-201	12	SL16-71	114	SP520-52	121	T42-1	108	TLED24-31	112	WL650-OB	96
PF14-250	20	SL16-76	114	SP520-61	121	T42-2	108	TLED24-5	112	WL651-AB	97
PFL-527	30	SL16-9	114	SP520-7	121	T42-31	108	TLED24-51	112	WL651-AS	97
PFL-617	30	SL16-91	114	SP520-9	121	T42-5	108	TLED24-56	112	WL651-OB	97
PH100-51-F	61	SL21-51	114	SP530-52	121	T42-51	108	TLED24-61	112	WL652-AB	97
PH100-51-J	62	SL21-52	114	SP530-61	121	T42-56	108	TLED24-71	112	WL652-AS	97
PH100-52-F	61	SL21-61	114	SP530-7	121	T42-61	108	TLED24-76	112	WL652-OB	97
PH100-52-J	62	SL21-62	114	SP530-9	121	T42-71	108	TLED24-81	112	WS12-51-F	54
PH100-61-F	61	SL21-7	114	T14-1	108	T42-76	108	TLED36-1	112	WS12-51-J	55
PH100-61-J	62	SL21-71	114	T14-2	108	T42-81	108	TLED36-2	112	WS12-52-F	54
PH100-62-F	61	SL21-71	114	T14-31	108	T4-31	108	TLED36-31	112	WS12-52-J	55
PH100-62-J	62	SL21-70 SL21-9	114	T14-51	108	T4-5	108	TLED36-5	112	WS12-61-F	54
		SL21-91	114	T14-51	108	T4-51	108	TLED36-51	112	WS12-61-J	55
PH100-71-F	61			T14-56	108	T4-56	108	TLED36-56	112	WS12-71-F	54
PH100-71-J	62	SL30-51	114							WS12-71-J	55
PH100-91-F	61	SL30-52	114	T14-61	108	T4-61	108	TLED36-61	112		
PH100-91-J	62	SL30-61	114	T14-71	108	T4-71	108	TLED36-71	112	WS12-91-F	54
PH101-51	63	SL30-62	114	T14-76	108	T4-76	108	TLED36-76	112	WS12-91-J	55
PH101-52	63	SL30-7	114	T14-81	108	T4-81	108	TLED36-81	112	WS14-2-52	58
PH101-71	63	SL30-71	114	T18-1	108	T5-1	108	UC13-32	124	WS14-2-71	58
PH101-91	63	SL30-76	114	T18-2	108	T5-2	108	UC13-61	124	WS14-2-91	58
PL16-OB	71	SL30-9	114	T18-31	108	T5-31	108	UC13-9	124	WS14-51	56
PL16-WB	71	SL30-91	114	T18-5	108	T5-5	108	UC18-32	124	WS14-52	56
PL20-OB	72	SL40-51	114	T18-51	108	T5-51	108	UC18-61	124	WS14-61	57
PL20-WB	72	SL40-52	114	T18-56	108	T5-56	108	UC18-9	124	WS14-71	57
PLED100-527	21	SL40-61	114	T18-61	108	T5-61	108	UC22-32	124	WS14-9	57
PLED100-61	21	SL40-62	114	T18-71	108	T5-71	108	UC22-61	124	WS14-91	56
PLED100-617	21	SL40-7	114	T18-76	108	T5-76	108	UC22-9	124	WS16-31	105
PLED101-527	21	SL40-71	114	T18-81	108	T5-81	108	UC28-32	124	WS16-61	105
PLED101-61	21	SL40-76	114	T21-1	108	T8-1	108	UC28-61	124	WS16-91	105
PLED101-617	21	SL40-9	114	T21-2	108	T8-2	108	UC28-9	124	WS-704	
	23	SL40-9 SL40-91	114	T21-31	108	T8-31	108	UC34-32	124		100
PLED200-527				T21-51	108	T8-5	108	UC34-61	124	WS-706	100
PLED200-617	23	SL64-51	114					UC34-9		WS-706-AB	100
PLED201-527	23	SL64-52	114	T21-51	108	T8-51	108		124	WS-706-OB	101
PLED201-617	23	SL64-61	114	T21-56	108	T8-56	108	UC45-32	124	WS-708-AB	101
PLED202-AB	24	SL64-62	114	T21-61	108	T8-61	108	UC45-61	124	WS-708-OB	101
PLED203-AB	24	SL64-7	114	T21-71	108	T8-71	108	UC45-9	124	WS750-AB	102
PLED203-PB	24	SL64-71	114	T21-76	108	T8-76	108	V500-2-AB	91	WS750-AS	102
PLED204-MB	24	SL64-76	114	T21-81	108	T8-81	108	V500-2-OB	91	WS750-OB	102
PLED300-AB	22	SL64-9	114	T24-1	108	T9-1	108	V500-2-SN	91	WS751-AB	104
PLED300-OB	22	SL64-91	114	T24-2	108	T9-2	108	V501-AB	89	WS751-AS	104
PLED300-PB	22	SL6-51	114	T24-31	108	T9-31	108	V501-OB	89	WS751-OB	104
PLED300-SN	22	SL6-52	114	T24-5	108	T9-5	108	V501-SN	89	WS752-AB	103
PS10-190-M	29	SL6-61	114	T24-51	108	T9-51	108	V502-AB	88	WS752-AS	103
RR14-1	113	SL6-62	114	T24-56	108	T9-56	108	V502-OB	88	WS752-OB	103
RR24-1	113	SL6-7	114	T24-61	108	T9-61	108	V502-SN	88	XL12-61	115
RR30-1	113	SL6-71	114	T24-71	108	T9-71	108	V503-AB	90	XL12-01 XL22-61	115
RR5-1	113	SL6-71 SL6-76	114	T24-76	108	T9-76	108	V503-OB	90	71122-01	113
KKJ-1	113	3E0-70	-	na: 200 129		•	NICOOFtrox				120

Phone: 800-428-5367 www.houseoftroy.com





902 Silver Ridge Road, Hyde Park, VT 05655 phone: 800-428-5367 fax: 888-881-7952 www.houseoftroy.com This art for the spine is not sized. Please adjust to fit spine.