

JOELSON™

BRUSHED NICKEL FINISH WITH
SATIN ETCHED CASED OPAL GLASS



Clear
Glass
Accents

A | 43924 NI
43924 NIL16
Chandelier



B | 43923 NI
43923 NIL16
Chandelier



C | 43922 NI
43922 NIL16
Chandelier

MATCHING BATH

See matching
bath fixtures
on page s734.





Satin Etched White Glass



CONVERTIBLE

Create two distinct lighting options with one fixture:
Pendant or Semi Flush.

Shown as Pendant - 16.75" H.

D | 43927 NI
43927 NIL16
Mini Pendant

E | 43925 NI
43925 NIL16



Shown as Semi Flush - 14.25" H.



F | 45921 NI
45921 NIL16
Wall Sconce



Satin Etched White Glass

G | 43926 NI
43926 NIL16
Semi Flush



These devices comply with Title 47 of the FCC Regulations.

JOELSON™

ITEM #	FINISH	LIGHT SOURCE	LED OUTPUT	DIMENSIONS	OVRLL. H	STEM TILT	EXTRA WIRE	CHAIN/STEM	EXT.	HCWO	NOTES
A	43924	NI	(9) 100W (M)	---	32W x 33H	71	90°	88	36	---	Additional stem 2997, 2999, 3036, 3048 NI.
	43924	NIL16	(9) 9W	3000K, 80 CRI, 800 Lumens per bulb	32W x 33H	71	90°	88	36	---	Additional stem 2997, 2999, 3036, 3048 NI.
B	43923	NI	(5) 100W (M)	---	24W x 19.75H	58	90°	55	36	---	Additional stem 2997, 2999, 3036, 3048 NI.
	43923	NIL16	(5) 9W	3000K, 80 CRI, 800 Lumens per bulb	24W x 19.75H	58	90°	55	36	---	Additional stem 2997, 2999, 3036, 3048 NI.
C	43922	NI	(3) 100W (M)	---	20W x 18.5H	57	90°	57	36	---	Additional stem 2997, 2999, 3036, 3048 NI.
	43922	NIL16	(3) 9W	3000K, 80 CRI, 800 Lumens per bulb	20W x 18.5H	57	90°	57	36	---	Additional stem 2997, 2999, 3036, 3048 NI.
D	43927	NI	(1) 100W (M)	---	4W x 19H	57	90°	55	36	---	Additional stem 2997, 2999, 3036, 3048 NI.
	43927	NIL16	(1) 9W	3000K, 80 CRI, 800 Lumens per bulb	4W x 19H	57	90°	55	36	---	Additional stem 2997, 2999, 3036, 3048 NI.
E	43925	NI	(3) 100W (M)	---	17.75W x 16.75H	91	---	24	72	---	Additional chain 2996 NI.
	43925	NIL16	(3) 9W	3000K, 80 CRI, 800 Lumens per bulb	17.75W x 16.75H	91	---	24	72	---	Additional chain 2996 NI.
F	45921	NI	(1) 100W (M)	---	5W x 18.25H	---	---	---	5.25	9	
	45921	NIL16	(1) 9W	3000K, 80 CRI, 800 Lumens per bulb	5W x 18.25H	---	---	---	5.25	9	
G	43926	NI	(3) 75W (M)	---	14.25W x 11.75H	---	---	---	---	---	
	43926	NIL16	(3) 9W	3000K, 80 CRI, 800 Lumens per bulb	14.25W x 11.75H	---	---	---	---	---	

Measurements shown in inches. U.S. & Canada Patent Pending.

JOELSON™

OLDE BRONZE® FINISH WITH
SATIN ETCHED CASED OPAL GLASS



Clear
Glass
Accents

A | 43924 OZ
43924 OZL16
Chandelier



B | 43923 OZ
43923 OZL16
Chandelier



C | 43922 OZ
43922 OZL16
Chandelier

MATCHING BATH

See matching
bath fixtures
on page s735.





Satin Etched White Glass



CONVERTIBLE

Create two distinct lighting options with one fixture:
Pendant or Semi Flush.

Shown as Pendant - 16.75" H.

D | 43927 OZ
43927 OZL16
Mini Pendant

E | 43925 OZ
43925 OZL16



Shown as Semi Flush - 14.25" H.



F | 45921 OZ
45921 OZL16
Wall Sconce



Satin Etched White Glass

G | 43926 OZ
43926 OZL16
Semi Flush



These devices comply with Title 47 of the FCC Regulations.

JOELSON™

ITEM #	FINISH	LIGHT SOURCE	LED OUTPUT	DIMENSIONS	OVRLL. H	STEM TILT	EXTRA WIRE	CHAIN/STEM	EXT.	HCWO	NOTES	
A	43924	OZ	(9) 100W (M)	---	32W x 33H	71	90°	88	36	---	---	Additional stem 2999 OZ.
	43924	OZL16	(9) 9W	3000K, 80 CRI, 800 Lumens per bulb	32W x 33H	71	90°	88	36	---	---	Additional stem 2999 OZ.
B	43923	OZ	(5) 100W (M)	---	24W x 19.75H	58	90°	55	36	---	---	Additional stem 2999 OZ.
	43923	OZL16	(5) 9W	3000K, 80 CRI, 800 Lumens per bulb	24W x 19.75H	58	90°	55	36	---	---	Additional stem 2999 OZ.
C	43922	OZ	(3) 100W (M)	---	20W x 18.5H	57	90°	57	36	---	---	Additional stem 2999 OZ.
	43922	OZL16	(3) 9W	3000K, 80 CRI, 800 Lumens per bulb	20W x 18.5H	57	90°	57	36	---	---	Additional stem 2999 OZ.
D	43927	OZ	(1) 100W (M)	---	4W x 19H	57	90°	55	36	---	---	Additional stem 2999 OZ.
	43927	OZL16	(1) 9W	3000K, 80 CRI, 800 Lumens per bulb	4W x 19H	57	90°	55	36	---	---	Additional stem 2999 OZ.
E	43925	OZ	(3) 100W (M)	---	17.75W x 16.75H	91	---	24	72	---	---	Additional chain 2996 OZ.
	43925	OZL16	(3) 9W	3000K, 80 CRI, 800 Lumens per bulb	17.75W x 16.75H	91	---	24	72	---	---	Additional chain 2996 OZ.
F	45921	OZ	(1) 100W (M)	---	5W x 18.25H	---	---	---	5.25	9		
	45921	OZL16	(1) 9W	3000K, 80 CRI, 800 Lumens per bulb	5W x 18.25H	---	---	---	5.25	9		
G	43926	OZ	(3) 75W (M)	---	14.25W x 11.75H	---	---	---	---	---		
	43926	OZL16	(3) 9W	3000K, 80 CRI, 800 Lumens per bulb	14.25W x 11.75H	---	---	---	---	---		

Measurements shown in inches. U.S. & Canada Patent Pending.

JOELSON™

BRUSHED NICKEL FINISH WITH
SATIN ETCHED CASED OPAL GLASS



A | 45921 NI
45921 NIL16
Wall Sconce
NOT TO SCALE



B | 45922 NI
45922 NIL16



Glass Accent

C | 45923 NI
45923 NIL16



D | 45924 NI
45924 NIL16

MATCHING COLLECTION

See entire Joelson™
Collection on pages
s656-s659.



These devices comply
with Title 47 of the
FCC Regulations.

JOELSON™

OLDE BRONZE® FINISH WITH SATIN ETCHED CASED OPAL GLASS



A | 45921 OZ
45921 OZL16
Wall Sconce
NOT TO SCALE



B | 45922 OZ
45922 OZL16











Glass Accent

C | 45923 OZ
45923 OZL16



JOELSON™

D | 45924 OZ
45924 OZL16

	ITEM #	FINISH	LIGHT SOURCE	LED OUTPUT	DIMENSIONS	EXT.	HCWO	NOTES
A	45921	NI, OZ	(1) 100W (M)	---	5.W x 18.25H	5.25	9	Ⓧ May be installed with glass up or down.
	45921	NIL16, OZL16	(1) 9W  	3000K, 80 CRI, 800 Lumens per bulb	5.W x 18.25H	5.25	9	Ⓧ May be installed with glass up or down.
B	45922	NI, OZ	(2) 100W (M)	---	14W x 9.25H	5.25	2.5	Ⓧ May be installed with glass up or down.
	45922	NIL16, OZL16	(2) 9W  	3000K, 80 CRI, 800 Lumens per bulb	14W x 9.25H	5.25	2.5	Ⓧ May be installed with glass up or down.
C	45923	NI, OZ	(3) 100W (M)	---	24W x 9.25H	5.25	6.75	Ⓧ May be installed with glass up or down.
	45923	NIL16, OZL16	(3) 9W  	3000K, 80 CRI, 800 Lumens per bulb	24W x 9.25H	5.25	6.75	Ⓧ May be installed with glass up or down.
D	45924	NI, OZ	(4) 100W (M)	---	34W x 9.25H	5.25	6.75	Ⓧ May be installed with glass up or down.
	45924	NIL16, OZL16	(4) 9W  	3000K, 80 CRI, 800 Lumens per bulb	34W x 9.25H	5.25	6.75	Ⓧ May be installed with glass up or down.

Measurements shown in inches. U.S. & Canada Patent Pending.