

BIXLER™

BRUSHED NICKEL FINISH
WITH SATIN ETCHED GLASS



A | 45938 NI
45938 NIL16
Wall Sconce
NOT TO SCALE



B | 45939 NI
45939 NIL16



C | 45940 NI
45940 NIL16



D | 45941 NI
45941 NIL16

MATCHING COLLECTION

See entire Bixler™
Collection on
pages s694-s697.



These devices comply
with Title 47 of the
FCC Regulations.

BIXLER™

OLDE BRONZE® FINISH
WITH SATIN ETCHED GLASS



A | 45938 OZ
45938 OZL16
Wall Sconce
NOT TO SCALE



B | 45939 OZ
45939 OZL16











C | 45940 OZ
45940 OZL16



D | 45941 OZ
45941 OZL16

BIXLER™

ITEM #	FINISH	LIGHT SOURCE	LED OUTPUT	DIMENSIONS	EXT.	HCWO	NOTES
A 45938	NI, OZ	(1) 100W (M)	---	6.5W x 10.75H	8.75	5	Ⓚ May be installed with glass up or down.
45938	NIL16, OZL16	(1) 9W  	3000K, 80 CRI, 800 Lumens per bulb	6.5W x 10.75H	8.75	5	Ⓚ May be installed with glass up or down.
B 45939	NI, OZ	(2) 100W (M)	---	16.75W x 9.5H	7	2.75	Ⓚ May be installed with glass up or down.
45939	NIL16, OZL16	(2) 9W  	3000K, 80 CRI, 800 Lumens per bulb	16.75W x 9.5H	7	2.75	Ⓚ May be installed with glass up or down.
C 45940	NI, OZ	(3) 100W (M)	---	23.75W x 9.25H	7	6.75	Ⓚ May be installed with glass up or down.
45940	NIL16, OZL16	(3) 9W  	3000K, 80 CRI, 800 Lumens per bulb	23.75W x 9.25H	7	6.75	Ⓚ May be installed with glass up or down.
D 45941	NI, OZ	(4) 100W (M)	---	34.75W x 9.25H	7	6.75	Ⓚ May be installed with glass up or down.
45941	NIL16, OZL16	(4) 9W  	3000K, 80 CRI, 800 Lumens per bulb	34.75W x 9.25H	7	6.75	Ⓚ May be installed with glass up or down.

Measurements shown in inches. U.S. & Canada Patent Pending.

BIXLER™

BRUSHED NICKEL FINISH WITH
SATIN ETCHED GLASS



A | 43939 NI
43939 NIL16
Chandelier



B | 43938 NI
43938 NIL16
Chandelier



C | 43937 NI
43937 NIL16
Chandelier

MATCHING BATH

See matching
bath fixtures
on page s746.



These devices comply
with Title 47 of the
FCC Regulations.



D | 43940 NI
Foyer Pendant



E | 43941 NI
43941 NIL16
Mini Pendant



Shown as Pendant - 13.75" H.

CONVERTIBLE

Create two distinct lighting options with one fixture:
Pendant or Semi Flush.

G | 43942 NI
43942 NIL16

















Shown as Semi Flush - 14.25" H.



F | 45938 NI
45938 NIL16
Wall Sconce

BIXLER™

	ITEM #	FINISH	LIGHT SOURCE	LED OUTPUT	DIMENSIONS	OVRL. H	EXTRA WIRE	CHAIN/STEM	EXT.	HCWO	NOTES
A	43939	NI	(9) 100W (M)	---	35.25W x 33.5H	107	56	72	---	---	Additional chain 2996 NI.
	43939	NIL16	(9) 9W  	3000K, 80 CRI, 800 Lumens per bulb	35.25W x 33.5H	107	56	72	---	---	Additional chain 2996 NI.
B	43938	NI	(5) 100W (M)	---	25.5W x 24H	98	36	72	---	---	Additional chain 2996 NI.
	43938	NIL16	(5) 9W  	3000K, 80 CRI, 800 Lumens per bulb	25.5W x 24H	98	36	72	---	---	Additional chain 2996 NI.
C	43937	NI	(3) 100W (M)	---	21.5W x 19H	93	36	72	---	---	Additional chain 2996 NI.
	43937	NIL16	(3) 9W  	3000K, 80 CRI, 800 Lumens per bulb	21.5W x 19H	93	36	72	---	---	Additional chain 2996 NI.
D	43940	NI	(4) 60W (C)	---	13.5W x 25H	99	56	72	---	---	Additional chain 2996 NI.
E	43941	NI	(1) 100W (M)	---	6.5W x 13.25H	53	67	36	---	---	Add. chain 2996 NI. Add. stem 2997, 2999, 3036, 3048.
	43941	NIL16	(1) 9W  	3000K, 80 CRI, 800 Lumens per bulb	6.5W x 13.25H	53	67	36	---	---	Add. chain 2996 NI. Add. stem 2997, 2999, 3036, 3048.
F	45938	NI	(1) 100W (M)	---	6.5W x 10.75H	---	---	---	8.75	5	 May be installed up or down.
	45938	NIL16	(1) 9W  	3000K, 80 CRI, 800 Lumens per bulb	6.5W x 10.75H	---	---	---	8.75	5	 May be installed up or down.
G	43942	NI	(2) 75W (M)	---	14W X 13.75H	88	28	72	---	---	Additional chain 2996 NI.
	43942	NIL16	(2) 9W  	3000K, 80 CRI, 800 Lumens per bulb	14W X 13.75H	88	28	72	---	---	Additional chain 2996 NI.

Measurements shown in inches.

BIXLER™

OLDE BRONZE® FINISH WITH
SATIN ETCHED GLASS



B | 43938 OZ
43938 OZL16
Chandelier



A | 43939 OZ
43939 OZL16
Chandelier



C | 43937 OZ
43937 OZL16
Chandelier

MATCHING BATH

See matching
bath fixtures
on page s747.



These devices comply
with Title 47 of the
FCC Regulations.



D | 43940 OZ
Foyer Pendant



E | 43941 OZ
43941 OZL16
Mini Pendant



Shown as Pendant - 13.75" H.

CONVERTIBLE

Create two distinct lighting options with one fixture:
Pendant or Semi Flush.

















F | 45938 OZ
45938 OZL16
Wall Sconce



Shown as Semi Flush - 14.25" H.

G | 43942 OZ
43942 OZL16

BIXLER™

	ITEM #	FINISH	LIGHT SOURCE	LED OUTPUT	DIMENSIONS	OVRL. H	EXTRA WIRE	CHAIN/STEM	EXT.	HCWO	NOTES
A	43939	OZ	(9) 100W (M)	---	35.25W x 33.5H	107	56	72	---	---	Additional chain 2996 OZ.
	43939	OZL16	(9) 9W  	3000K, 80 CRI, 800 Lumens per bulb	35.25W x 33.5H	107	56	72	---	---	Additional chain 2996 OZ.
B	43938	OZ	(5) 100W (M)	---	25.5W x 24H	98	36	72	---	---	Additional chain 2996 OZ.
	43938	OZL16	(5) 9W  	3000K, 80 CRI, 800 Lumens per bulb	25.5W x 24H	98	36	72	---	---	Additional chain 2996 OZ.
C	43937	OZ	(3) 100W (M)	---	21.5W x 19H	93	36	72	---	---	Additional chain 2996 OZ.
	43937	OZL16	(3) 9W  	3000K, 80 CRI, 800 Lumens per bulb	21.5W x 19H	93	36	72	---	---	Additional chain 2996 OZ.
D	43940	OZ	(4) 60W (C)	---	13.5W x 25H	99	56	72	---	---	Additional chain 2996 OZ.
E	43941	OZ	(1) 100W (M)	---	6.5W x 13.25H	53	67	36	---	---	Additional chain 2996 OZ. Additional stem 2999 OZ.
	43941	OZL16	(1) 9W  	3000K, 80 CRI, 800 Lumens per bulb	6.5W x 13.25H	53	67	36	---	---	Additional chain 2996 OZ. Additional stem 2999 OZ.
F	45938	OZ	(1) 100W (M)	---	6.5W x 10.75H	---	---	---	8.75	5	 May be installed up or down.
	45938	OZL16	(1) 9W  	3000K, 80 CRI, 800 Lumens per bulb	6.5W x 10.75H	---	---	---	8.75	5	 May be installed up or down.
G	43942	OZ	(2) 75W (M)	---	14W X 13.75H	88	28	72	---	---	Additional chain 2996 OZ.
	43942	OZL16	(2) 9W  	3000K, 80 CRI, 800 Lumens per bulb	14W X 13.75H	88	28	72	---	---	Additional chain 2996 OZ.

Measurements shown in inches.