



Bisc™ LED

Bisc's seamless globe and fan combination assure balanced airflow -- in a style that's elegant and understated.





Shown: 300710MWH Matte White Finish with Silver Blades

56" Bisc™ LED



300710BB
Oil Brushed Bronze™ Finish
Walnut Blades



300710PN
Polished Nickel Finish
Silver Blades

BLADE SPECS

Fan Finish Blade Finish & Part Number
(Side 1) (Reversible)



INCLUDED FEATURES

Blades (3) Included

- 14° Pitch
- 56" Sweep
- Reversible
- Wood

Downrods 6" Downrod with 1" (O.D.)

Downlight Integrated. 17-W Dimmable LED Platform 1,600 Lumens, 80 CRI, 3,000K CCT

Downlight Glass Etched Cased Opal Glass

Optional Downlight N/A

Uplight N/A

Uplight Glass N/A

Low Ceiling Adaptable No

Control 6-Speed DC Wall Control

INCLUDED CONTROLS



6-SPEED DC WALL CONTROL SYSTEM

- 6 Forward Speeds & Reverse
- Lights On/Off with Full Range Dimming
- No more than two fans on one circuit
- Includes Faceplate and all Mounting Hardware

OPTIONAL CONTROLS



371075WHTR

6-SPEED DC COOLTOUCH™ TRANSMITTER

COORDINATING LIGHTING

To see the complete Moonlit Collection visit elan-lighting.com.



Pendant
83854



Mini Pendant
83853

FAN FEATURES

Mounting Slope – Pitch 30° or 7/12

Lead Wire 78"

cUL Listed Indoor

Hanging Weight 15.4 lbs.

Warranty Limited Lifetime

MOTOR FEATURES

Motor Size/Type 188mm x 10mm, DC

Amps 0.25 on High


RPM 163 on High

Energy Star No

HANGING MEASUREMENTS

WITH 6" DOWNROD

Fixture Drop (from ceiling)	Blade Drop (from ceiling)	Housing (width)	Ceiling Canopy (width)
A: 16.50"	B: 10.50"	C: 9.75"	D: 6.25"



AIR PERFORMANCE

AIRFLOW	POWER USAGE	AIRFLOW EFFICIENCY
5330 Cubic Ft. Per Minute on High	17 Watts on High (Excludes Lights)	315 Cubic Ft. Per Minute Per Watt

