





TE Pro Series

Rod

1TEC1RDSF8SIL

PROJECT:	PRODUCT #:
TYPE:	COMMENTS:
PREPARED BY:	

Rod

Channel		
Installation View		
Tape Capacity	<ul style="list-style-type: none"> Utilizes one strip of LED tape 	
Description	<ul style="list-style-type: none"> An aluminum channel sturdy enough to use as a closet rod (can hold 50lbs per foot when supported every 24"). Versatile with its accessories, it can install as a surface mount or pendant to create a unique, directional lighting effect. <p>Ideal for:</p> <ul style="list-style-type: none"> Closets – When paired with closet-rated tape light Suspended architectural accents 	
Dimensions		
A La Carte To Build A Channel	 <p>With the TE Pro Series, you build your own channel system. Tape Light Sold Separately.</p>	
Channels 8ft	1TEC1RDSF8SIL	
Lenses 8ft	1TEL0018WHO Flat White Opaque 1TEL0018CLR Flat Clear 1TEL1518CLR Narrow Beam Lens, Clear 1TEL3018CLR Medium Beam Lens, Clear	
End Caps 2 total	1TEE1RDSFSSIL Metal with Wiring Hole	
Mounting Clips	1TEM1RDSFSCH 10 total	
Accessories	1TEA1RDSFBCCH Basic Collar, Standard Closet Install, Mounts to Wall 1TEA1RDSFHCCCH High Closed Collar (Mounts below shelf – Overall Height 3") 1TEA1RDSFHCOCH High Open Collar (Mounts below shelf – Overall Height 3") 1TEA1RDSFLCCCH Low Closed Collar (Mounts below shelf – Overall Height 2.25") 1TEA1RDSFLCOCH Low Open Collar (Mounts below shelf – Overall Height 2.25") 1TEA1RDSFBAESIL Adjustment Beam, End Cap Pair* <i>See illustration on page 3</i> 1TEA1RDADJ8SIL Adjustment Beam, LED Insert* <i>See illustration on page 3</i> 1TEA090VCONN 90° Vertical Connector Bracket 1TEA090HCONN 90° Horizontal Connector 1TEA120HCONN 120° Horizontal Connector 1TEA180HCONN Straight Connector	

*Soldered connections required due to moving parts.

Compatible with Kichler Standard Output (1.5W/ft) and High Output (3W/ft) LED Tape Light.

TE Pro Series

Rod

1TEC1RDSF8SIL



1TEC1RDSF8SIL



1TEL0018WHO



1TEL0018CLR



1TEL1518CLR



1TEL3018CLR



1TEE1RDSFSSIL



1TEM1RDSFSCH



1TEA1RDSFBCCH



1TEA1RDSFHCCCH



1TEA1RDSFHCOCH



1TEA1RDSFLCCCH



1TEA1RDSFLCOCH



1TEA1RDSFBAESIL



1TEA1RDADJ8SIL



1TEA090VCONN



1TEA090HCONN



1TEA120HCONN




1TEA180HCONN

TE Pro Series

Rod

1TEC1RDSF8SIL

EXPLODED VIEW



INSTALLATION VIEW



COMPATIBILITY

TE Channels are compatible with Kichler® 8T, 6T and 4T Standard Output (1.5W/ft) and High Output (3W/ft) LED Tape Light. Below are compatible connectors.

Tape Connector / Channel Compatibility	8T CONNECTOR ACCESSORIES								6T/4T *
	8T1TTF1WH	8T1TTF2WH	8T1TTF3WH	8T1TTF4WH	8T1TTR1WH	8T1TWF1WH	8T1TWR1WH	8T1TWR5WH	1SLXXX 1CXXX 1ICXXX
Rod 1TEC1RDSF8SIL	●	●	●	●	●	●	●	●	●
Rod with Beam Adjustment Insert 1TEC1RDSF8SIL	●	●	●	●	●	●	●	●	●

Due to moving parts, soldered connections are recommended.

*Due to the width of the 1SL, 1C and 1IC connectors, soldered connections are recommended.

NOTES: