



★ MOTOR SIZE 172mm x 20mm

★ FINISH ADC: Adobe Cream[™] with Reversible Adobe Cream[™]/Maple Blades

BSS: Brushed Stainless Steel with Reversible Oak Blades

OBB: Oil Brushed Bronze™ with Reversible Walnut/Cherry Blades

NI: Brushed Nickel with Reversible Maple/Marive Cherry Blades

SNW: Satin Natural White with Satin Natural White Blades

TZ: Tannery Bronze™ with Reversible Teak/Cherry Blades

WH: White Powder Coat with White Blades

★ BLADES (5) Blades • 14° Blade Pitch • 52" Blade Sweep • Reversible

★ MOUNTING SLOPE - PITCH 30° or 7/12

★ DOWNRODS Includes 4" Downrod with 1" (O.D.)

★ PRIMARY CONTROL SYSTEM Basic Function CoolTouch™ Control System/ Manual Reverse/Light On/Off – Designed for Fluorescent Lamps (Included)

★ OPTIONAL CONTROLS N/A

★ DOWNLIGHT Integrated. Uses (2) 13W E-26, CFL Lamps (Included)

★ UPLIGHT N/A

BLADE SWEEP

172 x 20mm Motor

HANGING MEASUREMENTS:

WITH 4" DOWNROD

A - 20.75" B - 10.75" C - 12.50"

★ LEAD WIRE 78" ★ cUL LISTED Indoor

★ LOW CEILING ADAPTABLE Yes ★ WARRANTY Limited Lifetime

U.S. Patent Pending

AIRFLOW 6151 Cubic Ft. Per Minute on High • 65 Watts on High (Excludes Lights) **AIRFLOW EFFICIENCY** 94 Cubic Ft. Per Minute Per Watt on High

Includes our

Basic Function
CoolTouch™
Control System
U.S. Patent Pending

★ 3 Speeds – Manual Reverse

★ Light On/Off. Designed for Fluorescent Lamps

Motor Off

Fan Reversible Blade Finish

ADC - Adobe Cream™ Blade Sample 31

> ADC - Maple Blade Sample 31

BSS - Light Oak Blade Sample 35

BSS - Medium Oak Blade Sample 35

NI - Maple Blade Sample 13

NI - Marive Cherry Blade Sample 13

OBB - Cherry Blade Sample 7

OBB - Walnut Blade Sample 7

SNW - Satin Natural White Blade Sample 22

> **TZ - Cherry** Blade Sample 19

TZ - Teak Blade Sample 19

WH - White Blade Sample 20

52" Canfield Pro continued CEILING FAN COLLECTION



