

# Castia<sup>™</sup> by Studio McGee

Single-handle bathroom sink faucet, 1.2 gpm K-35907-4

## Features

- Designed in collaboration with Studio McGee
- A single handle controls both on/off activation and temperature setting
- 5-3/4" (146 mm) spout reach
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar)
- KOHLER® ceramic disc valves exceed industry longevity standards for a lifetime of durable performance
- Metal touch-activated drain with 1-1/4" tailpiece
- Coordinates with other products in the Castia collection

### Material

- Premium metal construction for durability and reliability
- KOHLER® finishes resist corrosion and tarnishing

## Installation

- For single-hole or 4" (102 mm) centerset installation (escutcheon plate included)
- Preattached flexible supply lines simplify installation

# **Recommended Products/Accessories**

K-35925 18" towel bar K-35926 24" towel bar K-35927 Double robe hook K-35928 Towel ring K-35929 Pivoting toilet paper holder K-23723 Faucet cleaner K-23726 Drain treatment







#### **Codes/Standards**

ASME A112.18.1/CSA B125.1 NSF/ANSI/CAN 61 NSF/ANSI/CAN 372 All applicable US Federal and State material regulations DOE - Energy Policy Act 1992 EPA WaterSense® California Energy Commission (CEC) ADA ICC/ANSI A117.1 CSA B651 OBC

# KOHLER<sup>®</sup> Faucet Lifetime Limited Warranty


See website for detailed warranty information.

# **Available Colors/Finishes**

Color tiles intended for reference only.

Color Code Description

CP	Polished Chrome
SN	Vibrant® Polished Nickel
BN	Vibrant® Brushed Nickel
BL	Matte Black
2MB	Vibrant® Brushed Moderne






# KOHLER, Faucets

# Castia™ by Studio McGee

Single-handle bathroom sink faucet, 1.2 gpm K-35907-4



# **Technical Information**

All product dimensions are nominal.

#### Faucet:

Flow rate:1.2 gal/min (4.5 l/min)Pressure:60 psi (4.1 bar)Drain included:YesDrain with overflow:No

### Notes

Install this product according to the installation instructions.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

