

### Purewash™ Elongated manual bidet toilet seat K-98804-CP

#### **Features**

- Dual-function wand provides ambient water for front and rear cleansing.
- Convenient side lever handle allows for water pressure adjustment.
- Self-cleaning wand automatically rinses after each use.
- Manually-operated handle requires no batteries or electrical power.
- Quiet-Close™ elongated seat closes quietly.
- Quick-Release™ functionality allows the seat to be removed easily from the toilet for convenient cleaning.
- Grip-Tight bumpers hold seat firmly in place.
- Ergonomically contoured seat for user comfort.
- Seat with antimicrobial agent inhibits growth of odor-causing bacteria, mold, and mildew. This product does not protect users against bacteria, viruses, or other disease organisms. Always clean and wash this product thoroughly before and after each use.
- Air bubble wash offers a soft, gentle wash with effective cleansing.

#### Material

Plastic construction.

#### Installation


- Requires connection to toilet water supply line. All hoses and connections are included.
- Fits most elongated toilets.

#### **Recommended Products/Accessories**

K-3999 Two-piece elongated 1.28 gpf chair height toilet K-3999-RA Two-piece elongated 1.28 gpf chair height toilet K-31621 Two-piece elongated 1.28 gpf chair height toilet K-31621-RA Two-piece elongated 1.28 gpf chair height toilet

#### **Included Components**

Additional Components:
Bidet hose
Mounting hardware
T-valve




#### Codes/Standards

None Applicable


# **KOHLER® Toilets and Seats Limited Warranty**

See website for detailed warranty information.









#### **Technical Information**

All product dimensions are nominal.

Seat shape type: Elongated
Seat front type: Closed-front
Seat-mounting 5-1/2" (140 mm)

holes:





## **Memoirs® Stately**

Toilet tank, 1.28 gpf K-4434

#### **Features**

- Left-hand Polished Chrome trip lever
- Combines with the K-4387 bowl to create a complete K-3933
   Memoirs toilet
- Coordinates with other products in the Memoirs collection
- Class Five® canister optimizes the flow out of the tank, harnessing gravity and the natural powerful reducing cascade of water to increase the power and effectiveness of the flush
- 1.28 gpf (4.8 lpf)

#### Installation

Supply line sold separately

#### **Recommended Products/Accessories**

K-4387 Round-front toilet bowl K-23726 Drain treatment





#### Codes/Standards

ASME A112.19.2/CSA B45.1 EPA WaterSense® IAPMO Certification

# **KOHLER® Toilets and Seats Limited Warranty**

See website for detailed warranty information.

#### **Available Colors/Finishes**

Color tiles intended for reference only.

Color	Code	Description
	0	White
	96	Biscuit
	NY	Dune
	95	Ice™ Grey
	7	Black Black™
	17	Teal
	42	Aspen Green
	H15	Spring Green
	V10	Peachblow





## **Memoirs® Stately**

Toilet tank, 1.28 gpf K-4434

No image available. This product is a component and not intended to be a standalone installation.

#### **Technical Information**

All product dimensions are nominal.

Toilet type: Bowl-mount

Flush type: Class Five

#### **Notes**

Install this product according to the installation instructions.





### **Memoirs®**

Toilet Bowl K-4380

#### **Features**

- Vitreous china
- Comfort Height Elongated bowl
- 2-1/8" (54 mm) fully glazed trapway
- 12" (305 mm ) rough-in
- Combines with the K-4433 or K-4434 tank to create a complete K-3816 or K-3817 toilet



Codes/Standards ASME A112.19.2/CSA B45.1

**KOHLER® One-Year Limited Warranty** See website for detailed warranty information.

#### **Available Color/Finishes**

Color tiles intended for reference only.

Color	Code	Description
	0	White
	96	Biscuit
	47	Almond
	NY	Dune
	95	Ice™ Grey
	G9	Sandbar
	7	Black Black <sup>T</sup>





Memoirs® Toilet Bowl K-4380

No image available. This product is a component and not intended to be a standalone installation.

#### **Technical Information**

All product dimensions are nominal.

Toilet type: Two-piece, Floor-mount

Waste Outlet: Floor

Bowl shape: Elongated front
Flush type: AquaPiston
Trap passageway: 2-1/8" (54 mm)
Rough-in: 12" (305 mm)
Seat-mounting holes: 5-1/2" (140 mm)

#### **Notes**

Install this product according to the installation instructions.

