



Salient® | K-9054

60" x 30" alcove shower base, right drain

Features

- Spacious shower base offers ample room for showering
- Safeguard® slip-resistant surface provides excellent traction underfoot
- Single threshold for alcove installation with three tile-in flanges



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

0	White
96	Biscuit
NY	Dune
58	Thunder Grey
7	Black Black



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
4-15-2026 4:33 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.19.1/CSA B45.2
ASTM F462

Warranty

See website for detailed warranty information.

KOHLER® Enameled Cast Iron Bath and Shower Base Lifetime
Limited Warranty

Technical Information

All product dimensions are nominal.

Drain Location:	Right
Drain Hole Diameter:	3-3/8" (86 mm)
Shower Ledge Minimum Flat:	2-1/2" (63 mm)
Minimum Floor Load:	40 lbs/ft ²
Weight:	193 lbs (87.5 kg)

Material

- KOHLER® enameled cast iron

Recommended Products/Accessories

K-5557 Steam generator control kit

K-23726 Drain treatment

K-702207-L Sliding shower door, 70-5/16" H x 56-5/8 - 59-5/8" W,
with 3/8" thick Crystal Clear glass

K-706019-L Sliding shower door, 82" H x 56-5/8 - 59-5/8" W, with
3/8" thick Crystal Clear glass

K-23725 Cast iron cleaner

K-9132 Round shower drain for use with plastic pipe, gasket included

K-706009-D3 Sliding shower door, 74" H x 56-5/8 - 59-5/8" W, with
1/4" thick Frosted glass and blade handles

K-706009-L Sliding shower door, 74" H x 56-5/8 - 59-5/8" W, with
1/4" thick Crystal Clear glass

K-706012-L Sliding shower door, 74" H x 56-5/8 - 59-5/8" W, with
3/8" thick Crystal Clear glass

K-706013-L Sliding shower door, 82" H x 56-5/8 - 59-5/8" W, with
3/8" thick Crystal Clear glass


K-706015-D3 Sliding shower door, 74" H x 56-5/8 - 59-5/8" W, with
1/4" thick Frosted glass

K-706015-L 74" H sliding shower door with 1/4"-thick glass



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
4-15-2026 4:33 - US-CA



Installation

- Right drain

Installation Notes

Install this product according to the installation instructions.

Measure your actual product for rough-in details.

KOHLER steam generator/control kit is designed for use with this product. Kohler Co. shall not be responsible for problems encountered due to the installation and use of other manufacturer's steam generators.

