

FEATURES

- Brass construction
- For 8" centers
- Brass valve bodies
- 1/2" quarter-turn washerless ceramic disc valves
- Available with lever or cross handles

CODES/STANDARDS APPLICABLE

Specified model meets or exceeds the following:

- ASME/ANSI A112.18.1M
- CSA B125 (K-6805, K-6807)
- IAPMO/UPC

IV GEORGES BRASS [™] BATH AND SHOWER FAUCET K-6806 ALSO K-6805, K-6807

Contraction of the second seco

COLORS/FINISHES

- PB Polished Brass
- Other Refer to Faucets Price Book for additional finishes

SPECIFIED MODEL:


Model	Description	(ADA				
K-6805-3	Valve Only, Cross Handles	□P B	□Oth- er					
K-6805-4	Valve Only, Lever Handles			□P B	□Oth- er			
K-6806-3	Bath and Shower, Cross Handles	□P B	□Oth- er					
K-6806-4	Bath and Shower, Lever Handles			□P B	□Oth- er			
	SPECIFICATION:	⊔P B	⊡Oth- er					
Two-handle bath and shower faucet shall be of brass construction. Faucet shall feature brass value bodies. Faucet shall feature 1/2" of an wertuan washer response of brass construction. Faucet shall feature brass value bodies. Faucet shall faucet shall include showerhead with arm and flange, 4-7/8" diverter spout with N.P.T. connection, and handles. Shower only faucet shall include showerhead with arm and flange, and handles. Value only faucet shall include handles. Faucet								

shall be Kohler Model K-____-

Optional Accessories on Page 2.

IV GEORGES BRASS[™]

Optional Accessories					
K-6792	IV Georges Brass accent kit (For K-6806-3)	□P B	□Oth- er		
K-6797	IV Georges Brass accent kit (For K-6806-4)			□P B	□Oth- er



PRODUCT DIAGRAM

332

