
This manual can be used to install a variety of levers. Please determine your function type prior to installation.




Welcome to the Kwikset family!

This guide will get you ready to install your lever.

If you have any issues, please visit our support center: **kwikset.com/support** or call us at 1-800-327-5625.

Installation and Reference Guide

This manual can be used to install a variety of levers.



Door Prep: If you need help in preparing your door **Drilling Instructions:** If you need help in drilling your door


1 Adjust the backset of the latch (if needed)

A Hold the latch in front of the door hole, with the latch face flush against the door edge.




B If the latch holes are centered in the door hole, no adjustment is required. Proceed to step 2.

If the latch holes are NOT centered, adjust latch. See "Latch Adjustment" (step 1C).



C Latch Adjustment (only if needed)

Move the pin to extend the latch.







2 Install latch





















Install levers (concealed screws) В Keep turn button horizontal as shown. Push bolt to install exterior lever. interior interior D interior interior Install levers (exposed screws) Option 1: Install privacy/passage levers Lever handle faces Press latch bolt away from latch. to install lever. IMPORTANT: If installing a passage lock on an entry door, make sure the lever without the screw holes exterior Hole must be on the side is on the exterior side of the door. for privacy levers. Keep parallel В to the door edge. interior D Tip: Pull lever slightly away from door to see where screws insert. Privacy locks only Save the bedroom/bathroom emergency unlock tool for


Save the bedroom/bathroom emergency unlock tool for future use.




Option 2: Install entry levers

A Make sure the pre-installed lever adapter is still on the chassis.







B Note: Locking function may differ per lock/lever.









Option 3: Install dummy (non-rotating) levers







Option 4: Install storeroom levers


Measure the thickness of your door to determine if adjustment are required before installing interior lever assembly.








A Place a wood block on a solid surface, tap the end of spindle down until the bump is even with lever assembly as shown.




No additional adjustment needed. Proceed to step B.


3 Install levers (exposed screws)




4 Install strike to door frame



 $\ensuremath{\mathbb{B}}$ Close door, test latch operation and make adjustments as needed:





If latch is loose in the strike, adjust the strike tab so it grips the latch bolt better when the door is closed.



SmartKey Rekeying Instructions



For rekeying instructions, you can also visit: https://www.kwikset.com/support/answers/how-to-re-key-your-smartkey-security-locks

If you have any issues, please visit our support center: **kwikset.com/support** or call us at 1-800-327-5625.

WARNING: This Manufacturer advises that no lock can provide complete security by itself. This lock may be defeated by forcible or technical means, or evaded by entry elsewhere on the property. No lock can substitute for caution, awareness of your environment, and common sense. Builder's hardware is available in multiple performance grades to suit the application. In order to enhance security and reduce risk, you should consult a qualified locksmith or other security professional.