



Indura® Family

Rugged and Tough



To learn more about Indura® Family
visit www.LithoniaLighting.com



Join the conversation - follow us on social media.



Indura® Family

Rugged and Tough

For Industrial and harsh environments, turn to the Indura family from Lithonia Lighting®. Simply put, these life safety products are rugged and tough. They are perfectly suited for light and heavy industrial, manufacturing, commercial and wet location applications. From steel units to demanding environment fixtures, Indura has you covered.

Typical Applications:

Warehousing

Manufacturing

Food Prep Areas



Meet the Indura® Family

Exit Signs




Exit Signs



LV


Ideal for High-Abuse, Cold Weather & Wet Location Applications



- Surface Mount
- Top, End or Back Mount
- Dual Voltage (120/277V)
- NEMA 4X and NSF Listed
- Damp or Wet Listed (with NEMA 4X Option)
- Cold Weather Option

WLTE

Ideal for Wet Locations Subject to Saturation



- Wet Location Rated
- White, Black or Gray Finish
- Dual Voltage (120/277V)
- AC or Battery Back-Up (EL) Option
- Self-Diagnostic Option

TCE

Ideal for Applications Requiring Steel Exit Signs



- Steel Construction
- City of Chicago Approved
- UVOLT (120-347V)
- Top, End or Back Mount
- AC or Battery Back-Up (EL) Option

LX-NY

Ideal for New York Applications



- Steel Construction
- New York Approved
- Dual Voltage (120/277V)
- Top, End or Back Mount
- AC or Battery Back-Up (EL)

Meet the Indura® Family



Meet the Indura® Family



TCC

Ideal for Applications Requiring Steel Construction in an Exit Combo



- Steel Construction
- Up to 70' Spacing
- City of Chicago Approved
- UVOLT (120-347V)
- End or Back Mount
- Ships with Additional STAIR and Directional Face Plates

WLTC

Ideal for Wet Location Applications



- Provides up to 24' spacing
- Dual Voltage (120/277V)
- Top, End or Back Mount
- Self-Diagnostic Option
- Cold Weather Option

INDL

Ideal for Both Light & Heavy Environments Including Wet Locations



- 3 Lumen Packages: 640L (Up to 63' Spacing), 1100L (Up to 72' Spacing) and 2200L (Up to 128' Spacing)
- UVOLT (120-347V)
- Wall or Ceiling Mount
- Remote Capable
- Wet Location Rated
- Cold Weather Option

EXTL

Ideal for Harsh Environments with Moisture, Dirt & Dust



- 3 Lumen Packages: 640L (Up to 57' Spacing), 1100L (Up to 72' Spacing) and 2200L (Up to 110' Spacing)
- UVOLT (120-347V)
- Wall or Ceiling Mount
- Remote Capable
- Self-Diagnostic / STAR Capability
- Wet Location, NEMA 4X, IP66 and NSF Listed
- Cold Weather Option

Meet the Indura® Family

Meet the Indura® Family

Emergency Units

Remotes

TCU

Ideal for Applications Requiring Steel Emergency Units



- 2 Lumen Packages: 350L (Up to 39' spacing), 750L (Up to 71' spacing)
- City of Chicago Approved
- UVOLT (120-347V)
- Back Mount
- Damp Listed

WLTU

Ideal for Wet Locations Subject to Saturation



- Dual Voltage (120/277V)
- Wall Mount
- Adjustable LED Heads
- Wet Location Rated

INDRE

Ideal for Both Light & Heavy Environments Including Wet Locations



- Available in single or twin lamp heads
- 3 Lumen Packages (640L, 1100L, 2200L)
- Wall Mount
- UL Wet Listed

EXTLRE

Ideal for Harsh Environments with Moisture, Dirt &



- Available in single or twin lamp heads
- 3 Lumen Packages (640L, 1100L, 2200L)
- Wall mount
- Wet Location, NEMA 4X, IP66 and NSF Listed