

A classic palm leaf form with a twist. With a wide range of blade finishes, including an exciting assortment of pastel finishes, the Alessandra Tropical can accommodate any space. This thoughtfully crafted and versatile fan will complement any aesthetic and improve the health and comfort of any room. Highly customizable, the Alessandra Tropical is available in five different body finishes, ten (10) blade options, and even an option with a CCT light kit. This fan is suitable for wet locations. Backed by a limited lifetime warranty, our fans are of the highest quality and will dutifully perform for years to come. Constructed of cast aluminum and heavy stamped steel, the Alessandra Tropical has a limited lifetime warranty.

Product Features -

















Blade Options

















Light Yellow





Alessandra TROPICAL

FINISH AND BLADE OPTIONS				
SKU#	AKTP-XXXX-XXX (Model+Finish+Blade)		
Standard Finishes	Brushed Brass Brushed Nickel Matte Black Matte White Textured Bronze	BRBR BN BK MWH TB		
Blade Finishes	Barn Wood Tone Gray Ash Tone Light Maple Tone Matte Black Matte White Walnut Tone Light Blue Light Pink Light Yellow Lilac	BW GA LM BK MWH WN BL PI YE		
Fan Diameter	48 inches / 121.92 cm	48		
TECHNICAL SPECS				
Fan Diameter	48 inches / 121.92 cm	48		
Fan Diameter Blade Material	48 inches / 121.92 cm ABS	48		
	•			
Blade Material	ABS			
Blade Material Overall Drop	ABS 8 inches / 20 cm + do	ownrod length B, 72		
Blade Material Overall Drop Fan Weight Downrods Lengths Field cuttable	ABS 8 inches / 20 cm + do 18 lbs inches: 5, 10, 20, 30, 48	ownrod length B, 72		
Blade Material Overall Drop Fan Weight Downrods Lengths Field cuttable Non-threaded	ABS 8 inches / 20 cm + do 18 lbs inches: 5, 10, 20, 30, 48 centimeters: 13, 25, 51	ownrod length B, 72		
Blade Material Overall Drop Fan Weight Downrods Lengths Field cuttable Non-threaded Downrod Diameter	ABS 8 inches / 20 cm + do 18 lbs inches: 5, 10, 20, 30, 48 centimeters: 13, 25, 51	ownrod length B, 72		
Blade Material Overall Drop Fan Weight Downrods Lengths Field cuttable Non-threaded Downrod Diameter Voltage	ABS 8 inches / 20 cm + do 18 lbs inches: 5, 10, 20, 30, 48 centimeters: 13, 25, 51 1 inch 110	ownrod length 3, 72 , 76, 122, 183 ther blade system.		
Blade Material Overall Drop Fan Weight Downrods Lengths Field cuttable Non-threaded Downrod Diameter Voltage Motor Type	ABS 8 inches / 20 cm + do 18 lbs inches: 5, 10, 20, 30, 48 centimeters: 13, 25, 51 1 inch 110 DC Wet location. All weal Neither outdoor coass	ownrod length 3, 72 , 76, 122, 183 ther blade system.		
Blade Material Overall Drop Fan Weight Downrods Lengths Field cuttable Non-threaded Downrod Diameter Voltage Motor Type Environment	ABS 8 inches / 20 cm + do 18 lbs inches: 5, 10, 20, 30, 48 centimeters: 13, 25, 51 1 inch 110 DC Wet location. All wea Neither outdoor coas chlorine compatible	ownrod length 3, 72 , 76, 122, 183 ther blade system.		

NEW JAN 21, 2020 DOE MOTOR EFFICIENCY DATA

Fan Diameter	48 inch / 121.92cm
RPM (Low / High)	50 / 170
CFM (Low / High)	1393.5 / 4536.5
Watts (High)	34.98
CFM/Watt (High)	143
Blade Pitch	16°

STANDARD EQUIPMENT

One downrod of 10 inches / 25 cm

Slant ceiling canopy for up to 30°

Black 6-speed RF remote control with reverse



ACCESSORIES


Decora-style, 3-speed, non-dimmable wall control



60° cathedral ceiling canopy mounting system

Alessandra TROPICAL

TECHNICAL SPECIFICATIONS



0/12	0 degrees
1/12	4.76 degrees
2/12	9.46 degrees
3/12	14.04 degrees
4/12	18.43 degrees
5/12	22.62 degrees
6/12	26.57 degrees
7/12	30.26 degrees
8/12	33.69 degrees
9/12	36.87 degrees
0/12	39.81 degrees
1/12	42.51 degrees

CEILING HEIGHT / DOWNROD TABLE		
Ceiling Height	Downrod Lengths Field cuttable. Non-threaded	
10 ft or less	5 inches / 13 cm Use safety cages if applicable	
10 -12 feet	10 inches / 25 cm	
13 feet	20 inches / 51 cm	
14 feet	30 inches / 76 cm	
15 feet	48 inches / 122 cm	
16 feet +	72 inches / 183 cm	

Matthews Fan Company

1881 Industrial Drive Libertyville, IL 60048 Tele: 847.680.9043 Fax: 847.680.8140

www.matthewsfanco.com © 2023 Matthews Fan Company. All rights reserved.

