

ATLAS FAN COMPANY

Alessandra TROPICAL - LK



A classic palm leaf form with a twist. With a wide range of blade finishes, including an exciting assortment of pastel finishes, the Alessandra Tropical can accommodate any space. This thoughtfully crafted and versatile fan will complement any aesthetic and improve the health and comfort of any room. Highly customizable, the Alessandra Tropical is available in five different body finishes, ten (10) blade options, and even an option with a CCT light kit. This fan is suitable for wet locations. Backed by a limited lifetime warranty, our fans are of the highest quality and will dutifully perform for years to come. Constructed of cast aluminum and heavy stamped steel, the Alessandra Tropical has a limited lifetime warranty.

Product Features
























Matte

White



Light

Pink













Alessandra TROPICAL - LK

FINISH AND BLADE OPTIONS			
SKU#	AKTPLK-XXXX-XXX (Model+Finish+Blac	de)	
Standard Finishes	Brushed Brass Brushed Nickel Matte Black Matte White Textured Bronze	BRBR BN BK MWH TB	
Blade Finishes	Barn Wood Tone Gray Ash Tone Light Maple Tone Matte Black Matte White Walnut Tone Light Blue Light Pink Light Yellow Lilac	BW GA LM BK MWH WN BL PI YE	
Fan Diameter	48 inches / 121.92	cm 48	
TECHNICAL SPECS			

TECHNICAL SPECS		
Fan Diameter	48 inches / 121.92 cm 48	
Blade Material	ABS	
Overall Drop	8 inches / 20 cm + downrod length	
Fan Weight	18 lbs	
Downrods Lengths Field cuttable Non-threaded	inches: 5, 10, 20, 30, 48, 72 centimeters: 13, 25, 51, 76, 122, 183	
Downrod Diameter	1 inch	
Voltage	110	
Motor Type	DC	
Environment	Wet location. All weather blade system. Neither outdoor coastal, saltwater nor chlorine compatible	
Ambience	Silent	
Safety Certification	UL / CUL	
Warranty	Limited Lifetime	
NEW JAN 21, 2020 DOE MOTOR EFFICIENCY DATA		

Fan Diameter	48 inches / 121.92 cm	
RPM (Low / High)	50 / 170	
CFM (Low / High)	1393.5 /	4536.5
Watts (High)	34.98	
CFM/Watt (High)	143	
Blade Pitch	16°	
LIGHT KIT PHOTOMETRICS		
Lamping (Penlaceal	(ماد	Intograted LFD

Lamping (Replaceable)		Integrated LED			
Remote Dimmable		YES			
Delivered Temperature in K		Variable			
CRI		90			
Watts		22			
Hours		30,000			
Delivered Lumens					
2700K	3000K	400	0K	5000K	6500K
1063	1088	123	4	1221	1107

Light Kit longevity if used 6 Hours/Day 13.7 years

STANDARD EQUIPMENT

One downrod of 10 inches / 25 cm

Vaulted ceiling canopy for up to 30°

Black 6-speed RF remote control with reverse




Decora-style, 3-speed, non-dimmable wall control



60° cathedral ceiling canopy mounting system

Alessandra TROPICAL - LK

TECHNICAL SPECIFICATIONS



0.5115118	IG PITCH TABLE
0/12	0 degrees
1/12	4.76 degrees
2/12	9.46 degrees
3/12	14.04 degrees
4/12	18.43 degrees
5/12	22.62 degrees
6/12	26.57 degrees
7/12	30.26 degrees
8/12	33.69 degrees
9/12	36.87 degrees
10/12	39.81 degrees
11/12	42.51 degrees

CEILING HEIGHT / DOWNROD TABLE		
Ceiling Height	Downrod Lengths Field cuttable. Non-threaded	
10 ft or less	5 inches / 13 cm Use safety cages if applicable	
10 -12 feet	10 inches / 25 cm	
13 feet	20 inches / 51 cm	
14 feet	30 inches / 76 cm	
15 feet	48 inches / 122 cm	
16 feet +	72 inches / 183 cm	

Matthews Fan Company

© 2023 Matthews Fan Company. All rights reserved.

1881 Industrial Drive Libertyville, IL 60048 Tele: 847.680.9043 Fax: 847.680.8140 www.matthewsfanco.com

