

Lighting Your Life Since 1970

Product Specifications - 55190FCCH			
Job Name:		Job Type:	
Quantity:		Comments	



55190FCCH

Cambria LED 1-Light Outdoor Pole/Post Lantern

Finish Chocolate

Glass/Shade Frost Crackle

Product Category

Outdoor Pole/Post Mount

Lampina

Lamping	
Number of Bulbs	1
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	7
Max Fixture Wattage	7
Rated Life	
Rated Lumens	±455
Color Temp	±3,000 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N/A

weasuremen	เเร
Width	
I I a Saula 4	

ivicasui cilicilis	
Width	10.00"
Height	15.00"
Length	10.00"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	6.00 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shinning

Snipping	
Carton Weight	6.72 lbs
Carton Width	12"
Carton Height	12"
Carton Length	21"
Carton Cubic Feet	1.79
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

C

Certification	Other	
Safety Rating	Wet UPC Cod	de 783209119635
Energy Star	No Shades I	Included N/A
CA Title 24	No Crystals	s Included N/A
CA Title 20	No Diffuser	Included N/A
ADA	No Convers	sion Kit N/A
Dark Sky	N/A Material	N/A

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.