



Lighting Your Life Since 1970

## Product Specifications - 85534WTSN

Job Name:	Job Type:
Quantity:	Comments:



### 85534WTSN Linear EE 2-Light Vanity

**Finish**  
Satin Nickel

**Glass/Shade**  
White

**Product Category**  
Bath Vanity

#### Lamping

Number of Bulbs	2
Light Type	Fluorescent
Bulb Type	Med Bi Pin T8
Max Bulb Wattage	17
Max Fixture Wattage	34
Rated Life	±10,000 Hours
Rated Lumens	±2,600
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	N

#### Measurements

Width	25.00"
Height	5.00"
Length	N/A
Extension	4"
Back Plate Width	2.74"
Back Plate Height	23.15"
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	4.90 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	
Canopy Height	
Canopy Length	N/A

#### Shipping

Carton Weight	4.90 lbs
Carton Width	7"
Carton Height	6"
Carton Length	27"
Carton Cubic Feet	0.61
Master Pack	4
Master Pack Weight	24.80 lbs
Master Pack Width	27.50"
Master Pack Height	12.50"
Master Pack Length	14.38"
Master Cubic Feet	2.86
UPS Shippable	Yes

#### Certification

Safety Rating	Damp
Energy Star	No
CA Title 24	Yes
CA Title 20	No
ADA	Yes
Dark Sky	N/A

#### Other

UPC Code	783209093874
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Metal

#### Equivalents

Incandescent Watts	127
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.