

## Lighting Your Life Since 1970

Glass/Shade

Product Specifications - 85812MRSN				
Job Name:	Job Type:			
Quantity:	Comments			

Product Category



**Finish** 

## 85812MRSN

**Essentials EE 2-Light Bath Vanity** 

i iiiioii		Glass/Silaue		r roduct Category	
Satin Nickel		Marble		Bath Vanity	
Lamping		Measurements		Shipping	
Number of Bulbs	2	Width	18.00"	Carton Weight	3.52 lbs
Light Type	Fluorescent	Height	7.00"	Carton Width	9"
Bulb Type	GU24	Length	N/A	Carton Height	8"
Max Bulb Wattage	13	Extension	8"	Carton Length	22"
Max Fixture Wattage	26	Back Plate Width	4.33"	Carton Cubic Feet	0.92
Rated Life	±10,000 Hours	Back Plate Height	13.78"	Master Pack	1
Rated Lumens	±1,800	HCO	N/A	Master Pack Weight	N/A
Color Temp	±2,700 K	Min Overall Height	N/A	Master Pack Width	N/A
Bulb(s)	Included	Max Overall Height	N/A	Master Pack Height	N/A
Light Up/Down	Both	Hanging Weight	3.52 lbs	Master Pack Length	N/A
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet	N/A
CRI	81-82	Slope	N/A	UPS Shippable	Yes
Photo Cell Included	N/A	Chain Length	N/A		
Ballast/Driver/Transformer	No	Wire Length	N/A		
Dimmable	No	Canopy Width			
		Canopy Height			
		Canopy Length	N/A		

Certification		Other		Equivalents	
Safety Rating	Damp	UPC Code	783209081567	Incandescent Watts	164
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	Yes	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	N/A		

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.