

## Lighting Your Life Since 1970

Product Specifications - 85532WTSN		
Job Name:	Job Type:	
Quantity:	Comments	



## 85532WTSN

Linear EE 2-Light Wall Sconce

Satin Nickel

Glass/Shade White

**Product Category** Wall Sconce

Lamping	
Number of Bulbs	2
Light Type	Fluorescent
Bulb Type	G24q-3 Quad T4 CFL
Max Bulb Wattage	26
Max Fixture Wattage	52
Rated Life	±10,000 Hours
Rated Lumens	±3,600
Color Temp	±3,000 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	N

Measurements	
Width	9.50"
Height	10.50"
Length	N/A
Extension	4"
Back Plate Width	7.09"
Back Plate Height	10.55"
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	3.85 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	
Canopy Height	
Canopy Length	N/A

	Shipping	
"	Carton Weight	3.85 lbs
"	Carton Width	6"
١	Carton Height	13"
"	Carton Length	12"
"	Carton Cubic Feet	0.49
"	Master Pack	1
١	Master Pack Weight	N/A
١	Master Pack Width	N/A
١	Master Pack Height	N/A
3	Master Pack Length	N/A
١	Master Cubic Feet	N/A
١	UPS Shippable	Yes

Certification

## Safety Rating Dry **Energy Star** No CA Title 24 Yes CA Title 20 No **ADA** Yes Dark Sky N/A

- 4	n	4	h	_	r
- (	u	ш	ш	e,	•

Other	
UPC Code	783209093867
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Metal

	vai	

Incandescent Watts	336
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.