

## Lighting Your Life Since 1970

Product Specifications - 25045CLACP/BU				
	Job Name:	Job Type:		
	Quantity:	Comments		



## 25045CLACP/BUI

Mini Hi-Bay 1-Light Pendant W/Bulb

FinishGlass/ShadeProduct CategoryAntique CopperClearSingle Pendant

Lamping		Measurements	S
Number of Bulbs	1	Width	10.00" <b>C</b>
Light Type	Incandescent	Height	4.50" <b>C</b>
Bulb Type	MB	Length	N/A C
Max Bulb Wattage	60	Extension	N/A C
Max Fixture Wattage	60	Back Plate Width	N/A C
Rated Life		Back Plate Height	N/A N
Rated Lumens	±0	HCO	N/A N
Color Temp		Min Overall Height	0.00" N
Bulb(s)	Included	Max Overall Height	48.75" <b>N</b>
Light Up/Down	N/A	Hanging Weight	4.00 lbs
Beam Spread	N/A	Height Adjustable	N/A N
CRI	N/A	Slope	120° U
Photo Cell Included	N/A	Chain Length	N/A
Ballast/Driver/Transformer	No	Wire Length	36"
Dimmable	N/A	Canopy Width	N/A
		Canopy Height	N/A
		Canopy Length	N/A

Chinning	
Shipping	
Carton Weight	5.00 lbs
Carton Width	13"
Carton Height	11"
Carton Length	13"
Carton Cubic Feet	0.99
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification Other Equivalents
Safety Pating

Safety Rating	Dry	UPC Code	783209018716	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	Metal		

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.