

Lighting Your Life Since 1970

Product Specifications - 89912SN			
Job Name:	Job Type:		
Quantity:	Comments		



89912SN

CounterMax MX-L120DC 7" 3000K 2-LED Under Cabinet Uses MXInterLink4 accessories. Click here for a complete list of compatible accessories.

Finish	Glass/Shade	Product Category
Satin Nickel	Clear	Under Cabinet

Lamping	J
Number	0
Light Ty	pe
D. III. T	Ξ.

Number of Bulbs	2
Light Type	LED
Bulb Type	Cree® LED
Max Bulb Wattage	2.44
Max Fixture Wattage	4.88
Rated Life	±50,000 Hours
Rated Lumens	±200
Color Temp	±3,000 K
Bulb(s)	Integrated
Light Up/Down	N/A
Beam Spread	N/A
CRI	85
Photo Cell Included	N/A
Ballast/Driver/Transformer	Yes
Dimmable	Lutron® or Leviton® LED Dimmer

Measurements	
Width	4.0"
Height	1.0"
Length	7.0"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	N/A
Max Overall Height	N/A
Hanging Weight	1.3 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping	
Carton Weight	1.3 lbs
Carton Width	6"
Carton Height	3"
Carton Length	11"
Carton Cubic Feet	0.09
Master Pack	6
Master Pack Weight	8.8 lbs
Master Pack Width	11.4"
Master Pack Height	6.7"
Master Pack Length	16.9"
Master Cubic Feet	0.75
UPS Shippable	Yes

Certification		Other		Equivalents	
Safety Rating	Dry	UPC Code	783209093225	Incandescent Watts	18.18
Energy Star	No	Shades Included	N/A	Fluorescent Watts	4
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	N/A		

Maxim Lighting International and all designs, logos and images © 2013 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.