

LIGHTRAY LED

Indirect exterior lighting not only provides illumination where you want but it also highlights the building structure for a beautiful architectural effect. Our collection of up and down lighting fixtures are available in both Architectural Bronze and Brushed Aluminum.

- Removable water tight lenses
- Cast and machined Aluminum construction
- 3000K Color Temperature
- CRI 80+ and 90+ options available
- T24 for outdoor use



86119 ABZ, AL
Wall Sconce
A



86152 ABZ, AL
Wall Sconce
B

ITEM#	LAMPING	DIMENSION	HCO	BP	CRI	LUMENS	Additional Info.
A 86119	2 x 6W LED PCB 3000K (Inte.)	5.75"W x 13.75"H x 5.25"Ext.	6.75"	4.75"W x 2.5"H	90+	840	For Outdoor Use
B 86152	2 x 6W LED PCB 3000K (Inte.)	6.75"W x 7"H x 3.5"Ext.	3.5"	4.75"W x 4.75"H	90+	840	For Outdoor Use

Finish Options: Architectural Bronze (ABZ) Brushed Aluminum (AL)


LIGHTRAY LED

- Removable water tight lenses
- Cast and machined Aluminum construction
- 3000K Color Temperature
- CRI 80+
- T24 for outdoor use



DS 86131 ABZ, AL
Wall Sconce

A



86132 ABZ, AL
Wall Sconce

B



DS 86134 ABZ, AL
Wall Sconce

C



86135 ABZ, AL
Wall Sconce

D



DS 86137 ABZ, AL
Wall Sconce

E



86138 ABZ, AL
Wall Sconce

F

ITEM#	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Info.
A 86131	1 x 6W LED PCB 3000K (Integrated)	4.75"W x 5.25"H x 5"Ext.	2.5"	80+	420	For Outdoor Use
B 86132	2 x 6W LED PCB 3000K (Integrated)	4"W x 6.75"H x 5"Ext.	3.5"	80+	840	For Outdoor Use
C 86134	1 x 6W LED PCB 3000K (Integrated)	4.75"W x 5.25"H x 6"Ext.	2.75"	80+	420	For Outdoor Use
D 86135	2 x 6W LED PCB 3000K (Integrated)	3.5"W x 10.25"H x 6"Ext.	5.25"	80+	840	For Outdoor Use
E 86137	1 x 11W LED PCB 3000K (Integrated)	4.75"W x 8.25"H x 7"Ext.	2.5"	80+	770	For Outdoor Use
F 86138	2 x 11W LED PCB 3000K (Integrated)	4.75"W x 13"H x 7"Ext.	2.5"	80+	1540	For Outdoor Use

Finish options: Architectural Bronze (ABZ) or Brushed Aluminum (AL)



86112 ABZ, AL
Wall Sconce

H



DS 86128 ABZ, AL
Wall Sconce

I



86129 ABZ, AL
Wall Sconce

J



86102 ABZ, AL
Wall Sconce

G

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS	Additional Info.
G	86102	15W LED PCB 3000K (Integrated)	5"W x 15.75"H x 7.75"Ext.	80+	1050	For Outdoor Use
H	86112	10W LED PCB 3000K (Integrated)	4.25"W x 12"H x 6.5"Ext.	80+	1400	For Outdoor Use
I	86128	10W LED PCB 3000K (Integrated)	4.25"W x 6.25"H x 4"Ext.	80+	700	For Outdoor Use
J	86129	10W LED PCB 3000K (Integrated)	4.25"W x 9.5"H x 4"Ext.	80+	1400	For Outdoor Use

Finish options: Architectural Bronze (ABZ) or Brushed Aluminum (AL)

LIGHTRAY LED

- Removeable water-tight lenses
- Cast and Machined Aluminum construction
- Dimmable with triac dimmer
- 3000K Color Temperature
- CRI 80+
- T24 for outdoor use



DS 86107 ABZ, AL
Wall Sconce
D



DS 86106 ABZ, AL
Wall Sconce
C



DS 86109 ABZ, AL
Wall Sconce
F



DS 86104 ABZ, AL
Flush Mount
B



86101 ABZ, AL
Wall Sconce
A



DS 86108 ABZ, AL
Wall Sconce
E

	ITEM#	LAMPING	DIMENSION	CRI	LUMENS	Additional Info.
A	86101	15W LED PCB 3000K (Integrated)	5"W x 9.25"H x 7.75"Ext.	80+	1050	For Outdoor Use
B	86104	15W LED PCB 3000K (Integrated)	5"W x 6.25"H x 5"Ext.	80+	1050	For Outdoor Use
C	86106	4.5W LED PCB 3000K (Integrated)	4"W x 4"H x 5.75"Ext.	80+	630	For Outdoor Use
D	86107	4.5W LED PCB 3000K (Integrated)	4"W x 4"H x 5.75"Ext.	80+	630	For Outdoor Use
E	86108	4.5W LED PCB 3000K (Integrated)	4"W x 5.25"H x 5"Ext.	80+	315	For Outdoor Use
F	86109	4.5W LED PCB 3000K (Integrated)	4"W x 6.5"H x 5"Ext.	80+	630	For Outdoor Use

Finish options: Architectural Bronze (ABZ) or Brushed Aluminum (AL)