

DA 4248 V D Puristic Varia

Island décor hood

with energy-efficient LED lighting and backlit controls for easy use.



- Timeless design – stainless steel canopy 47 1/4 (1198) in (mm) wide
- Unique user convenience – Con@ctivity
- Motorized chimney
- Powerful – ?? in Booster level
- Energy-efficient and quiet

EAN: 4002515990162 / Material number: 10877250 / Old Material Number: 28424855USA

| | |
|---|---------------------|
| Design | |
| Island ventilation hood | • |
| Operating modes | |
| Recirculated mode | Exhaust air |
| Design | |
| Color | Stainless steel |
| User convenience | |
| Miele@home | • |
| Automatic function Con@ctivity | • |
| Electronic controls | • |
| Power levels (number excl. Intensive) | 3 |
| Programmable Intensive switch-off | • |
| Delayed shutdown for 5 or 15 minutes | • |
| Grease filter saturation indicator | • |
| Programmable grease filter saturation indicator | • |
| Acoustic package | • |
| Hood in Motion | • |
| CleanCover | • |
| Filter system | |
| Number of dishwasher-safe stainless-steel grease filters | 6 |
| Lighting | |
| LED | • |
| Number x W | 4 x 3 W |
| Light intensity in Lx | 600 lx |
| Color temperature in K | 3500 Kelvin |
| Light dimmer function | • |
| Blower | |
| Dual-action blower | • |
| AC motor | • |
| Exhaust air | |
| Air throughput | Values upon request |
| Safety | |
| Safety shut-off | • |
| Technical data | |
| Overall min. height for vented and external in in. (mm) | 29 3/4 (755) |
| Canopy width in in.(mm) | 47 1/4 (1198) |
| Overall max. height for vented and external in in. (mm) | 41 1/4 (1045) |
| Canopy height in in.(mm) | 2 7/8 (70) |
| Canopy depth in in.(mm) | 27 1/2 (698) |
| Minimum height above electric hobs in mm | 24 1/8 (610) |
| Minimum height above gas hobs (max. 12.6 kW total power, burner ≤ 4.5 kW) in mm | 26 (660) |
| Net weight in lbs. (kg) | 109 (49.0) |
| Hard-wired | • |
| Total connected load in kW | 0.51 |
| Voltage in V | 120 |
| Fuse rating in A | 15 |
| Number of phases | 1 |
| Frequency in Hz | 60 |

DA 4248 V D Puristic Varia

Island décor hood

with energy-efficient LED lighting and backlit controls for easy use.




EAN: 4002515990162 / Material number: 10877250 / Old Material Number: 28424855USA

| Installation note | |
|--|------------|
| Vent connection at top | • |
| Diameter of vent connection in in.(mm) | 6 (150) |
| Telescopic chimney | • |
| Standard accessories | |
| Communication module for Con@ctivity XKM 2000 DA | XKS 3000 Z |
| Non-return flap | • |
| Optional accessories | |
| OdorFree charcoal filter | Nein |

DA 4248 V D Puristic Varia

Island décor hood

with energy-efficient LED lighting and backlit controls for easy use.



DA 4248 V (Installation drawing) USA

1) Installation area/site, 2) Installation alternatively with spacer frame, 3) A supply lead, and for vented mode flexible vent ducting, must be pre-fitted for the connection in the ceiling to the connection of the cooker hood.