

Model: **MMCR4235TOUCH**



(Items other than the mirror shown in the picture above are not included)

FEATURES

- Double Doors Recessed-Mount or Surface-Mount (Optional Surface-Mount Kit **Sold Separately**)
- Energy Efficient and Long-Lasting LED Lighting
- Aluminum Frame
- Double-Side Mirror Door with Built-in 6" Dia. LED Lit Cosmetic Mirror
- Lighting on Both Sides of the Mirror Door
- 170° Soft-Closing Hinges
- Three Adjustable Tempered Glass Shelves
- Two Color Temperatures (3000K & 6000K)
- Mirror Front Touch Switch Control
- 3-prong 120V Electrical Outlet (x2)
- USB High-Speed Charger w/4.8A Charging Capability (x2)
- Mirrored Interior
- Dimmable LED Lighting
- Copper-Free Mirror

LIGHTING


- Lighting in Front & Back of Mirror Door
- Dimmable (Wall dimmer required)
- Average Bulb Life of 50,000 hours
- Dual Color Temperatures: 3000K & 6000K
- CRI 85+
- Brightness: 4800 Lumen
- Power Consumption: 42.5 Watts

SAFETY

- IP44 Rated
- Safety Backed Mirror

OVERVIEW

Miseno does not cut corners and only uses the highest quality components and bulbs to make sure that the mirror will be maintenance-free and function like the day you purchased for average 50,000 hours of use. Miseno prides itself on providing unmatched price vs quality for all of our products. All mirrors come with a 5-year limited warranty.




MISENO
Chico, CA 95928

www.miseno.com
(855) 480-2915

infoservice@miseno.com



ADA INSTALLATION GUIDES



Installations Above Lavatories or Countertops				
Model #	Mounting	h1 Min	h1 Max	h2
MMCR4235TOUCH	Portrait	39	40	34-7/8

h1 = Distance from Finish Floor to bottom of the mirror.

h2 = Distance from bottom of the mirror to Wall Bracket mounting location.

NOTE:

1. Models MUST be mounted in the position as listed.
2. Models NOT listed in the charts are NOT compatible with ADA applications.