



302048-SS-PC/302048-SS-BN/302048-SS-BG
302060-SS-PC/302060-SS-BN/302060-SS-BG



IMPORTANT-Please read and follow all warnings and instructions before using this product. Injury can result from improper use. Save this documents.



WARNING
Tempered Glass, please don't hit the corners and the surrounding, otherwise the glass will burst.



● General Information

Please inspect the product immediately upon receipt for transit damage, missing packs/parts or manufacturing fault. Damage reported later cannot be accepted. Please handle the product with care avoiding knocks and shock loading to all sides and edges of the glass.

Notes: Safety glass can not be re-worked.

Please read these instructions carefully before start of installation.

Special care should be taken when drilling walls to avoid hidden pipes or electrical cables.


Note: This product is heavy and may require two people to install.

Aftercare instructions

After use, your shower should be cleaned with soap and water. This is particularly important in hard water districts where insoluble lime salts may be deposited and allowed to build up. Cleaners of a gritty or abrasive nature should not be used. Care should be taken to avoid contact with strong chemicals such as organic solvents and strippers.

Glass cleaners can be used but with caution, if in doubt contact the manufacturer of the cleaner in question.

Please keep these instructions for aftercare and customer service details.



- | | | |
|------------------------|----------------------------|----------------------|
| [1] 2xWall Connectors | [10] 1xHandle Set | [19] 1xScrews ST4x25 |
| [2] 1xMagnetic Seal | [11] 4xTop Rollers | [20] 1xSealing |
| [3] 1xWall Profile | [12] 1xTop Horizontal Rail | [21] 8xScrews ST4x35 |
| [4] 1xVertical Profile | [13] 2xGlass Stoppers | [22] 9xWall Plugs |
| [5] 3xScrew Cover Caps | [14] 2xFixing Parts | [23] 1xWall Profile |
| [6] 3xScrews ST4x8 | [15] 2xDoor Side Gaskets | [24] 1xProfile Cover |
| [7] 1xCover Cap L/R | [16] 1xFixed Panel | [25] 2xScrews ST4x16 |
| [8] 1xAluminum Seal | [17] 1xScrew Cover Cap | |
| [9] 1xDoor Panel | [18] 1xDoor Guider L/R | |

● Box Contents:






1xInstallation Instruction.	➔	
[1] 2xWall Connectors.	➔	
[2] 1xMagnetic Seal.	➔	
[3] 1xWall Profile.	➔	
[4] 1xVertical Profile.	➔	
[5] 3xScrew Cover Caps.	➔	
[6] 3xScrews ST4x8.	➔	
[7] 1xCover Cap L/R.	➔	
[8] 1xAluminum Seal.	➔	
[9] 1xDoor Panel.	➔	
[10] 1xHandle Set.	➔	
[11] 4xTop Rollers.	➔	
[12] 1xTop Horizontal Rail.	➔	
[13] 2xGlass Stoppers.	➔	
[14] 2xFixing Parts.	➔	
[15] 2xDoor Side Gaskets.	➔	
[16] 1xFixed Panel.	➔	
[17] 1xScrew Cover Cap.	➔	
[18] 1xDoor Guider L/R.	➔	
[19] 1xScrew ST4x25.	➔	
[20] 1xSealing.	➔	
[21] 8xScrews ST4x35.	➔	
[22] 9xWall Plugs.	➔	
[23] 1xWall Profile.	➔	
[24] 1xProfile Cover.	➔	
[25] 2xScrews ST4x16.	➔	
Wrenchs.	➔	



● Assembly





01

[21]		x4 (ST4x35)
[22]		x4
[23]		x1








02

[16]		x1
[20]		x1








03


[1]	ST4X35 x2
[12]	x1
[13]	x2
[14]	x2




04








[1]	ST4X35 x2
-----	--------------





















[9]		x1
[11]		x4













[2]		x1
[7]		x1/1(L/R)
[10]		x1
[17]		x1
[18]		x1/1(L/R)
[19]		x1(ST4x25)
[22]		x9





[3]		x1
[4]		x1
[22]		x4
[21]		x4(ST4x35)




[5]		x3
[6]		x3(ST4x8)



11

[24]	
	x1
[25]	
	x2(ST4x16)



- Do not use the shower enclosure for at least 24 hours in order to allow the silicone sealant to cure fully.