


## Andrea® 28




Features an integrated slotted overflow with direct toe tap drain.

|                                                                                              |            |                 |
|----------------------------------------------------------------------------------------------|------------|-----------------|
| MODEL 239                                                                                    |            |                 |
| 66" x 30" x 20"                                                                              |            |                 |
| DROP-IN or UNDERMOUNT<br>71 gal to overflow                                                  |            |                 |
| Acrylic CXL®                                                                                 | DoloMatte® |                 |
| 115 lbs / 52 kg                                                                              | <SOAKER>   | 129 lbs / 59 kg |
| 140 lbs / 64 kg                                                                              | <PLUMBED>  | 154 lbs / 70 kg |
| Filling this tub to the maximum may require an above average size or dedicated water heater. |            |                 |



Numbered areas on tub deck represent possible locations to install cleaning systems, faucets and other fixtures.  
Shown as Air Bath



**IMPORTANT:**  
Air baths and tubs with a pre-leveled foam base or frame system add 2-3" to overall tub height.

## IMPORTANT ORDERING &amp; INSTALLATION INFORMATION

- Before ordering or installing, please consider future access to equipment.
- Add proper bedding compound to fully level and support bottom of tub.
- When equipped with an air bath package, pre-leveled foam base or frame system, overall tub height is increased by approx. 2-3" and is designed to install on a flat, level subfloor.
- Radiance placed on airbath floor will affect placement of air jets.
- System components may extend beyond the perimeter of deck.
- Please measure tub on-site before building tub decking.
- Advise MTI when planning to use a glass enclosure. Relocation of controls may be necessary.
- Suction and control locations may vary.
- All tubs are compliant with ASTM C 1028-07 coefficient of friction. DoloMatte meets ANSI A137.1/ A326.3 coefficient of friction and AS HB198:2014 slip tests.

## ELECTRICAL COMPONENTS &amp; SPECIFICATIONS

| Hydrotherapy Package                                                                                                                                                                                           | Components Included                               | GFCI / 110V |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|-------------|
| Standard Whirlpool                                                                                                                                                                                             | 2-bhp pump                                        | 1-15 amp    |
| Stream Bath                                                                                                                                                                                                    | 1/2-bhp, ozone                                    | 1-20 amp    |
| Microbubbles                                                                                                                                                                                                   | Microbubbles pump                                 | 1-15 amp    |
| Ultra Whirlpool                                                                                                                                                                                                | 2-bhp pump x 2, inline heater, ozone              | 2-20 amp    |
| Air Massage                                                                                                                                                                                                    | heated blower                                     | 1-15 amp    |
| Air Massage Elite                                                                                                                                                                                              | heated blower, chromatherapy                      | 1-15 amp    |
| Air Massage w/ Stream Bath                                                                                                                                                                                     | 1/2-bhp pump, heated blower, ozone                | 1-20 amp    |
| Air Massage Elite w/ Stream Bath                                                                                                                                                                               | 1/2-bhp pump, heated blower, chromatherapy, ozone | 1-20 amp    |
| Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information.<br>CSA Certified C/US; B45.5/IAPMO ANSI Z124.1 and ANSI 112.19.7 |                                                   |             |

| Hydrotherapy Package           | Components Included                                                | GFCI / 110V |
|--------------------------------|--------------------------------------------------------------------|-------------|
| Microbubbles with Air          | Microbubbles pump, heated blower                                   | 1-20 amp    |
| Microbubbles with Air Elite    | Microbubbles pump, heated blower, chromatherapy                    | 2-15 amp    |
| Air with Whirlpool             | 2-bhp pump, heated blower                                          | 2-15 amp    |
| Air with Ultra Whirlpool       | 2-bhp pump x 2, inline heater, heated blower, ozone                | 2-20 amp    |
| Air Elite with Whirlpool       | 2-bhp pump, heated blower, chromatherapy                           | 2-15 amp    |
| Air Elite with Ultra Whirlpool | 2-bhp pump x 2, inline heater, heated blower, chromatherapy, ozone | 2-20 amp    |

See the Installation & Operation Manual for more details.  
MTI's Customer Service Monday-Friday 8am-6pm EST  
800-783-8827 or service@mtibaths.com

- Before discarding tub crate, check for accessories that may be packaged inside.
- All product measurements are  $\pm 1/2"$ .
- Specifications and configurations are subject to change without notice.
- Measurements herein supersede all others published prior to publication date below.

**mti**  
BATHS

- Aromatherapy is eliminated for undermount applications
- Air Baths, Pre-Leveled Foam Base or Frame Systems increase overall height by 2-3".

**Andrea® 28**

MODEL 239

66" x 30" x 20"

| Hydrotherapy Packages                     | Package Contents                                                                                                                                                                                                                                                     | Acrylic CXL® |          | DoloMatte®    |          |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------|---------------|----------|
|                                           |                                                                                                                                                                                                                                                                      | Part #       | MSRP     | Part #        | MSRP     |
| Soaker                                    | Soaking bath - no jets, integrated slotted overflow with toe-tap drain kit in chrome.                                                                                                                                                                                | S239-DI      | \$3,320  | S239DM-DI     | \$3,975  |
|                                           |                                                                                                                                                                                                                                                                      | S239-UM      |          | S239DM-UM     |          |
| Stream Bath                               | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone, integrated slotted overflow with toe-tap drain kit in chrome.                                                                                                                                                        | SM239-DI     | \$6,095  | SM239DM-DI    | \$6,745  |
|                                           |                                                                                                                                                                                                                                                                      | SM239-UM     |          | SM239DM-UM    |          |
| Microbubbles                              | 1 microbubbles infusion port and pump, integrated slotted overflow with toe-tap drain kit in chrome.                                                                                                                                                                 | M239-DI      | \$6,940  | M239DM-DI     | \$7,595  |
|                                           |                                                                                                                                                                                                                                                                      | M239-UM      |          | M239DM-UM     |          |
| Air Massage                               | 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base, integrated slotted overflow with toe-tap drain kit in chrome.                                                                                                                                   | AST239-DI    | \$7,300  | AST239DM-DI   | \$7,955  |
|                                           |                                                                                                                                                                                                                                                                      | AST239-UM    |          | AST239DM-UM   |          |
| Air Massage Elite                         | 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base, integrated slotted overflow with toe-tap drain kit in chrome.                                                                                             | AE239-DI     | \$9,370  | AE239DM-DI    | \$10,020 |
|                                           |                                                                                                                                                                                                                                                                      | AE239-UM     |          | AE239DM-UM    |          |
| Stream Bath with Air Massage              | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base, integrated slotted overflow with toe-tap drain kit in chrome.                                                                                   | ASTSM239-DI  | \$9,530  | ASTSM239DM-DI | \$10,185 |
|                                           |                                                                                                                                                                                                                                                                      | ASTSM239-UM  |          | ASTSM239DM-UM |          |
| Stream Bath with Air Massage Elite        | 6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base, integrated slotted overflow with toe-tap drain kit in chrome.                                             | AESM239-DI   | \$11,815 | AESM239DM-DI  | \$12,470 |
|                                           |                                                                                                                                                                                                                                                                      | AESM239-UM   |          | AESM239DM-UM  |          |
| Microbubbles with Air Massage             | 1 microbubbles infusion port and pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base, integrated slotted overflow with toe-tap drain kit in chrome.                                                                                            | ASTM239-DI   | \$10,260 | ASTM239DM-DI  | \$10,915 |
|                                           |                                                                                                                                                                                                                                                                      | ASTM239-UM   |          | ASTM239DM-UM  |          |
| Microbubbles with Air Massage Elite       | 1 microbubbles infusion port and pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base, integrated slotted overflow with toe-tap drain kit in chrome.                                                      | AEM239-DI    | \$12,225 | AEM239DM-DI   | \$12,880 |
|                                           |                                                                                                                                                                                                                                                                      | AEM239-UM    |          | AEM239DM-UM   |          |
| Standard Whirlpool                        | 6 point-massage jets, 2-bhp pump, integrated slotted overflow with toe-tap drain kit in chrome.                                                                                                                                                                      | P239-DI      | \$5,900  | P239DM-DI     | \$6,555  |
|                                           |                                                                                                                                                                                                                                                                      | P239-UM      |          | P239DM-UM     |          |
| Ultra Whirlpool                           | 6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, Ozone, integrated slotted overflow with toe-tap drain kit in chrome.                                                                                                           | P239U-DI     | \$8,080  | P239UDM-DI    | \$8,725  |
|                                           |                                                                                                                                                                                                                                                                      | P239U-UM     |          | P239UDM-UM    |          |
| Air Massage with Standard Whirlpool       | 6 point-massage jets, 2-bhp pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base, integrated slotted overflow with toe-tap drain kit in chrome.                                                                                                 | AW239-DI     | \$9,875  | AW239DM-DI    | \$10,530 |
|                                           |                                                                                                                                                                                                                                                                      | AW239-UM     |          | AW239DM-UM    |          |
| Air Massage with Ultra Whirlpool          | 6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 20 air jets, heated air blower, Aromatherapy, Ozone, pre-leveled foam base, integrated slotted overflow with toe-tap drain kit in chrome.                                      | AU239-DI     | \$12,050 | AU239DM-DI    | \$12,705 |
|                                           |                                                                                                                                                                                                                                                                      | AU239-UM     |          | AU239DM-UM    |          |
| Air Massage Elite with Standard Whirlpool | 6 point-massage jets, 2-bhp pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base, integrated slotted overflow with toe-tap drain kit in chrome.                                                           | AEAP239-DI   | \$11,955 | AEAP239DM-DI  | \$12,600 |
|                                           |                                                                                                                                                                                                                                                                      | AEAP239-UM   |          | AEAP239DM-UM  |          |
| Air Massage Elite with Ultra Whirlpool    | 6 point-massage jets, 12 micro-jets with Tsubo massage, 2 2-bhp pumps, inline heater, 30 air jets, heated air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base integrated slotted overflow with toe-tap drain kit in chrome. | AEAP239U-DI  | \$13,145 | AEAP239UDM-DI | \$13,795 |
|                                           |                                                                                                                                                                                                                                                                      | AEAP239U-UM  |          | AEAP239UDM-UM |          |

## RECOMMENDED SENSORY THERAPIES

## Chromatherapy

(LE) \$990 underwater lighting  
2 LED lights included

## Audiotherapy

(STEREOBT) \$1,720 2 transducers  
with bluetooth and amplifier  
(BTREMOTE) \$740 bluetooth remote

(STEREOH202) \$1,950 4 transducers  
amplifier not included

## Thermaltherapy

(RAD100) \$1,975 Radiance®  
2 heated zones included  
(HTISOAK) \$1,020

For more information on options and accessories  
go to Acrylic Tub Options at [mtibaths.com](http://mtibaths.com)

Andrea® 28

MODEL 239

#### Options Must be ordered at time of purchase.

Standard Colors White (CWH) DoloMatte available in matte white only.  
Biscuit (CBS) Not available for DoloMatte.

Quick Ship reduces lead time (QSPRI) \$535  
Please call for availability

Inline Heater maintains water temperature  
For Soaker or Air Baths (HTISOAK) \$1,020  
Includes a recirculating pump  
Cannot be combined with Microbubbles.

Virtual Spout high-flow integrated tub filler (FPMJ) \$560  
Virtual Spout location is left of the overflow, unless otherwise specified on order.

Grab Bars from \$405  
Selections vary. Personalization available.

Textured Bottom (TXTBTM) Acrylic CXL® only \$130  
DoloMatte® exceeds ANSI A137.1/A326.3 and AS HB198 slip tests.

Low-Profile Rim - reduces rim height to 1" (LPR) \$335

#### Accessories

Pillows from \$225

Teak Bath Mat (TKMAT3018) \$990  
Custom sizes also available. Contact MTI for details and pricing.

Teak Tub Tray  
Slatted (TK-TRAY1) \$605 Solid (TK-TRAY2) \$690

#### Hydrotherapy Equipment & Cleaning Systems Must be ordered at time of purchase.

Inline Heater maintains water temperature  
For Whirlpools or Stream Bath (HTI) \$710  
Uses existing pump  
Cannot be combined with Microbubbles.

Whirlpool Cleaning System  
Fill-Flush (FFSO) \$730  
Must specify stub-out location on order. See page 1 for location options.

Whirlpool Jets Pump upgrade may be advisable for optimal performance  
when adding jets.  
Point-Massage Jet  
Extra Point-Massage Jet (EJ) \$390  
Micro-Jet from \$450  
Jet styles and packages vary. Personalization available.  
Pump Upgrade - 3-bhp (PUMP3) \$390

Jet Trim Kits  
For Standard Whirlpool  
Chrome (TRC) \$340, Brushed Nickel (TRBN) \$900  
For Ultra Whirlpool  
Chrome (TRCU) \$460, Brushed Nickel (TRBNU) \$1,190

Ozonator (OZONE) \$635  
Cannot be added to soakers or airbaths without combination hydrotherapy package or HTISOAK.

#### Installation Options Must be ordered at time of purchase.

Pre-Leveled Foam Base (PLFOAM) \$365  
All airbaths include a pre-leveled foam base.  
Pre-Leveled Frame and Foam Base (PLF) \$915

Tile Flange  
Factory-Installed on 3 sides - rigid ABS (TFK3) \$250  
Field Install Kit - includes rigid ABS & adhesive (TFKNI) \$230  
IMPORTANT: Must specify flange location(s) on order of Factory-Installed Flange.  
Not available with optional Low-Profile Rim.

#### Drains & Overflow Kits Must be ordered at time of purchase

Integrated Toe Tap  
Slotted Overflow  
PVC drain - Chrome (SLOTIOC) included  
Finish Upcharge  
Brushed Nickel (SLOTIOBNU) +\$85  
Polished Nickel (SLOTIOPNU) +\$130  
White (SLOTIOWHU) +\$85  
Round Overflow  
Chrome (RIOBC) may substitute slotted overflow  
Finish Upcharge  
Brushed Nickel (RIOBN) +\$150  
Polished Nickel (RIOPN) +\$150  
White (RIOWH) +\$150

Brass Tailpiece (WIOBS) \$105  
May be ordered separately