

# NAPOLEON



GAS VENTED LOGS  
[napoleonfireplaces.com](http://napoleonfireplaces.com)



# FIBERGLOW™ Vented Gas Log Sets

Ambiance Your Home Deserves

No need to split and haul wood to your masonry fireplace, simply replace with a realistic Napoleon Gas Log Set. In today's demanding society, where life never seems to slow down, we crave the simple pleasures that bring back relaxation, comfort and treasured times with family and friends. Napoleon's gas log sets feature an electronic ignition, a clean burning infrared radiant heat burner system and also offer the option of switching to a more contemporary river rock setting. Whether you choose the FIBERGLOW™ logs or the river rock option, Napoleon's gas log sets add ambiance to your home.

GL18E* - 18" Log Set	GL24E* - 24" Log Set	GL30E* - 30" Log Set
Up to 55,000 BTU's	Up to 60,000 BTU's	Up to 65,000 BTU's
50% flame/heat adjustment	50% flame/heat adjustment	50% flame/heat adjustment
16"h x 20 3/8"w x 13 1/4"d	16"h x 26"w x 13 1/4"d	16"h x 30"w x 13 1/4"d
Natural gas or propane	Natural gas or propane	Natural gas or propane

For more detailed specifications on this unit, see page 7

## Options & Accessories



Lava Rocks / Cinders  
(standard)



Cast Iron Grate  
(standard)



F45 & F60 Remote Controls  
On/off or Modulating



18" Log Set\*



24" Log Set\*



30" Log Set\*



GL30E shown with standard grate, andirons, lava rocks and cinders







GL24E shown with standard grate, andirons, lava rocks and cinders



River Rock Media Kits  
Grey or Multi-coloured



# Reversible Vented Gas Log Sets

## Two Looks In One

Napoleon's Reversible gas log sets can be configured for an authentic looking split-wood fire, a natural looking tree bark appearance or a combination of both. Featuring massive flames, reversible PHAZER® logs, electronic ignition with battery back-up and high BTU output, your fireplace will look like a real wood burning fireplace without the work and maintenance of using real wood. The burner pan is adjustable to allow more glowing embers to be seen. Controls are hidden but easy to access and an optional remote control or remote wall switch are available for added convenience.

GL22 - 22" Log Set

Up to 70,000 BTU's

6 1/16" h x 22" w x 11 3/8" d

Natural gas or propane

GL28 - 28" Log Set

Up to 80,000 BTU's

6 7/8" h x 28" w x 11 3/8" d

Natural gas or propane

GL32 - 32" Log Set

Up to 90,000 BTU's

6 7/8" h x 32" w x 11 3/8" d

Natural gas or propane



GL28 natural tree bark side with charcoal embers, glowing embers and charcoal lumps

For more detailed specifications on this unit, see page 7

## Options & Accessories



22" Log Set (Side One)\*  
Authentic Split Wood Look



28" Log Set (Side One)\*  
Authentic Split Wood Look



32" Log Set (Side One)\*  
Authentic Split Wood Look



Charcoal Lumps, Charcoal Embers  
& Glowing Embers (standard)



22" Log Set (Side Two)\*  
Natural Tree Bark Look



28" Log Set (Side Two)\*  
Natural Tree Bark Look



32" Log Set (Side Two)\*  
Natural Tree Bark Look



F45 On/Off Remote Control



Remote Control Kit  
F45 remote, receiver, batteries,  
remote cradle and two ceramic  
fibre logs







GL32 authentic split-wood side with charcoal embers, glowing embers and charcoal lumps



# Reversible Vented Gas Log Sets

Two Looks In One

1a



2a



3a



1b



2b



3b



**1a. 22" Log Set (Side One)**  
Authentic Split-wood Look

**1b. 22" Log Set (Side Two)**  
Natural Tree Bark Look

**2a. 28" Log Set (Side One)**  
Authentic Split-wood Look

**2b. 28" Log Set (Side Two)**  
Natural Tree Bark Look

**3a. 32" Log Set (Side One)**  
Authentic Split-wood Look


**3b. 32" Log Set (Side Two)**  
Natural Tree Bark Look



# Outstanding Features

## of Napoleon's FIBERGLOW™ Technology Gas Log Sets


1. Air flows towards the air intake opening
2. Natural gas or propane flow into a precisely calibrated SIT safety valve
3. Air and fuel mix within the venturi tube
4. The perfect blend of fuel and air mixture travels through the burner ports, strategically placed to begin the process of creating the most realistic flames in the industry
5. Infrared heat from the exclusive PHAZERAMIC™ burner and ember bed provides up to 65,000 BTU's (GL30E)
6. Infrared heat technology and curved rear log design directs heat back into the room
7. Controls are hidden from view but easy to access. The added feature of an on/off switch is conveniently located at the front side
8. Flame sensor provides 100% SAFE GUARD™ system, quickly and automatically shutting off the gas supply for your peace of mind
9. Electronic ignition with battery back-up ensures reliability without the need for electricity
10. Ignition system is easy to operate with a digital remote control, wall switch or wall thermostat




## FIBERGLOW™ Vented Gas Log Sets

Shown on pages 2 & 3


Model	Minimum Size Fireplace Opening		
	Height*	Width	Depth
18" GL18E	18"	22"	14"
24" GL24E	20"	28"	14"
30" GL30E	22"	34"	14"




GL18E




GL24E



GL30E



GL18E / GL24E / GL30E




\*Allow 4-6" additional height for optimum flame appearance. Certified under Canadian and American National standards: CSA 2.26, ANSI Z21.60 decorative gas appliances for installation in solid-fuel burning appliances.


## Reversible Vented Gas Log Sets

Shown on pages 4 - 6


Model	Minimum Size Fireplace Opening		
	Height	Width	Depth
22" GL22	20"	23"	14"
28" GL28	20"	29"	14"
32" GL33	22"	33"	14"




GL22




GL28




GL32



GL22



GL28 / GL32



Certified under Canadian and American National standards: CSA 2.26, ANSI Z21.60 decorative gas appliances for installation in solid-fuel burning appliances.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

Other Napoleon Products




Fireplace Inserts • Charcoal Grills • Gas Fireplaces • Waterfalls • Wood Stoves  
 Hybrid Furnaces • Electric Fireplaces • Heating & Cooling • Gas Grills



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8  
 103 Miller Drive, Crittenden, Kentucky, USA 41030  
 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031  
[napoleonfireplaces.com](http://napoleonfireplaces.com)



Authorized Dealer

Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel Ltd. EnerGuide - A Canadian efficiency standard based on frequent, short start-up and cool-down cycles. All appliances sold in Canada are subject to this EnerGuide rating system. AFUE - A US efficiency standard (Department of Energy) based on extended on/off cycles, more typical of fireplace usage. Steady State - Reflects the highest possible overall heating efficiency.