

## CUBE 2

#### **Features**

#### Solid brass construction

- Temperature-adjust handle for thermostatic valve
- Lever handle assembly for control valve
- Intended for use with Newport Brass rough valve(s) as specified (Required Accessory)
- ADA Compliant

3-2024TS

**Thermostatic Shower System Trim** 

Also 3-220H & 3-220C

## **Codes / Standards Compliance**

Meets or exceeds the following at date of manufacture:

- ASME A112.18.1/CSA B125.1-18
- IAMPO/cUPC
- IPC
- ADA & ICC/ANSI A117.1
- All applicable US Federal and State material regulations

### **Colors / Finishes**

- 10B: Oil Rubbed Bronze15: Polished Nickel15S: Satin Nickel PVD
- 26: Polished Chrome







3-2024TS

3-220H

3-220C

<ul> <li>Other: Refer to the Newport Brass catalog for additional color/finish opti</li> </ul>	ions
--	------

Specified Model								
Model	Description	Colors   Finishes						
3-2024TS	Thermostatic Shower System Trim	☐ 10B ☐ 15 ☐ 15S ☐ 26 ☐ Other						
3-220H	Shower System Control Valve Trim (Escutcheon/Handle)	☐ 10B ☐ 15 ☐ 15S ☐ 26 ☐ Other						
3-220C	Shower System Control Valve Trim (Escutcheon/Handle)	☐ 10B ☐ 15 ☐ 15S ☐ 26 ☐ Other						

Required Accessory								
System Element	Shower Temp. Control	Flow Control Valve Option A		Flow Control Valve Option B***				
Description	Thermostatic	3-Outlet Diverter w/OFF		Single Outlet ON/OFF				
Inlet/Outlet Size	3/4"	1/2" (no share function)	1/2" (w/share function)	1/2"	3/4"			
Part Number	1-540	1-701*	1-702**	1-606U	1-607U			
Image								

Flow Control Option A: Select ONE (1-701 or 1-702) per system.

### Product Specification Add "Color / Finish" suffix to Model number, below.


The Thermostatic Shower System Trim shall be made of solid brass construction. Thermostatic Shower System Trim shall include a faceplate and temperature-adjust handle. Shower System Control Valve Trim(s) (Escutcheon/Handle) shall be ADA compliant when used with specified Shower System Control Valve(s). Thermostatic Shower System Trim shall be Newport Brass Model 3-2024TS/\_\_\_\_ and Thermostatic Shower System Valve shall be Newport Brass Model 1-540. Shower System Control Valve Trim (Handle/Escutcheon) shall be 3-220\_\_/\_\_ and Shower System Control Valve(s) shall be 1-70\_\_\_\_ (1 required) or 1-60\_\_\_\_ (one required per outlet fixture).


<sup>\* 1-701</sup> is a diverter valve with NO share function capability between outlets.

<sup>\*\* 1-702</sup> is a diverter valve with share function capability between primary outlet and each of the other two outlets. Flow Control Option B: Select ONE (1-606U or 1-607U) per each outlet fixture (ie showerhead, handshower, overhead soaker).

# 3-2024TS

Product Dimensions are provided for reference only. For specific product installation guidelines, please reference the Installation Instructions of the product being installed.





NOTE: Product Dimensions for the Shower System Control Valve Handle Trim (Handle/Escutcheon can be found within the Spec Sheet for that specific part number.

**Cube 2 Thermostatic Shower System Trim 3-2024TS** 

