



SATCO | NUVO


TRACK LIGHTING COLLECTION



DESIGN AND LIGHTING ON THE RIGHT TRACK

Introducing the latest look at track lighting specifically designed to incorporate creativity, the highest quality, and the most advanced technologies. The result: track lighting fixtures to enhance not just one room, but the entire home.

THE TRACK LIGHTING COLLECTION



CONTENTS

LED Track Head Collection	4
Multi-Tech Track Head Collection	32
LED Track Kits	42
Multi-Tech Track Kits	44
Track Accessories	46





LED TRACK HEAD COLLECTION

MONOPOINT LED

Satco's 12-watt LED monopoint spotlights are hardwired directly to the ceiling or wall. The fixtures have a barrel shape, and are available in a black or white finish which blends with many decor styles. Its integrated LED has a warm white color temperature, and the light is emitted at a 36-degree beam angle. The included reflector also helps to boost the light.



62-1105, 62-1106



62-1107, 62-1108

FINISH

White

Black



Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
62-1105	Barrel Monopoint LED w/ 36° Beam Angle	Black	LED	12	3"	4 3/4"	2 1/4"	4 3/4"	3000K	1020	90	Dry
62-1106	Barrel Monopoint LED w/ 36° Beam Angle	White	LED	12	3"	4 3/4"	2 1/4"	4 3/4"	3000K	1020	90	Dry
62-1107	Taper Back Monopoint LED w/ 36° Beam Angle	Black	LED	12	2 3/4"	4 3/4"	2 1/4"	4 3/4"	3000K	1020	90	Dry
62-1108	Taper Back Monopoint LED w/ 36° Beam Angle	White	LED	12	2 3/4"	4 3/4"	2 1/4"	4 3/4"	3000K	1020	90	Dry



ANGLE ARM LED

These angle arm track heads are a sleek lighting solution for residential and commercial applications. These fixtures are dimmable, durable, and have a 24° and 36° beam spread. Versatile and contemporary, these track heads deliver 30,000 hours of warm white light.



TH422, TH424



TH421, TH423



TH425, TH427

FINISH

White



Black



Brushed Nickel



For Use with H-Type
Track




Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH421	LED Track Head Angle Arm w/ 24° Beam	White	LED	12	3 3/8"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry
TH422	LED Track Head Angle Arm w/ 24° Beam	Black	LED	12	3 3/8"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry
TH423	LED Track Head Angle Arm w/ 36° Beam	White	LED	12	3 3/8"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry
TH424	LED Track Head Angle Arm w/ 36° Beam	Black	LED	12	3 3/8"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry
TH425	LED Track Head Angle Arm w/ 24° Beam	Brushed Nickel	LED	12	3 3/8"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry
TH427	LED Track Head Angle Arm w/ 36° Beam	Brushed Nickel	LED	12	3 3/8"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry



BARREL LED

The barrel track head is a sleek lighting solution for residential and commercial applications. They are dimmable, durable, and come in a 24 or 36 degree beam spread. Versatile and contemporary, these track heads deliver 30,000 hours of warm white light.



FINISH

White



Black



Brushed Nickel



For Use with H-Type Track



Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH431	LED Track Head Barrel w/ 24° Beam	White	LED	12	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	1020	90	Dry
TH432	LED Track Head Barrel w/ 24° Beam	Black	LED	12	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	1020	90	Dry
TH433	LED Track Head Barrel w/ 36° Beam	White	LED	12	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	1020	90	Dry
TH434	LED Track Head Barrel w/ 36° Beam	Black	LED	12	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	1020	90	Dry
TH435	LED Track Head Barrel w/ 24° Beam	Brushed Nickel	LED	12	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	1020	90	Dry
TH437	LED Track Head Barrel w/ 36° Beam	Brushed Nickel	LED	12	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	1020	90	Dry



TH431, TH433



TH432, TH434



TH435, TH437

SMALL CYLINDER LED

These small cylinder track heads are a sleek lighting solution for residential and commercial applications. They are dimmable, durable, and have a 24 or 36 degree beam spread. Versatile and contemporary, this track head delivers 30,000 hours of warm white light.



TH475, TH477



TH472, TH474



TH471, TH473



TH637, TH647



TH638, TH648

FINISH

White



Black



Brushed Nickel



Matte Black w/
Brushed Brass



Matte Black w/
Brushed Nickel



For Use with H-Type
Track




Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH471	LED Track Head Cylinder w/ 24° Beam	White	LED	12	3 3/8"	2 1/4"	2 1/4"	6 3/8"	3000K	1020	90	Dry
TH472	LED Track Head Cylinder w/ 24° Beam	Black	LED	12	3 3/8"	2 1/4"	2 1/4"	6 3/8"	3000K	1020	90	Dry
TH473	LED Track Head Cylinder w/ 36° Beam	White	LED	12	3 3/8"	2 1/4"	2 1/4"	6 3/8"	3000K	1020	90	Dry
TH474	LED Track Head Cylinder w/ 36° Beam	Black	LED	12	3 3/8"	2 1/4"	2 1/4"	6 3/8"	3000K	1020	90	Dry
TH475	LED Track Head Cylinder w/ 24° Beam	Brushed Nickel	LED	12	3 3/8"	2 1/4"	2 1/4"	6 3/8"	3000K	1020	90	Dry
TH477	LED Track Head Cylinder w/ 36° Beam	Brushed Nickel	LED	12	3 3/8"	2 1/4"	2 1/4"	6 3/8"	3000K	1020	90	Dry
TH637	LED Track Head Cylinder w/ 24° Beam	Matte Black / Brushed Brass	LED	12	3 3/8"	2 1/4"	2 1/4"	6 3/8"	3000K	1020	90	Dry
TH638	LED Track Head Cylinder w/ 24° Beam	Matte Black / Brushed Nickel	LED	12	3 3/8"	2 1/4"	2 1/4"	6 3/8"	3000K	1020	90	Dry
TH647	LED Track Head Cylinder w/ 36° Beam	Matte Black / Brushed Brass	LED	12	3 3/8"	2 1/4"	2 1/4"	6 3/8"	3000K	1020	90	Dry
TH648	LED Track Head Cylinder w/ 36° Beam	Matte Black / Brushed Nickel	LED	12	3 3/8"	2 1/4"	2 1/4"	6 3/8"	3000K	1020	90	Dry



DUAL PIPE & DUAL SQUARE LED

The dual pipe or square track heads deliver energy-efficient lighting for a variety of commercial and residential environments. The lightweight aluminum heads allow for easy installation. The dual track heads allow for each individual light source to operate independently of each other.



FINISH

White



Black



For Use with H-Type Track



Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH480	LED Pipe Dual Track Head w/ 24° Beam	Black	LED	24	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	2040	90	Dry
TH481	LED Pipe Dual Track Head w/ 36° Beam	Black	LED	24	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	2040	90	Dry
TH482	LED Pipe Dual Track Head w/ 24° Beam	White	LED	24	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	2040	90	Dry
TH483	LED Pipe Dual Track Head w/ 36° Beam	White	LED	24	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	2040	90	Dry
TH484	LED Square Dual Track Head w/ 24° Beam	Black	LED	24	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	2040	90	Dry
TH485	LED Square Dual Track Head w/ 36° Beam	Black	LED	24	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	2040	90	Dry
TH486	LED Square Dual Track Head w/ 24° Beam	White	LED	24	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	2040	90	Dry
TH487	LED Square Dual Track Head w/ 36° Beam	White	LED	24	3 ¾"	2 ¼"	2 ¼"	5 ¾"	3000K	2040	90	Dry



TH480, TH481



TH482, TH483



TH486, TH487



TH484, TH485

PINCH BACK LED

The pinch back track heads are a sleek lighting solution for residential and commercial applications. They are dimmable, durable, and have a 24 or 36 degree beam spread. Versatile and contemporary, this track head delivers 30,000 hours of warm white light.



TH411, TH413



TH412, TH414



TH415, TH417

FINISH

White



Black



Brushed Nickel



For Use with H-Type
Track




Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH411	LED Track Head Pinch Back w/ 24° Beam	White	LED	12	3 5/8"	2 7/8"	2 7/8"	5 1/2"	3000K	1020	90	Dry
TH412	LED Track Head Pinch Back w/ 24° Beam	Black	LED	12	3 5/8"	2 7/8"	2 7/8"	5 1/2"	3000K	1020	90	Dry
TH413	LED Track Head Pinch Back w/ 36° Beam	White	LED	12	3 5/8"	2 7/8"	2 7/8"	5 1/2"	3000K	1020	90	Dry
TH414	LED Track Head Pinch Back w/ 36° Beam	Black	LED	12	3 5/8"	2 7/8"	2 7/8"	5 1/2"	3000K	1020	90	Dry
TH415	LED Track Head Pinch Back w/ 24° Beam	Brushed Nickel	LED	12	3 5/8"	2 7/8"	2 7/8"	5 1/2"	3000K	1020	90	Dry
TH417	LED Track Head Pinch Back w/ 36° Beam	Brushed Nickel	LED	12	3 5/8"	2 7/8"	2 7/8"	5 1/2"	3000K	1020	90	Dry




PIPE LED

Pipe track heads are a sleek lighting solution for residential and commercial applications. They are dimmable, durable, and have a 24 or 36 degree beam spread. Versatile and contemporary, these track heads deliver 30,000 hours of warm white light.



FINISH

White



Black



Brushed Nickel



For Use with H-Type Track



Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH441	LED Track Head Pipe w/ 24° Beam	White	LED	12	3 3/8"	2 3/8"	2 3/8"	6 1/4"	3000K	1020	90	Dry
TH442	LED Track Head Pipe w/ 24° Beam	Black	LED	12	3 3/8"	2 3/8"	2 3/8"	6 1/4"	3000K	1020	90	Dry
TH443	LED Track Head Pipe w/ 36° Beam	White	LED	12	3 3/8"	2 3/8"	2 3/8"	6 1/4"	3000K	1020	90	Dry
TH444	LED Track Head Pipe w/ 36° Beam	Black	LED	12	3 3/8"	2 3/8"	2 3/8"	6 1/4"	3000K	1020	90	Dry
TH445	LED Track Head Pipe w/ 24° Beam	Brushed Nickel	LED	12	3 3/8"	2 3/8"	2 3/8"	6 1/4"	3000K	1020	90	Dry
TH447	LED Track Head Pipe w/ 36° Beam	Brushed Nickel	LED	12	3 3/8"	2 3/8"	2 3/8"	6 1/4"	3000K	1020	90	Dry



TH442, TH444



TH445, TH447



TH441, TH443

ROUND LED

These round track heads are a sleek lighting solution for residential and commercial applications. They are durable, versatile and contemporary. These track heads deliver 30,000 hours of warm white light.



TH405, TH407



TH401, TH403



TH402, TH404



TH636, TH646



TH635, TH645

FINISH

White




Black



Brushed Nickel



Matte Black w/
Brushed Brass



Matte Black w/
Brushed Nickel



For Use with H-Type
Track



Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH401	LED Track Head Round w/ 24° Beam	White	LED	12	2 1/4"	3 1/4"	3 1/4"	6 1/4"	3000K	1020	90	Dry
TH402	LED Track Head Round w/ 24° Beam	Black	LED	12	2 1/4"	3 1/4"	3 1/4"	6 1/4"	3000K	1020	90	Dry
TH403	LED Track Head Round w/ 36° Beam	White	LED	12	2 1/4"	3 1/4"	3 1/4"	6 1/4"	3000K	1020	90	Dry
TH404	LED Track Head Round w/ 36° Beam	Black	LED	12	2 1/4"	3 1/4"	3 1/4"	6 1/4"	3000K	1020	90	Dry
TH405	LED Track Head Round w/ 24° Beam	Brushed Nickel	LED	12	2 1/4"	3 1/4"	3 1/4"	6 1/4"	3000K	1020	90	Dry
TH407	LED Track Head Round w/ 36° Beam	Brushed Nickel	LED	112	2 1/4"	3 1/4"	3 1/4"	6 1/4"	3000K	1020	90	Dry
TH635	LED Track Head Round w/ 24° Beam	Matte Black / Brushed Brass	LED	12	2 1/4"	3 1/4"	3 1/4"	6 1/4"	3000K	1020	90	Dry
TH636	LED Track Head Round w/ 24° Beam	Matte Black / Brushed Nickel	LED	12	2 1/4"	3 1/4"	3 1/4"	6 1/4"	3000K	1020	90	Dry
TH645	LED Track Head Round w/ 36° Beam	Matte Black / Brushed Brass	LED	12	2 1/4"	3 1/4"	3 1/4"	6 1/4"	3000K	1020	90	Dry
TH646	LED Track Head Round w/ 36° Beam	Matte Black / Brushed Nickel	LED	12	2 1/4"	3 1/4"	3 1/4"	6 1/4"	3000K	1020	90	Dry



SQUARE LED

These track heads are a sleek lighting solution for residential and commercial applications. They are versatile and contemporary.



FINISH

White



Black



Brushed Nickel



For Use with H-Type Track



Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH461	LED Track Head Square w/ 24° Beam	White	LED	12	2 3/8"	2 3/4"	2 1/4"	5 1/2"	3000K	1020	90	Dry
TH462	LED Track Head Square w/ 24° Beam	Black	LED	12	2 3/8"	2 3/4"	2 1/4"	5 1/2"	3000K	1020	90	Dry
TH463	LED Track Head Square w/ 36° Beam	White	LED	12	2 3/8"	2 3/4"	2 1/4"	5 1/2"	3000K	1020	90	Dry
TH464	LED Track Head Square w/ 36° Beam	Black	LED	12	2 3/8"	2 3/4"	2 1/4"	5 1/2"	3000K	1020	90	Dry
TH465	LED Track Head Square w/ 24° Beam	Brushed Nickel	LED	12	2 3/8"	2 3/4"	2 1/4"	5 1/2"	3000K	1020	90	Dry
TH467	LED Track Head Square w/ 36° Beam	Brushed Nickel	LED	12	2 3/8"	2 3/4"	2 1/4"	5 1/2"	3000K	1020	90	Dry



TH461, TH463




TH462, TH464



TH465, TH467

TAPER BACK LED

The taper back track heads are dimmable, durable and have a 24 or 36 degree beam spread. Versatile and contemporary, these track heads deliver 30,000 hours of warm white light.



TH452, TH454



TH451, TH453



TH455, TH457

FINISH

White



Black



Brushed Nickel



For Use with H-Type
Track



Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH451	LED Track Head Taper Back w/ 24° Beam	White	LED	12	2 3/4"	2 7/8"	2 7/8"	5 3/4"	3000K	1020	90	Dry
TH452	LED Track Head Taper Back w/ 24° Beam	Black	LED	12	2 3/4"	2 7/8"	2 7/8"	5 3/4"	3000K	1020	90	Dry
TH453	LED Track Head Taper Back w/ 36° Beam	White	LED	12	2 3/4"	2 7/8"	2 7/8"	5 3/4"	3000K	1020	90	Dry
TH454	LED Track Head Taper Back w/ 36° Beam	Black	LED	12	2 3/4"	2 7/8"	2 7/8"	5 3/4"	3000K	1020	90	Dry
TH455	LED Track Head Taper Back w/ 24° Beam	Brushed Nickel	LED	12	2 3/4"	2 7/8"	2 7/8"	5 3/4"	3000K	1020	90	Dry
TH457	LED Track Head Taper Back w/ 36° Beam	Brushed Nickel	LED	12	2 3/4"	2 7/8"	2 7/8"	5 3/4"	3000K	1020	90	Dry



FORGED LED

The LED forged track heads deliver energy-efficient lighting for a variety of commercial and residential environments. The lightweight aluminum heads allow for easy installation.



FINISH

White



Black



Brushed Nickel



For Use with H-Type Track



Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH488	LED Track Head Forged w/ 24° Beam	Black	LED	12	3"	2 3/4"	2 3/4"	6 1/4"	3000K	1020	90	Dry
TH489	LED Track Head Forged w/ 24° Beam	Black	LED	12	3"	2 3/4"	2 3/4"	6 1/4"	3000K	1020	90	Dry
TH490	LED Track Head Forged w/ 36° Beam	White	LED	12	3"	2 3/4"	2 3/4"	6 1/4"	3000K	1020	90	Dry
TH491	LED Track Head Forged w/ 36° Beam	White	LED	12	3"	2 3/4"	2 3/4"	6 1/4"	3000K	1020	90	Dry
TH492	LED Track Head Forged w/ 24° Beam	Brushed Nickel	LED	12	3"	2 3/4"	2 3/4"	6 1/4"	3000K	1020	90	Dry
TH493	LED Track Head Forged w/ 36° Beam	Brushed Nickel	LED	12	3"	2 3/4"	2 3/4"	6 1/4"	3000K	1020	90	Dry



TH488, TH489



TH492, TH493



TH490, TH491

PISTON LED

The LED piston track collection delivers energy-efficient lighting for a variety of commercial and residential environments. The head is compatible with Halo (H) tracks, and is used in single circuit lighting runs. The lightweight aluminum heads allow for easy installation.



TH494, TH495



TH496, TH497



TH498, TH499

FINISH

White



Black



Brushed Nickel



For Use with H-Type Track




Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH494	LED Track Head Piston w/ 24° Beam	Black	LED	12	2 3/4"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry
TH495	LED Track Head Piston w/ 36° Beam	Black	LED	12	2 3/4"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry
TH496	LED Track Head Piston w/ 24° Beam	White	LED	12	2 3/4"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry
TH497	LED Track Head Piston w/ 36° Beam	White	LED	12	2 3/4"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry
TH498	LED Track Head Piston w/ 24° Beam	Brushed Nickel	LED	12	2 3/4"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry
TH499	LED Track Head Piston w/ 36° Beam	Brushed Nickel	LED	12	2 3/4"	2 3/4"	2 3/4"	5 3/4"	3000K	1020	90	Dry



PRO SERIES LED

The Pro Series LED track heads offers a distinct look while providing superior illumination for high-demand applications. Built to withstand the demanding, everyday operation while maintaining a consistent look and feel, this cylindrical style track light distributes exceptional, high lumen, LED light for larger spaces which may be problematic for lesser fixtures.



TH621, TH623
TH622, TH624



TH601, TH603
TH602, TH604



TH611, TH613
TH612, TH614

For Use with H-Type
Track



FINISH

White



Black



Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH601	LED Track Head Pro w/ 24° Beam	White	LED	10	5"	2"	2"	7 3/8"	3000K	600	93	Dry
TH602	LED Track Head Pro w/ 24° Beam	Black	LED	10	5"	2"	2"	7 3/8"	3000K	600	93	Dry
TH603	LED Track Head Pro w/ 36° Beam	White	LED	10	5"	2"	2"	7 3/8"	3000K	600	93	Dry
TH604	LED Track Head Pro w/ 36° Beam	Black	LED	10	5"	2"	2"	7 3/8"	3000K	600	93	Dry
TH611	LED Track Head Pro w/ 24° Beam	White	LED	20	6 1/8"	2 1/2"	2 1/2"	8 1/4"	3000K	1200	93	Dry
TH612	LED Track Head Pro w/ 24° Beam	Black	LED	20	6 1/8"	2 1/2"	2 1/2"	8 1/4"	3000K	1200	93	Dry
TH613	LED Track Head Pro w/ 36° Beam	White	LED	20	6 1/8"	2 1/2"	2 1/2"	8 1/4"	3000K	1200	93	Dry
TH614	LED Track Head Pro w/ 36° Beam	Black	LED	20	6 1/8"	2 1/2"	2 1/2"	8 1/4"	3000K	1200	93	Dry
TH621	LED Track Head Pro w/ 24° Beam	White	LED	30	7 1/8"	3 1/8"	3 1/8"	9 1/4"	3000K	2000	93	Dry
TH622	LED Track Head Pro w/ 24° Beam	Black	LED	30	7 1/8"	3 1/8"	3 1/8"	9 1/4"	3000K	2000	93	Dry
TH623	LED Track Head Pro w/ 36° Beam	White	LED	30	7 1/8"	3 1/8"	3 1/8"	9 1/4"	3000K	2000	93	Dry
TH624	LED Track Head Pro w/ 36° Beam	Black	LED	30	7 1/8"	3 1/8"	3 1/8"	9 1/4"	3000K	2000	93	Dry



TRACK BAR LED

At home or in a commercial space, these LED track bars are an easy way to add linear effects to your lighting and accent architectural features like relief walls, artwork, signs, and more. The manufactured bars contain superior, long-lasting, and no-maintenance LED modules. There are black and white finishes available, with four convenient lengths.



TH500, TH501



TH502, TH503



TH504, TH505



TH506, TH507

FINISH

White

Black



For Use with H-Type
Track



Item#	Description	Finish	Light Source	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH500	LED 1 Foot Track Bar	White	LED	15	13 1/2"	1 1/2"	1 1/4"	2"	3000K	960	90	Dry
TH501	LED 1 Foot Track Bar	Black	LED	15	13 1/2"	1 1/2"	1 1/4"	2"	3000K	960	90	Dry
TH502	LED 2 Foot Track Bar	White	LED	30	24"	1 1/2"	1 1/4"	2"	3000K	1020	90	Dry
TH503	LED 2 Foot Track Bar	Black	LED	30	24"	1 1/2"	1 1/4"	2"	3000K	1020	90	Dry
TH504	LED 3 Foot Track Bar	White	LED	45	34 1/2"	1 1/2"	1 1/4"	2"	3000K	1020	90	Dry
TH505	LED 3 Foot Track Bar	Black	LED	45	34 1/2"	1 1/2"	1 1/4"	2"	3000K	1020	90	Dry
TH506	LED 4 Foot Track Bar	White	LED	60	44 3/4"	1 1/2"	1 1/4"	2"	3000K	1020	90	Dry
TH507	LED 4 Foot Track Bar	Black	LED	60	44 3/4"	1 1/2"	1 1/4"	2"	3000K	1020	90	Dry



CINCH LED

Looking for a cinch-waisted track head, we got it. A round or cylinder track is more your style, say no more. Our track heads offer long-lasting integrated LED, providing excellent illumination and energy-efficient lighting at a value that won't break the bank. Flexibility is the highlight when opting for tracking lighting, with adjustable heads and/or swivel functions, multiple heads and track connecting capabilities, allowing for light placement precisely where you need it. Available in matte black or white, matte black with brushed brass, or matte black with brushed nickel, all popular and timeless finishes that blend beautifully with various interior design styles.



TH631, TH641



TH632, TH642




TH634, TH644



TH633, TH643

FINISH

Matte Black




Matte White



Matte Black w/
Brushed Brass



Matte Black w/
Brushed Nickel



For Use with H-Type
Track



Item#	Description	Finish	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH631	LED Cinch Track Head w/ 24° Beam	Matte Black	12	3 7/8"	3 1/4"	3 1/4"	5 1/4"	3000K	1020	90	Dry
TH632	LED Cinch Track Head w/ 24° Beam	Matte White	12	3 7/8"	3 1/4"	3 1/4"	5 1/4"	3000K	1020	90	Dry
TH633	LED Cinch Track Head w/ 24° Beam	Matte Black / Brushed Brass	12	3 7/8"	3 1/4"	3 1/4"	5 1/4"	3000K	1020	90	Dry
TH634	LED Cinch Track Head w/ 24° Beam	Matte Black / Brushed Nickel	12	3 7/8"	3 1/4"	3 1/4"	5 1/4"	3000K	1020	90	Dry
TH641	LED Cinch Track Head w/ 36° Beam	Matte Black	12	3 7/8"	3 1/4"	3 1/4"	5 1/4"	3000K	1020	90	Dry
TH642	LED Cinch Track Head w/ 36° Beam	Matte White	12	3 7/8"	3 1/4"	3 1/4"	5 1/4"	3000K	1020	90	Dry
TH643	LED Cinch Track Head w/ 36° Beam	Matte Black / Brushed Brass	12	3 7/8"	3 1/4"	3 1/4"	5 1/4"	3000K	1020	90	Dry
TH644	LED Cinch Track Head w/ 36° Beam	Matte Black / Brushed Nickel	12	3 7/8"	3 1/4"	3 1/4"	5 1/4"	3000K	1020	90	Dry



LANTERN LED

Discover the elegance and functionality of SATCO|NUVO's Lantern-style LED track head fixtures. Designed with a sleek contemporary aesthetic, these track heads not only enhance your space but also provide exceptional performance. Featuring an impressive 90 CRI rating, they deliver premium-quality white light, ensuring true-to-life color representation. Compatible with SATCO H-Track Systems, these adjustable heads empower you to precisely direct light wherever it is needed. Choose from sophisticated black, crisp white, or stylish brushed nickel finishes to complement your décor and illuminate your surroundings with both beauty and practicality.



TH651, TH661



TH653, TH663



TH652, TH662

FINISH

White



Black



Brushed Nickel



For Use with H-Type Track



Item#	Description	Finish	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH651	LED Lantern Track Head w/ 24° Beam	White	12	2 3/4"	2 3/4"	3"	6"	3000K	1020	90	Dry
TH652	LED Lantern Track Head w/ 24° Beam	Black	12	2 3/4"	2 3/4"	3"	6"	3000K	1020	90	Dry
TH653	LED Lantern Track Head w/ 24° Beam	Brushed Nickel	12	2 3/4"	2 3/4"	3"	6"	3000K	1020	90	Dry
TH661	LED Lantern Track Head w/ 36° Beam	White	12	2 3/4"	2 3/4"	3"	6"	3000K	1020	90	Dry
TH662	LED Lantern Track Head w/ 36° Beam	Black	12	2 3/4"	2 3/4"	3"	6"	3000K	1020	90	Dry
TH663	LED Lantern Track Head w/ 36° Beam	Brushed Nickel	12	2 3/4"	2 3/4"	3"	6"	3000K	1020	90	Dry



CCT SELECTABLE LED



Transform your home into a haven of warmth and elegance with Nuvo's contemporary LED track heads. Featuring beam spreads of 36 or 48 degrees, these track lights allow you to craft the perfect ambiance for every cherished moment. Select from a range of color temperatures, from the inviting glow of warm white to the serene brilliance of natural light. Available in sophisticated matte black and classic matte white finishes, these track heads seamlessly blend modern design with the latest LED technology.



H Type - TH701, TH703
J Type - TH5001, TH5003



H Type - TH702, TH704
J Type - TH5002, TH5004



H Type - TH711, TH713
J Type - TH5011, TH5013



H Type - TH712, TH714
J Type - TH5012, TH5014



H Type - TH721, TH723
J Type - TH5021, TH5023



H Type - TH722, TH724
J Type - TH5022, TH5024

FINISH

Matte Black

Matte White



For Use with H-Type Track



For Use with J type Track



Item#	Description	Finish	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
H-Type											
TH701	CCT Selectable LED Track Head / 36° Beam	Matte White	10	5"	2"	5 3/8"	7 3/4"	2700K/3000K/3500K/4000K/5000K	700	90	Dry
TH702	CCT Selectable LED Track Head / 36° Beam	Matte Black	10	5"	2"	5 3/8"	7 3/4"	2700K/3000K/3500K/4000K/5000K	700	90	Dry
TH703	CCT Selectable LED Track Head / 48° Beam	Matte White	10	5"	2"	5 3/8"	7 3/4"	2700K/3000K/3500K/4000K/5000K	700	90	Dry
TH704	CCT Selectable LED Track Head / 48° Beam	Matte Black	10	5"	2"	5 3/8"	7 3/4"	2700K/3000K/3500K/4000K/5000K	700	90	Dry
TH711	CCT Selectable LED Track Head / 36° Beam	Matte White	20	6 5/16"	2 7/16"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1400	90	Dry
TH712	CCT Selectable LED Track Head / 36° Beam	Matte Black	20	6 5/16"	2 7/16"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1400	90	Dry
TH713	CCT Selectable LED Track Head / 48° Beam	Matte White	20	6 5/16"	2 7/16"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1400	90	Dry
TH714	CCT Selectable LED Track Head / 48° Beam	Matte Black	20	6 5/16"	2 7/16"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1400	90	Dry
TH721	CCT Selectable LED Track Head / 36° Beam	Matte White	30	6 3/4"	3 1/8"	6 5/8"	9 1/16"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry
TH722	CCT Selectable LED Track Head / 36° Beam	Matte Black	30	6 3/4"	3 1/8"	6 5/8"	9 1/16"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry
TH723	CCT Selectable LED Track Head / 48° Beam	Matte White	30	6 3/4"	3 1/8"	6 5/8"	9 1/16"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry
TH724	CCT Selectable LED Track Head / 48° Beam	Matte Black	30	6 3/4"	3 1/8"	6 5/8"	9 1/16"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry
J-Type											
TH5001	J-Type CCT Selectable LED Track Head / 36° Beam	Matte White	10	5"	2"	5 3/8"	7 3/4"	2700K/3000K/3500K/4000K/5000K	700	90	Dry
TH5002	J-Type CCT Selectable LED Track Head / 36° Beam	Matte Black	10	5"	2"	5 3/8"	7 3/4"	2700K/3000K/3500K/4000K/5000K	700	90	Dry
TH5003	J-Type CCT Selectable LED Track Head / 48° Beam	Matte White	10	5"	2"	5 3/8"	7 3/4"	2700K/3000K/3500K/4000K/5000K	700	90	Dry
TH5004	J-Type CCT Selectable LED Track Head / 48° Beam	Matte Black	10	5"	2"	5 3/8"	7 3/4"	2700K/3000K/3500K/4000K/5000K	700	90	Dry
TH5011	J-Type CCT Selectable LED Track Head / 36° Beam	Matte White	20	6 5/16"	2 7/16"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1400	90	Dry
TH5012	J-Type CCT Selectable LED Track Head / 36° Beam	Matte Black	20	6 5/16"	2 7/16"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1400	90	Dry
TH5013	J-Type CCT Selectable LED Track Head / 48° Beam	Matte White	20	6 5/16"	2 7/16"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1400	90	Dry
TH5014	J-Type CCT Selectable LED Track Head / 48° Beam	Matte Black	20	6 5/16"	2 7/16"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1400	90	Dry
TH5021	J-Type CCT Selectable LED Track Head / 36° Beam	Matte White	30	6 3/4"	3 1/8"	6 5/8"	9 1/16"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry
TH5022	J-Type CCT Selectable LED Track Head / 36° Beam	Matte Black	30	6 3/4"	3 1/8"	6 5/8"	9 1/16"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry
TH5023	J-Type CCT Selectable LED Track Head / 48° Beam	Matte White	30	6 3/4"	3 1/8"	6 5/8"	9 1/16"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry
TH5024	J-Type CCT Selectable LED Track Head / 48° Beam	Matte Black	30	6 3/4"	3 1/8"	6 5/8"	9 1/16"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry



BEAM ADJUSTABLE LED

Illuminate your space with the enchanting glow of Nuvo's contemporary LED track heads. With an adjustable beam spread ranging from 20 to 50 degrees, you can create the perfect mood for any moment. Choose the ideal color temperature with CCT selectivity, from the cozy warmth of dusk to the natural light of a sunlit morning. Available in timeless matte black and pristine matte white finishes, this track light is the perfect blend of technology and modern elegance.



H Type - TH731, TH732

J Type - TH5031, TH5032




H Type - TH741, TH742

J Type - TH5041, TH5042

FINISH

Matte Black



Matte White



Used with
3 Conductor "H" type
connector



Used with
3 Conductor "J" type
connector




Item#	Description	Finish	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
H-Type											
TH731	Beam Adjust. LED Track Head w/ 20° - 50° Beam Spread	Matte White	15	6 3/8"	2 7/8"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1050	90	Dry
TH732	Beam Adjust. LED Track Head w/ 20° - 50° Beam Spread	Matte Black	15	6 3/8"	2 7/8"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1050	90	Dry
TH741	Beam Adjust. LED Track Head w/ 20° - 50° Beam Spread	Matte White	30	6 1/2"	3 1/8"	6 5/8"	9 1/4"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry
TH742	Beam Adjust. LED Track Head w/ 20° - 50° Beam Spread	Matte Black	30	6 1/2"	3 1/8"	6 5/8"	9 1/4"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry
J-Type											
TH5031	J-Type Beam Adjust. LED Track Head w/ 20° - 50° Beam Spread	Matte White	15	6 3/8"	2 7/8"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1050	90	Dry
TH5032	J-Type Beam Adjust. LED Track Head w/ 20° - 50° Beam Spread	Matte Black	15	6 3/8"	2 7/8"	5 7/8"	8 5/8"	2700K/3000K/3500K/4000K/5000K	1050	90	Dry
TH5041	J-Type Beam Adjust. LED Track Head w/ 20° - 50° Beam Spread	Matte White	30	6 1/2"	3 1/8"	6 5/8"	9 1/4"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry
TH5042	J-Type Beam Adjust. LED Track Head w/ 20° - 50° Beam Spread	Matte Black	30	6 1/2"	3 1/8"	6 5/8"	9 1/4"	2700K/3000K/3500K/4000K/5000K	2100	90	Dry



STARFISH LED

Illuminate your world with the captivating charm of Nuvo's contemporary LED SMART track heads, designed to turn every moment into a unique experience. With a 36-degree beam spread and Starfish app enabled, you have endless lighting possibilities at your fingertips. Transform your space with dynamic RGB color-changing options, offering millions of hues to set the perfect mood. Whether you desire the soft glow of warm white or the crisp clarity of cool white, these tunable lights adapt to your every whim. Available in sophisticated matte black and elegant matte white finishes, Nuvo's LED track heads seamlessly blend modern innovation with intelligent lighting, creating a sanctuary of light in your home.



TH903, TH904





TH913, TH914



STARFISH®

Controlled with App




Dynamic RGB
Color-Changing
& Tunable White



FINISH

Matte Black

Matte White



Item#	Description	Finish	Watts	Length	Width	Height	Ext.	CCT	Lumens	CRI	Cert. Type
TH903	LED Track Head; Starfish Enabled w/ 24° Beam Spread	Matte White	12	2 1/4"	5 3/8"	5 3/8"	6 3/8"	2000K-5000K	1100	80	Dry
TH904	LED Track Head; Starfish Enabled w/ 24° Beam Spread	Matte Black	12	2 1/4"	5 3/8"	5 3/8"	6 3/8"	2000K-5000K	1100	80	Dry
TH913	LED Track Head; Starfish Enabled w/ 36° Beam Spread	Matte White	12	2 13/16"	5 15/16"	3 5/8"	5 5/8"	2000K-5000K	1100	80	Dry
TH914	LED Track Head; Starfish Enabled w/ 36° Beam Spread	Matte Black	12	2 13/16"	5 15/16"	3 5/8"	5 5/8"	2000K-5000K	1100	80	Dry








TRADITIONAL TRACK HEAD COLLECTION

R20



R20 Step Cylinder

Dimensions: Height 5 ¼", Width 3 ½", Extension 7 ½"

(1) R20/PAR20 50W max. / Medium Base

TH204 White

TH205 Black

TH303 Brushed Nickel

TH341 Russet Bronze (shown)



R20 Straight Cylinder

Dimensions: Height 6 ½", Width 4 ¼", Extension 9 ½"

(1) R20/PAR20 50W max. / Medium Base

TH200 White

TH201 Black

TH307 Brushed Nickel (shown)

TH343 Russet Bronze



R20 Bullet Cylinder

Dimensions: Height 6", Width 3 ½", Extension 8"

(1) R20/PAR20 50W max. / Medium Base

TH208 White

TH209 Black (shown)

TH305 Brushed Nickel

TH345 Russet Bronze



R30



R30 Step Cylinder

Dimensions: Height 6 1/2", Width 4 1/2", Extension 8 1/2"
(1) R30/PAR30 75W max. (Long Neck) / Medium Base

- TH206 White
- TH207 Black
- TH304 Brushed Nickel (shown)
- TH342 Russet Bronze



R30 Straight Cylinder

Dimensions: Height 7", Width 4 1/2", Extension 9 1/2"
(1) R30/PAR30 75W max. (Long Neck) / Medium Base

- TH202 White
- TH203 Black
- TH308 Brushed Nickel
- TH344 Russet Bronze (shown)



R30 Bullet Cylinder

Dimensions: Height 7", Width 4 1/2", Extension 9"
(1) R30/PAR30 75W max. (Long Neck) / Medium Base

- TH210 White (shown)
- TH211 Black
- TH306 Brushed Nickel
- TH346 Russet Bronze



R40 & UNIVERSAL HOLDER



R40 Straight Cylinder

Dimensions: Height 8", Width 5 1/2", Extension 12"
(1) 150W BR40/PAR38/BR38 max. / Medium Base
TH284 Black



Mini Universal Holder

Dimensions: Height 4 3/4", Width 2", Extension 7" (without lamp)
(1) R20/BR30/BR40/PAR20 /PAR30/PAR38
150W.max. / Medium Base
TH279 White (shown)
TH280 Black




Universal Holder

Dimensions: Height 4 3/4", Width 2", Extension 7" (without lamp)
(1) R20/BR30/BR40/PAR20 /PAR30/PAR38
150W.max. / Medium Base
TH226 White
TH227 Black
TH324 Brushed Nickel (shown)



PAR20



PAR20 Short Bullet Cylinder

Dimensions: Height 4 1/2", Width 3 1/2", Extension 7"

(1) PAR20 50W max. / Medium Base

TH216 White (shown)

TH217 Black



PAR20 Gimbal Ring

Dimensions: Height 4 1/2", Width 2 3/4", Extension 6 3/4"

(1) PAR20 50W max. / Medium Base

TH220 White

TH221 Black (shown)

TH300 Brushed Nickel

TH347 Russet Bronze



PAR30



PAR30 Short Bullet Cylinder

Dimensions: Height 5 1/8", Width 4 1/2", Extension 8"

(1) PAR30 75W max. / (short neck) Medium Base

TH218 White

TH219 Black (shown)



PAR30 Euro Style

Dimensions: Height 7 1/2", Width 4 1/2", Extension 8 1/2"

(1) PAR30 75W max. / (short neck) Medium Base

TH332 White

TH333 Black

TH331 Brushed Nickel (shown)



PAR30 Gimbal Ring

Dimensions: Height 4 3/4", Width 4", Extension 10 1/2"

(1) PAR30 75W max. / (short neck) Medium Base

TH222 White

TH223 Black

TH301 Brushed Nickel

TH348 Russet Bronze (shown)



PAR38



PAR38 Gimbal Ring

Dimensions: Height 6 1/4", Width 5", Extension 10 1/2"

(1) PAR38 150W max. / Medium Base

TH224 White

TH225 Black (shown)

TH302 Brushed Nickel

TH349 Russet Bronze



MR16



MR16 Square

Dimensions: Height 3 1/4", Width 2 1/4", Extension 6 1/2"

(1) 50W MR16 / GU10 base 120V max.

TH312 White

TH313 Black (shown)

TH314 Brushed Nickel



MR16 Roundback

Dimensions: Height 3 1/4", Width 2 1/4", Extension 6 1/2"

(1) 50W MR16 / GU10 base 120V max.

TH315 White

TH316 Black

TH317 Brushed Nickel (shown)

TH351 Russet Bronze



MR16 Gimbal Ring

Dimensions: Height 2 1/4", Width 2", Extension 4 1/2"

(1) 50W MR16 / GU10 base 120V max.

TH321 White

TH322 Black

TH323 Brushed Nickel

TH352 Russet Bronze (shown)



MR16 12V



12V MR16 Square

Dimensions: Height 3 1/4", Width 2 1/4", Extension 6 1/2"
(1) 50W MR16 12V max. / GX5.3 Base
TH232 White (shown)
TH233 Black



12V MR16 Round

Dimensions: Height 3 1/4", Width 2 1/4", Extension 6 1/2"
(1) 50W MR16 12V max. / GX5.3 Base
TH234 White
TH235 Black (shown)



12V MR16 Gimbal Ring

Dimensions: Height 2 1/4", Width 2", Extension 6 1/2"
(1) 50W MR16 12V max. / GX5.3 Base
TH238 White (shown)
TH239 Black



LED 4' TRACK KITS



TK403



TK407




TK404

Kits Include

- 4' track with end caps
- 3 Track heads
- Floating canopy power feed
- All necessary mounting hardware

Track with end cap removed



For Use with H-Type Track



Item#	Description	Finish	Light Source	Tot. Watts	Incand. Equiv.	Track Length	Head Width	Head Height	Head Ext.	CCT	Tot. Lumens	CRI	Cert. Type
TK403	Round 36°	White	LED	36	3x75W	48"	3"	2 1/4"	5 1/8"	3000K	3,060*	90	Dry
TK404	Round 36°	Black	LED	36	3x75W	48"	3"	2 1/4"	5 1/8"	3000K	3,060*	90	Dry
TK407	Round 36°	Brushed Nickel	LED	36	3x75W	48"	3"	2 1/4"	5 1/8"	3000K	3,060*	90	Dry
TK413	Pinch Back 36°	White	LED	36	3x75W	48"	2 3/4"	2 3/4"	5 5/8"	3000K	3,060*	90	Dry
TK414	Pinch Back 36°	Black	LED	36	3x75W	48"	2 3/4"	2 3/4"	5 5/8"	3000K	3,060*	90	Dry
TK417	Pinch Back 36°	Brushed Nickel	LED	36	3x75W	48"	2 3/4"	2 3/4"	5 5/8"	3000K	3,060*	90	Dry
TK423	Angle Arm 36°	White	LED	36	3x75W	48"	2 1/2"	2 3/8"	6 1/4"	3000K	3,060*	90	Dry
TK424	Angle Arm 36°	Black	LED	36	3x75W	48"	2 1/2"	2 3/8"	6 1/4"	3000K	3,060*	90	Dry
TK427	Angle Arm 36°	Brushed Nickel	LED	36	3x75W	48"	2 1/2"	2 3/8"	6 1/4"	3000K	3,060*	90	Dry

*Lumens measured at LED source.
3 Conductor "H" type system.



TK413



TK414



TK417



TK423



TK424



TK427

4' TRACK KITS

- 4 Ft. Linear Track Kits Include:
- (1) Floating power feed canopy kit
 - (1) Four foot track
 - (3) Track lighting heads
 - All necessary mounting hardware
 - Four color display carton



PAR30 Gimbal Ring

(3) PAR30 (Shortneck) 75W max. / Medium Base
TK316 White



TK317 Black
TK343 Brushed Nickel
TK362 Russet Bronze



R30 Straight Cylinder

(3) R30/PAR30 (Longneck) 75W max. / Medium Base
TK318 White




TK319 Black
TK341 Brushed Nickel



R30 Step Cylinder

(3) R30/PAR30 (Longneck) 75W max. / Medium Base
TK320 White



TK321 Black
TK340 Brushed Nickel
TK361 Russet Bronze



R30 Bullet Cylinder

(3) R30/PAR30 (Longneck) 75W max. / Medium Base
TK322 White



TK323 Black
TK342 Brushed Nickel



MR16 Square

(3) 50W MR16 / GU10 base 120V max.
TK345 White



TK346 Black
TK347 Brushed Nickel



MR16 Round Back

(3) 50W MR16 / GU10 base 120V max.
TK348 White



TK349 Black
TK354 Brushed Nickel



MR16 Gimbal Ring

(3) 50W MR16 / GU10 base 120V max.
TK355 White



TK352 Black
TK353 Brushed Nickel



12V MR16 Square

(3) 50W MR16 / GX5.3 base 12V max.
TK310 White



12V MR16 Gimbal Ring

(3) 50W MR16 / GX5.3 base 12V max.
TK315 Black

TRACK ACCESSORIES

Item#	Description	Finish	Length	Width	Height	Cert.
TR118	2 Foot Track, 2 dead end caps, all mounting hardware	White	24"	1 5/16"	5/8"	Dry
TR119	2 Foot Track, 2 dead end caps, all mounting hardware	Black	24"	1 5/16"	5/8"	Dry
TR120	4 Foot Track, 2 dead end caps, all mounting hardware	White	48"	1 5/16"	5/8"	Dry
TR121	4 Foot Track, 2 dead end caps, all mounting hardware	Black	48"	1 5/16"	5/8"	Dry
TR122	8 Foot Track, 2 dead end caps, all mounting hardware	White	96"	1 5/16"	5/8"	Dry
TR123	8 Foot Track, 2 dead end caps, all mounting hardware	Black	96"	1 5/16"	5/8"	Dry
TR124	6 Foot Track, 2 dead end caps, all mounting hardware	White	72"	1 5/16"	5/8"	Dry
TR125	6 Foot Track, 2 dead end caps, all mounting hardware	Black	72"	1 5/16"	5/8"	Dry
TR126	2 Foot Track, 2 dead end caps, all mounting hardware	Brushed Nickel	24"	1 5/16"	5/8"	Dry
TR127	4 Foot Track, 2 dead end caps, all mounting hardware	Brushed Nickel	48"	1 5/16"	5/8"	Dry
TR128	6 Foot Track, 2 dead end caps, all mounting hardware	Brushed Nickel	72"	1 5/16"	5/8"	Dry
TR129	8 Foot Track, 2 dead end caps, all mounting hardware	Brushed Nickel	96"	1 5/16"	5/8"	Dry
TR131	2 Foot Track, 2 dead end caps, all mounting hardware	Russet Bronze	24"	1 5/16"	5/8"	Dry
TR132	4 Foot Track, 2 dead end caps, all mounting hardware	Russet Bronze	48"	1 5/16"	5/8"	Dry
TR133	6 Foot Track, 2 dead end caps, all mounting hardware	Russet Bronze	72"	1 5/16"	5/8"	Dry
TR134	8 Foot Track, 2 dead end caps, all mounting hardware	Russet Bronze	96"	1 5/16"	5/8"	Dry
TP185	Drop Ceiling T-Bar Clips, for attaching Track Lighting to Drop Ceilings; 4 Pc.	Metal Plain	1 1/2"	1/2"	7/8"	Dry


Tracks Includes two dead end caps and all mounting hardware.




White



Black




Brushed Nickel



Russet Bronze



Used with
3 Conductor "H" type
connector



Track with end
cap removed

Current Limiters

ITEM	AMP	FINISH	ITEM	AMP	FINISH
TL100	.5	White	TL110	.5	Black
TL101	1	White	TL111	1	Black
TL102	2	White	TL112	2	Black
TL103	3	White	TL113	3	Black
TL104	5	White	TL114	5	Black
TL105	8	White	TL115	8	Black
TL106	12	White	TL116	12	Black



Extensions Lowers Track Heads to desired height

ITEM	DESCRIPTION	SIZE	FINISH
TP159	Extension	18"	White
TP160	Extension	24"	White
TP161	Extension	36"	White
TP162	Extension	48"	White

ITEM	DESCRIPTION	SIZE	FINISH
TP163	Extension	18"	Black
TP164	Extension	24"	Black
TP165	Extension	36"	Black
TP166	Extension	48"	Black



24" Pendant Suspension Kit

Kit Includes: canopy, stem, support and power feed

ACCESSORIES

TP178 White
TP179 Black



TP159 18" Extension

Shown with PAR38 track head and 120V monopoint adapter

Pendant Track Adapters Supports up to 10 lbs.



LOOP ADAPTER

ITEM	FINISH
TP215	White
TP216	Black
TP217	Brown



TRACK ADAPTER

ITEM	FINISH
TP231	White
TP232	Black
TP233	Brown



STEM-HUNG ADAPTER

ITEM	FINISH
TP244	White
TP245	Black
TP246	Brown

Monopoint Adapters



LOW VOLTAGE (12V)

ITEM	FINISH
TP176	White
TP177	Black



LINE VOLTAGE (120V)

ITEM	FINISH
TP142	White
TP143	Black

Cord Kit



LINE VOLTAGE (120V)

ITEM	FINISH
TP156	White
TP157	Black
TP201	Brown

Canopies & Live Ends Providing electricity to tracks in various formats



FLOATING

ITEM	FINISH
TP154	White
TP155	Black
TP202	Brown



CONDUIT LIVE END

ITEM	FINISH
TP169	White
TP170	Black
TP203	Brown
TP269	White REV.POL
TP270	Black REV.POL



LIVE END & CANOPY

ITEM	FINISH
TP152	White
TP153	Black
TP204	Brown



INLINE FEED

ITEM	FINISH
TP171	White
TP172	Black
TP211	Brown

Connectors Connecting tracks in various formats | Fits "H" Type Track



STRAIGHT

ITEM	FINISH
TP144	White
TP145	Black
TP205	Brown



"L" CONNECTOR (90° angles)

ITEM	FINISH
TP146	White
TP147	Black
TP208	Brown
TP234	White REV.POL
TP235	Black REV.POL
TP236	Brown REV.POL



"T" CONNECTOR

ITEM	FINISH
TP148	White
TP149	Black
TP207	Brown
TP237	White REV.POL
TP238	Black REV.POL
TP239	Brown REV.POL



"X" CONNECTOR

ITEM	FINISH
TP150	White
TP151	Black
TP206	Brown



FLEXIBLE

ITEM	FINISH
TP167	White
TP168	Black
TP209	Brown

Drop Ceiling T-Bar Track Clips



TP185

(4 pieces per package • 90-018 nut not included)

TRACK ACCESSORIES

Item#	Description	Finish	Length	Width	Height	Cert.
TP240	Track Suspension Aircraft Cable; White Canopy	White	144"	-	-	Dry
TP241	Track Suspension Aircraft Cable; Black Canopy	Black	144"	-	-	Dry
TP242	Track Suspension Aircraft Cable; Brushed Nickel Canopy	Brushed Nickel	144"	-	-	Dry
TP247	Single Monopoint Adapter; Round; Black Finish	Black	4 3/4"	4 3/4"	1"	Dry
TP248	Single Monopoint Adapter; Round; White Finish	White	4 3/4"	4 3/4"	1"	Dry
TP249	Triple Monopoint Adapter; Round; Black Finish	Black	4 3/4"	4 3/4"	1"	Dry
TP250	Triple Monopoint Adapter; Round; White Finish	White	4 3/4"	4 3/4"	1"	Dry
TP251	Double Monopoint Adapter; Rectangular; Black Finish	Black	9 1/4"	4 5/8"	1"	Dry
TP252	Double Monopoint Adapter; Rectangular; White Finish	White	9 1/4"	4 5/8"	1"	Dry
TP253	Triple Monopoint Adapter; Rectangular; Black Finish	Black	14 3/4"	4 5/8"	1"	Dry
TP254	Triple Monopoint Adapter; Rectangular; White Finish	White	14 3/4"	4 5/8"	1"	Dry
TP255	Outlet Track Adapter; Black Finish	Black	1 7/16"	1 7/16"	2 5/8"	Dry
TP256	Outlet Track Adapter; White Finish	White	1 7/16"	1 7/16"	2 5/8"	Dry
TP257	Outlet Track Adapter; Brown Finish	Brown	1 7/16"	1 7/16"	2 5/8"	Dry
TP258	Sloped Ceiling Track Adapter; Black Finish	Black	1 3/8"	1 7/16"	4 3/4"	Dry
TP259	Sloped Ceiling Track Adapter; White Finish	White	1 3/8"	1 7/16"	4 3/4"	Dry
TP260	Sloped Ceiling Track Adapter; Brown Finish	Brown	1 3/8"	1 7/16"	4 3/4"	Dry

Track Suspension Aircraft Cables



TP240



TP241



TP242

Single Monopoint Adapters | Round Fits "H" Type Track



TP247



TP248

Triple Monopoint Adapters | Round



TP249



TP250

Double Monopoint Adapters | Rectangular Fits "H" Type Track



TP252



TP251

Triple Monopoint Adapters | Rectangular



TP254



TP253

Outlet Track Adapters



TP255



TP256



TP257

Sloped Ceiling Track Adapters



TP258



TP259



TP260

INDEX

Item#	Pg#	Item#	Pg#	Item#	Pg#	Item#	Pg#	Item#	Pg#	Item#	Pg#
62-1105	7	TH343	46	TH484	15	TH642	35	TK414	55	TP211	59
62-1106	7	TH344	47	TH485	15	TH643	35	TK417	55	TP215	59
62-1107	7	TH345	46	TH486	15	TH644	35	TK423	55	TP216	59
62-1108	7	TH346	47	TH487	15	TH645	21	TK424	55	TP217	59
TH200	46	TH347	49	TH488	27	TH646	21	TK427	55	TP231	59
TH201	46	TH348	50	TH489	27	TH647	13	TL100	58	TP232	59
TH202	47	TH349	51	TH490	27	TH648	13	TL101	58	TP233	59
TH203	47	TH351	52	TH491	27	TH651	37	TL102	58	TP234	59
TH204	46	TH352	52	TH492	27	TH652	37	TL103	58	TP235	59
TH205	46	TH401	21	TH493	27	TH653	37	TL104	58	TP236	59
TH206	47	TH402	21	TH494	29	TH661	37	TL105	58	TP237	59
TH207	47	TH403	21	TH495	29	TH662	37	TL106	58	TP238	59
TH208	46	TH404	21	TH496	29	TH663	37	TL110	58	TP239	59
TH209	46	TH405	21	TH497	29	TH701	39	TL111	58	TP240	60
TH210	47	TH407	21	TH498	29	TH702	39	TL112	58	TP241	60
TH211	47	TH411	17	TH499	29	TH703	39	TL113	58	TP242	60
TH216	49	TH412	17	TH500	33	TH704	39	TL114	58	TP244	59
TH217	49	TH413	17	TH5001	39	TH711	39	TL115	58	TP245	59
TH218	50	TH414	17	TH5002	39	TH712	39	TL116	58	TP246	59
TH219	50	TH415	17	TH5003	39	TH713	39	TP142	59	TP247	60
TH220	49	TH417	17	TH5004	39	TH714	39	TP143	59	TP248	60
TH221	49	TH421	9	TH501	33	TH721	39	TP144	59	TP249	60
TH222	50	TH422	9	TH5011	39	TH722	39	TP145	59	TP250	60
TH223	50	TH423	9	TH5012	39	TH723	39	TP146	59	TP251	60
TH224	51	TH424	9	TH5013	39	TH724	39	TP147	59	TP252	60
TH225	51	TH425	9	TH5014	39	TH731	41	TP148	59	TP253	60
TH226	48	TH427	9	TH502	33	TH732	41	TP149	59	TP254	60
TH227	48	TH431	11	TH5021	39	TH741	41	TP150	59	TP255	60
TH232	53	TH432	11	TH5022	39	TH742	41	TP151	59	TP256	60
TH233	53	TH433	11	TH5023	39	TH903	43	TP152	59	TP257	60
TH234	53	TH434	11	TH5024	39	TH904	43	TP153	59	TP258	60
TH235	53	TH435	11	TH503	33	TH913	43	TP154	59	TP259	60
TH238	53	TH437	11	TH5031	41	TH914	43	TP155	59	TP260	60
TH239	53	TH441	19	TH5032	41	TK310	57	TP156	59	TP269	59
TH279	48	TH442	19	TH504	33	TK315	57	TP157	59	TP270	59
TH280	48	TH443	19	TH5041	41	TK316	56	TP159	58	TR118	58
TH284	48	TH444	19	TH5042	41	TK317	56	TP160	58	TR119	58
TH300	49	TH445	19	TH505	33	TK318	56	TP161	58	TR120	58
TH301	50	TH447	19	TH506	33	TK319	56	TP162	58	TR121	58
TH302	51	TH451	25	TH507	33	TK320	56	TP163	58	TR122	58
TH303	46	TH452	25	TH601	31	TK321	56	TP164	58	TR123	58
TH304	47	TH453	25	TH602	31	TK322	57	TP165	58	TR124	58
TH305	46	TH454	25	TH603	31	TK323	57	TP166	58	TR125	58
TH306	47	TH455	25	TH604	31	TK340	56	TP167	59	TR126	58
TH307	46	TH457	25	TH611	31	TK341	56	TP168	59	TR127	58
TH308	47	TH461	23	TH612	31	TK342	57	TP169	59	TR128	58
TH312	52	TH462	23	TH613	31	TK343	56	TP170	59	TR129	58
TH313	52	TH463	23	TH614	31	TK345	57	TP171	59	TR131	58
TH314	52	TH464	23	TH621	31	TK346	57	TP172	59	TR132	58
TH315	52	TH465	23	TH622	31	TK347	57	TP176	59	TR133	58
TH316	52	TH467	23	TH623	31	TK348	57	TP177	59	TR134	58
TH317	52	TH471	13	TH624	31	TK349	57	TP185	59		
TH321	52	TH472	13	TH631	35	TK352	57	TP201	59		
TH322	52	TH473	13	TH632	35	TK354	57	TP202	59		
TH323	52	TH474	13	TH633	35	TK355	57	TP203	59		
TH324	48	TH475	13	TH634	35	TK361	56	TP204	59		
TH331	50	TH477	13	TH635	21	TK362	56	TP205	59		
TH332	50	TH480	15	TH636	21	TK403	55	TP206	59		
TH333	50	TH481	15	TH637	13	TK404	55	TP207	59		
TH341	46	TH482	15	TH638	13	TK407	55	TP208	59		
TH342	47	TH483	15	TH641	35	TK413	55	TP209	59		

To learn more about SATCO|NUVO, visit www.satco.com or contact 1-800-437-2826



Like us on Facebook



Connect with us on LinkedIn



Follow us on Instagram

National Toll-Free: 1.800.437.SATCO (1.800.437.2826)

Corporate Offices &

Distribution Center: **NEW YORK** 110 Heartland Blvd., Brentwood, NY 11717 | 800.437.2826 | 631.243.2022 | Fax 631.243.2027

Distribution Centers: **FLORIDA** 1694 NW 215th St. Miami Gardens, FL 33056 | Tel. 305.624.2044 FAX 305.623.0286

CALIFORNIA 31288 San Benito St. Hayward, CA 94544 | Tel. 510.487.4822 FAX 510.487.8955

WASHINGTON 4710 116th St. S.W., Mukilteo, WA 98275 | Tel. 425.789.3300 FAX 425.789.3310

TEXAS 2000 Valwood Parkway, Farmers Branch, TX 75234 | Tel. 972.247.2437 FAX 972.247.5408

PUERTO RICO Campeche St. 23, Julio N. Matos Industrial Park, Carolina, PR 00984 | Tel. 787.757.3510 FAX 787.757.3540

Product specifications and availability are subject to change without notice.

Please visit us online at www.satco.com for our full product line and ordering details, or consult factory for additional information