



GEORGIAN ERA CONCEALED THERMOSTATIC TRIM SET ROUND FACE PLATE & METAL LEVER HANDLE

ROHL Perrin & Rowe® Bath

U.5785LS-(finish)/TO

FEATURES



- Round plate and temperature control for U.5585BO concealed thermostatic valve
- Metal Lever handle design
- Must order U.5585BO rough to complete

COLORS/FINISHES


- Polished Chrome
- Polished Nickel
- Satin Nickel
- English Bronze
- Inca Brass

WARRANTY

- Limited Lifetime



U.5785LS/TO Spare Parts





8" Showerhead

ROHL Perrin & Rowe® Bath

U.5205

FEATURES


- Large 8" diameter faceplate
- Single function rain spray pattern
- Body constructed of brass
- 3/4" NPSM connection
- Flow rate 1.75 GPM


COLORS/FINISHES

- Polished Chrome
- Polished Nickel
- Satin Nickel
- English Gold
- English Bronze

WARRANTY

- Limited Lifetime





15" Reach Wall Mounted Shower Arm

ROHL Perrin & Rowe Bath

U.5384

FEATURES


- 15" reach
- Solid brass construction
- Sliding escutcheon
- 1/2" male NPT inlet
- 3/4" NPSM outlet
- 1/2" outlet adaptor available:
U.5399

FINISHES

- Polished Chrome
- Polished Nickel
- Satin Nickel
- Inca Brass
- English Bronze

WARRANTY

- Limited Lifetime



U.5384 Spare Parts





INCLINED HANDSHOWER AND HOSE

ROHL Perrin & Rowe® Bath

U.5387 (Porcelain Handshower) U.5387LS (Metal Handshower)

FEATURES


- Hose is 1/2" F NPSM connection
- 60" hose
- Flow rate 1.75 GPM

COLORS/FINISHES


- Polished Chrome
- Polished Nickel
- Satin Nickel
- English Gold
- English Bronze

WARRANTY

- Lifetime warranty



U.5387 Spare Parts





PERRIN & ROWE® EDWARDIAN SHOWER BAR WITH INTEGRATED VOLUME CONTROL AND OUTLET

ROHL Perrin & Rowe® Bath

U.5535

FEATURES


- Solid brass
- Adjustable sliding rail with lever handle
- Handshower holder adjustable +/- 45°
- Use with Perrin & Rowe® 9.28385 hoses only
- 1/2" male outlet for hose connection
- 1/2" NPT inlet on the on and off valve
- 1/4-turn ceramic disc valve

COLORS/FINISHES

- Polished Chrome
- Polished Nickel
- Satin Nickel
- Inca Brass
- English Bronze

WARRANTY

- Limited Lifetime





PERRIN & ROWE® CONCEALED WALL VALVE VOLUME CONTROL TRIM OR DIVERTER TRIM

ROHL Perrin & Rowe® Bath

U.3774LSP/TO (Metal Lever with Porcelain Cap)

U.3774LS/TO (All Metal Lever)

FEATURES


- Trim only
- No temperature indicator
- Applications:
 - Wall valve volume control: U.3240R or R1040R rough required
 - 3-port, 2-way diverter: U.5542NVO rough required
 - 4-port, 3-way diverter: R1062BO or U.5562NBO rough required

COLORS/FINISHES


- Polished Chrome
- Polished Nickel
- Satin Nickel
- Inca Brass
- English Bronze

WARRANTY

- Limited Lifetime




LSP



LS

SPARE PARTS





Multi-Function Body Spray

ROHL Shower Collection

1095/8

FEATURES


- Multi-function spray pattern
- 2-function spray patterns
 - Classic spray
 - Concentrated spray
- Solid brass
- 1/2" female connection
- Swivel ball-and-socket joint
- 1.0 GPM at 60 PSI
- Must loop body sprays when installing
- 90% shut-off position included
- Modern style escutcheon available, order ROGSCO14
- **Upon installation, two or more body sprays need to be installed in a loop to ensure equal pressure**


COLORS/FINISHES

- Polished Chrome
- Polished Nickel
- Satin Nickel
- Tuscan Brass
- Inca Brass
- Old Iron

WARRANTY

- Two Years on Manufacturer Defects*
- * No Warranty on Tuscan Brass Finish (TCB)





3/4" THERMOSTATIC SHOWER WITHOUT VOLUME CONTROL

ROHL Spa Collection

1005N

FEATURES


- Service stop check valves included
- Bottom outlet for tub spout only. 3/4" NPT optional outlet plug included.
- Temperature control only. Must order volume control rough valve(s) separately.
- Complete with mud guard for installation
- Flow rate 12 GPM at 60 PSI
- 3/4" NPT inlets, 2 x 3/4" NPT outlets
- If PEX is utilized, oversize the supply line to 1" for full flow capacity
- Must order trim to complete
- Extension included with trim
- Includes 2 x brass screw adaptors or extensions for connection of trim faceplate screws to thermostatic rough valve for Italian Country Bath, Perrin & Rowe® and Michael Berman trim sets
- Back of rough valve to finished wall 2 1/16" min., 2 5/8" max. for Arcana, Modern Architectural and Meda trim
- Back of rough valve to finished wall 2 13/32" min., 3" max for Wave and vQuartile trim
- Back of rough valve to finished wall 3 11/16" min., 5" max. for Italian Country Bath, Perrin & Rowe® and Michael Berman trim


COLORS/FINISHES

- Polished Chrome
- Polished Nickel
- Satin Nickel

WARRANTY

- Limited Lifetime





UNIVERSAL 3/4" VOLUME CONTROL ROUGH VALVE

ROHL Spa Shower

R1040R (Counterclockwise Opening)

FEATURES

- Counterclockwise opening
- On/off volume control rough valve
- 3/4" NPT inlet/outlet
- Includes 2 5/8" extension kit. Extension may be cut to length required.
- Back of valve to finished wall 4 1/8" min., 4 5/8" max.
- Not suitable for deck installations
- Must order trim to complete
- For an additional 2 5/8" extension kit, order R3-056

COLORS/FINISHES

- Rough Only

WARRANTY

- Limited Lifetime Warranty

