

Reston

Two-Piece Elongated Toilet Bowl with Overflow Protection



Product Features

- Equipped with FLUSH GUARD™ overflow protection
- 1.28 gpf
- Gravity-fed siphon jet flush
- Vitreous china
- 15-1/2" Elongated bowl
- Rough-in: 12"
- Flush Valve: 3"
- Trapway: 2" Fully glazed
- Water Spot: 9" x 5-1/4"
- Front mounted chrome trip lever with brass arm
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt tank-to-bowl installation
- Extra large footprint covers floor marks

Optional Accessories/Available Parts

- PF9412FLPK** Fill Valve Assembly
PF2412FLPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever

Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g



Available Colors: White (WH)

Tank

PF2412WH 12" Rough-in tank with Chrome Lever

PF2412RWH 12" Rough-in Right-Hand Tank


Bowl

PF2401WH Elongated Bowl - 15-1/2"


This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com/PROFLO-vitreous-china-warranty for detailed warranty information.

Reston

Two-Piece Elongated Toilet Bowl with Overflow Protection



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.

Reston

Two-Piece Elongated Toilet Bowl with Overflow Protection



Product Features

- Equipped with FLUSH GUARD™ overflow protection
- 1.28 gpf
- Gravity-fed siphon jet flush
- Vitreous china
- 17" Elongated ADA bowl
- Rough-in: 12"
- Flush Valve: 3"
- Trapway: 2" Fully glazed
- Water Spot: 8-5/8" x 6"
- Front mounted chrome trip lever with brass arm
- Sanitary bar on bowl for easy cleaning
- Quick connect, two-bolt tank-to-bowl installation
- Extra large footprint covers floor marks

Optional Accessories/Available Parts

- PF9412FLPK** Fill Valve Assembly
PF2412FLPK Flush Valve Assembly
PF5112TLCPPK Chrome Flush Lever



Available Colors: White (WH)

Codes and Certifications



- IAPMO/cUPC
- EPA WaterSense Certified
- ASME A112.19.2 / CAS B45.1
- MaP Rated 1000g
- ADA Compliant

Tank

- | | |
|------------------|-------------------------------------|
| PF2412WH | 12" Rough-in tank with Chrome Lever |
| PF2412RWH | 12" Rough-in Right-Hand Tank |


Bowl

- | | |
|-----------------|--------------------------|
| PF2403WH | Elongated ADA Bowl - 17" |
|-----------------|--------------------------|


This product comes complete with installation, operating, care and maintenance instructions. All PROFLO fixtures carry a lifetime limited warranty on the vitreous china and a 5-year limited warranty on the fittings. Visit ferguson.com/PROFLO-vitreous-china-warranty for detailed warranty information.

Reston

Two-Piece Elongated Toilet Bowl with Overflow Protection



Bowl Footprint Dimensions



Note: All dimensions and specifications are nominal and may vary: Dimensions of 8" and greater have a tolerance of +3%. Dimensions less than 8" have a tolerance of +5%.