



QUORUM
INTERNATIONAL

CEILING FANS 2014-2015



CEILING FANS 2014-2015

Welcome to the 2014 Quorum Fan Catalog. With Quorum's range of fans, from classic designs to modern classics, we have a fixture for every need. Whether you are revamping a room, updating your home, designing your dream house, or simply cooling the patio, we have you covered.

The right design for any idea.

QUORUM
INTERNATIONAL

FIND YOUR DISTINCTIVE STYLE AT QUORUM INTERNATIONAL.

With an enormous selection of designs and finishes to choose from, you'll find the perfect ceiling fan that allows you to express your own personal taste and create the mood of comfort and style that only a beautiful ceiling fan can achieve. If you want to set your home apart – then you are holding the right catalog! If you prefer to shop online, you're invited to browse our entire collection of lighting and ceiling fans at QuorumInternational.com

CONTENTS

INDOOR FANS

VISUAL TABLE OF CONTENTS 08

Contemporary Designs	12
Soft Contemporary Designs.....	54
Traditional Designs	86
Children's Design.....	184
Value Designs	186

PATIO FANS

VISUAL TABLE OF CONTENTS 258

Patio Contemporary Designs	260
Patio Soft Contemporary Designs	266
Patio Traditional Designs	276
Patio Value Designs	308

INDOOR LIGHT KITS..... 324

PATIO LIGHTS..... 364

GLASS (FOR LIGHT KITS)..... 378

ACCESSORIES..... 388

Pick & Choose Blade Alternatives	390
Optional Downrods, Couplers & Adapters ..	416
Remote & Wall Controls.....	419

FAN SPECIFICATIONS/VISUAL INDEX.. 422

INDEX..... 476





WHERE ARE ALL OF THE QUORUM LIGHTING FIXTURES?

If you're looking for our broad selection of home lighting, make sure you pick up our 2014-2015 Quorum Lighting catalog. You can also view all of our lighting fixtures online at: QuorumInternational.com.

HOW THE BOOK WORKS

Ceiling fans are grouped into “families” that follow a common design theme to help you shop according to the style of the fan that you want. Fans that are intended for outdoor use are also grouped into a special outdoor section. Each fan family has a name and is often shown with one of our optional light kits that compliments the style and finish of the fan family. Note that many of Quorum’s ceiling fan finishes are also applied to our decorative lighting fixture families that are found in our separate 2014-2015 Quorum Lighting catalog or online at QuorumInternational.com



METRO CEILING FAN

A large light kit and motor housing bring a touch of industrial style to this versatile fan. Choose Studio White for a more contemporary look or Oiled Bronze to complement a more rustic environment. No matter which finish you choose, the Metro is sure to become a fan favorite.

[39525-8]
 Studio White | Satin Opal Glass
 Studio White Blades
 Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp
 (Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-1401-0
 Optional



7-1305-0
 Optional



[39525-65]
 Satin Nickel | Satin Opal Glass
 Walnut Blades
 Light Kit uses (1) 75W JD-E11 Mini-Can Halogen
 Lamp (Included)

FAN HEIGHT

- Using 4" Downrod
- Distance of 8"
- Distance of 10"

GENERAL SPECS

- 37-Feet Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 85 Degree Blade Pitch
- 80" Cord Wire
- 4" and 4" Downrods Included

MECHANICAL SPECS

- 15.3" Motor Size
- 4 Speeds Reversible Manual
- 14 Pairs
- 58/26/25/18 RPM's on High
- 42/34/28/18 RPM's on Low
- 80/20/10/5 RPM's on Ultra
- 4 Speed Wall Control Includes
- Remote Control Adaptable to
- Light Kit Uses (1) 75W JD-E11
- (Included)

ENERGY SPECS

- Energy Information at High
- Airflow: 402 Cubic Feet/Min
- Electricity Use: 42 Watts (Inc
- Airflow Efficiency: 14-Cubic F

ICON KEY



Energy Star rated product.



Product can be placed in a damp location.



Product with an upward facing light.



Product can be placed in a wet location.



Product has blade options available.

HOW TO READ THE SPECIFICATIONS

On each product page, you will find basic specifications for each ceiling fan or light kit. The basic fan specifications include item number, fan finish, and blade finish.

finish code

[71525-95]

Old World - *metal finish*

Old World I Walnut Blades - *blade finish*


DETAILED MECHANICAL & ENERGY SPECS

To help you learn more information about dimensions and energy usage, a detailed reference chart is provided for every fan family (see sample below). This information is available on each family section, collected in the Fan Specifications section of the catalog, or visit us online at: QuorumInternational.com


Detailed Mechanical Specifications Chart Sample:

525-86]
 ed Bronze I Satin Opal Glass
 Walnut Blades
 Light Kit uses (1) 75W JD-E11 Mini-Can Halogen
 Lamp (Included)

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



FAN HEIGHT

Using 3.5" Downrod
 ● Distance OF 17.25"
 ○ Distance OF 10.5"

GENERAL SPECS

16 Finish Combinations Available
 Lifetime Motor Warranty
 Five Blades
 11.5-Degree Blade Pitch
 80" Lead Wire
 3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
 3 Speeds-Reversible
 14 Poles
 .57/.39/.21 AMPS on H/M/L
 67/30/9 WATTS on H/M/L
 180/120/63 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable w/Manual Reverse
 Detachable Switch Cup
 Light Kit Uses (2) 60W C (Included)


ENERGY SPECS

Energy Information at High Speed
 Airflow: 5116 Cubic Feet/Minute
 Electricity Use: 67 Watts (Excludes Lights)
 Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type I-52 - See page 394

general specs

energy specs

available options

WHO WE ARE





QUORUM PROVIDES UNIQUE PRODUCTS FOR UNIQUE CUSTOMERS

As in any fashion industry, there are leaders and there are followers. Quorum has earned a strong reputation for being a style innovator and design leader. Customers who appreciate innovative style will find a home here at Quorum. But innovation doesn't have to come at a high price. This catalog includes many ceiling fan families that feature high-quality workmanship and up-to-date styles that are perfect for the budget-conscious customer.

DIFFERENT BY DESIGN

Attention to style, form and detail make all the difference. Our team spends countless hours researching and forecasting styles, finishes and trends to provide the most comprehensive design selection possible. Most of our products are designed in-house by our award-winning industrial design team. Look closely at our fixtures and we think you'll agree—Quorum's unique designs and renowned quality are tops in the industry. Our lighting and ceiling fans are available exclusively through any of our Authorized Quorum Distributors.

FRIENDLY, RELIABLE SERVICE


Quorum is proud of our award-winning service department. An exception in the industry, our huge inventory allows us to ship most orders within 24 hours.

WE'VE BEEN AROUND THE BLOCK

Headquartered in Fort Worth, Texas, we have spent decades striving to always improve upon the quality of our products and our service. We are honored that our distributors and customers continue to rely upon Quorum to provide them with exceptional products and the best customer service in the industry.

INDOOR FAN VISUAL TABLE OF CONTENTS

CONTEMPORARY DESIGNS




012

Alpha 52" & 60"




016

Alumina




018

Angel




020

Astra



022

Axel



034

Flex




036

Jellyfish




038

Jubilee



040

Muse



042


Nikko 44"

SOFT CONTEMPORARY DESIGNS




056

Alta




058

Ashlar




060

Bristol




062

Colton



064

Davenport




074

Mission




076

Nova



078

Rothman



082


Soho



084


Valor

TRADITIONAL DESIGNS




086

Alton 60"




090

Alton 70"




094

Ashfield



096

Bakersfield




100

Barclay




122

Gusto 32"




124

Hanover




126

Kingsley 52"




130

Kingsley 60"



134

Liberty




024

Bronx




026

Daystar




028

Dragonfly 60"




030

Dragonfly 72"



032

Elica



044

Nikko 52"




046

Prizzm




048

Retro




050

Telstar



052

Trimark




066

Hoffman




068

Kai




070

Mendocino




072

Mercer




054

Metro




102

Brewster




106

Chateaux




112

Cimarron




116

Empress




120

Galloway



136

Lone Star




140

Lowell




144

Medallion 30"



146

Medallion 42"



148


Medallion 52"

CONTEMPORARY DESIGNS

SOFT CONTEMPORARY DESIGNS


TRADITIONAL DESIGNS

TRADITIONAL DESIGNS (cont.)




152

Pinnacle




158

Roderick




160

Salon



166

Saxony



168

Turino


CHILDREN'S DESIGN



184

Pinwheel

VALUE DESIGNS




186

Capri I



196

Capri III



204

Capri IV




208

Capri V



216

Capri VI




248

Monticello




254

Vanderbilt 60" Uni-Pack




172

Turner



174

Venture



180

Windsor



224

Capri VII



228

Custom Hugger



232

Estate 30"



236

Estate 42"



240

Estate 52"

VALUE DESIGNS



ALPHA 52" & 60" CEILING FAN

They say variety is the spice of life. Leave it to the Alpha to provide 16 different varieties. Customizing this contemporary, sleek fan is half the fun. And if you can't decide, mount a different style in each room for a sprinkle of spice around your entire space.

[97003-08]

Studio White

[5230808124]

Studio White Blades

Also Available: [6030808124] 60" Blades

WALL CONTROL INCLUDED



Included



[97003-08]

Studio White

[5230000124]

Clear Blades

Also Available: [6030000124] 60" Blades

HOW TO ORDER THE ALPHA FAN.

A. FIRST PICK THE HOUSING/MOTOR FINISH FROM BELOW:

[97003-08] Studio White

[97003-014] Chrome

[97003-065] Satin Nickel

[97003-086] Oiled Bronze

B. THEN CHOOSE THE BLADE FINISH AND SIZE FROM BELOW:

[5230000124] 52" Clear

[6030000124] 60" Clear

[5230808124] 52" Studio White

[6030808124] 60" Studio White

[5232424124] 52" Walnut

[6032424124] 60" Walnut

[5236565124] 52" Silver

[6036565124] 60" Silver

***Note - Housing/Motor and Blades options will ship separately.**

ALPHA 52"/60" SPECIFICATIONS

FAN HEIGHT

- Distance of 18"
- Distance of 16.25"

GENERAL SPECS

4 Finishes Available
 Lifetime Motor Warranty
 Three Blades
 52" Blade Sweep for 52"
 60" Blade Sweep for 60"
 18-Degree Blade Pitch
 58" Lead Wire


MECHANICAL SPECS

125mm DC Motor
 6 Speeds-Reversible w/ Wall Control
 12 Poles
 .05/.08/.12/.18/.27/.39 AMPS on H/M/L for 52"
 3/5/8/14/21/32 WATTS on H/M/L for 52"
 157/134/114/93/72/50 RPMs on H/M/L for 52"
 .06/.09/.15/.20/.29/.45 AMPS on H/M/L for 60"
 32/20/13/9/6/4 WATTS on H/M/L for 60"
 133/115/99/83/67/50 RPMs on H/M/L for 60"
 Wall Control Included
 Light Kit Uses (1) 50W GU10 (Included)


ENERGY SPECS

Energy Information at High Speed
 Airflow: 5554 Cubic Feet/Minute for 52"
 Electricity Use: 32 Watts (Excludes Lights) for 52"
 Airflow Efficiency: 172 Cubic Feet/Minute/Watt for 52"
 Airflow: 6147 Cubic Feet/Minute for 60"
 Electricity Use: 32 Watts (Excludes Lights) for 60"
 Airflow Efficiency: 195 Cubic Feet/Minute/Watt for 60"

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



GU 10

Representation of Fan Housing/Motor Finishes with Fashionable Blade Finishes.



[97003-086]

Oiled Bronze

[6032424124]

Walnut Blades

Also Available: [5232424124] 52" Blades



[97003-065]

Satin Nickel

[5236565124]

Silver Blades

Also Available: [6036565124] 60" Blades



[97003-065]

Satin Nickel

[5232424124]

Walnut Blades

Also Available: [6032424124] 60" Blades



[97003-014]

Chrome

[5230808124]

Studio White Blades

Also Available: [6030808124] 60" Blades



[97003-014]

Chrome

[5230000124]

Clear Blades

Also Available: [6030000124] 60" Blades



ALUMINA CEILING FAN

This gorgeous series features a fluted, eye-catching motor housing that sets it apart from the rest. Additionally, three blades and disc-like light kit give this fan a bit of a retro feel, perfect for those seeking the unique combination of old and new.

[30603-16]
Brushed Aluminum
Silver Blades

WALL CONTROL INCLUDED
REMOTE CONTROL OPTION



Included



8-1401
Optional



7-1305-0
Optional



[30603-8]
Studio White
Studio White Blades

FAN HEIGHT

Using 8" downrod

- Distance of 16.25"
- Distance of 21.75"

GENERAL SPECS

Lifetime Motor Warranty
Three Blades
60" Blade Sweep
13 Degree Blade Pitch
80" Lead Wire
8" Downrod Included


MECHANICAL SPECS

140 x 25mm GM Motor Size
3 Speeds-Reversible w/Manual Reverse
36 Poles
.47/.46/.37 AMPS on H/M/L
55/38/21 WATTS on H/M/L
105/83/57 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable w/ Manual Reverse
Light Kit Uses (1) 100W T-3 78mm Halogen Bulb (Included)


ENERGY SPECS

Energy Information at High Speed
Airflow: 5142 Cubic Feet/Minute
Electricity Use: 55 Watts (Excludes Lights)
Airflow Efficiency: 93 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



T3 Halogen



ANGEL CEILING FAN


The Angel fan is perfectly named. With four polycarbonate "wings" for blades and an elegant, teardrop shaped decorative housing, this fan looks like it could take flight at any moment.

[26424-155]
Brushed Nickel
Clear Polycarbonate Blades

WALL CONTROL INCLUDED
REMOTE CONTROL OPTION



Included



8-1401
Optional



Optional Hugger Adapter

[7-2642-55] 11.75"(w) x 4"(h)

Hugger adapter shown on 26425-155 ceiling fan.

FAN HEIGHT

Using 6" cable setup

- Distance of 22.5"
- Distance of 25.25"

GENERAL SPECS

Lifetime Motor Warranty

Four Blades

42" Blade Sweep

100" Lead Wire

8 Optional Length Cables Included: 6", 12", 18",
24", 36", 48", 60", and 72"

MECHANICAL SPECS

188 x 20 Motor Size

3 Speeds-Reversible w/Wall Control

16 Poles

.53/48/34 AMPS on H/M/L

71/38/17 WATTS on H/M/L

70/52/31 RPMS on H/M/L

Remote Control Adaptable

Not Light Kit Adaptable

ENERGY SPECS


Energy Information at High Speed

Airflow: 3385 Cubic Feet/Minute


Electricity Use: 71 Watts (Excludes Lights)

Airflow Efficiency: 47 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





ASTRA CEILING FAN



The Astra Fan is a solid example of contemporary styling with the satin opal glass and the punched gray blades indicative of celestial events. Give a little star quality to your favorite room.

[89524-16]

Brushed Aluminum | Satin Opal Glass

Gray Blades

Light Kit uses (1) 100W T-378mm Halogen Lamp (Included)

Up-light uses (4) 40W C Bulbs (Not Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS




Included



8-1402
Optional



7-1305-0
Optional



FAN HEIGHT

Using 6" Downrod

- Distance of 16"
- Distance of 13.5"

GENERAL SPECS

Lifetime Motor Warranty
Four Blades
52" Blade Sweep
12-Degree Blade Pitch
80" of Lead Wire
6" Downrod Included


MECHANICAL SPECS

153 x 18 Motor Size
3 Speeds-Reversible / Manual Reverse Switch
16 Poles
.60/.42/.27/.22 AMPS on H-L
68/34/14/10 WATTS on H-L
230/155/95/79 RPMS on H-L
4-Speed Wall Control Included
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (1) 100W T-3 78mm
Halogen Bulb (Included)
Up-Light Uses (4) 40W C Sockets

ENERGY SPECS

Energy Information at High Speed
Airflow: 5118 Cubic Feet/Minute
Electricity Use: 68 Watts (Excludes Lights)
Airflow Efficiency: 75 cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



T-3 Halogen



Candelabra



AXEL CEILING FAN

The words 'industrial chic' come to mind when eyeing the avant-garde Axel series. With its aerodynamically shaped blades and halogen bulb light kit, this fan is destined to be the focal point of any room. Choose from two different finishes to complement a variety of decorating styles.

[82524-86]

Oiled Bronze

Oiled Bronze Blades

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



[82524-65]
Satin Nickel
Satin Nickel Blades

FAN HEIGHT

Using 6" downrod

- Distance of 14.75"
- Distance of 10.75"

GENERAL SPECS

2 Finish Combinations
Lifetime Motor Warranty
Four Blades
52" Blade Sweep
20 Degree Blade Pitch
80" Lead Wire
6" Downrod Included


MECHANICAL SPECS

153 x 18 Motor Size
4 Speeds-Reversible w/Manual Reverse
16 Poles
.61/.43/.27/.24 AMPS on H/M/L
74/36/15/10 WATTS on H/M/L
163/107/67/53 RPMS on H/M/L
Triple Capacitor
Wall Control Included
Remote Control Adaptable w/ Manual Reverse
Light Kit Uses (1) 75W T-3 78mm Halogen Bulb (Included)


ENERGY SPECS

Energy Information at High Speed
Airflow: 6356 Cubic Feet/Minute
Electricity Use: 74 Watts (Excludes Lights)
Airflow Efficiency: 86 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



T3 Halogen



BRONX CEILING FAN

The Bronx series is a stunning example of contemporary design. The three blades fit directly into the housing and are positioned at a 13.5-degree angle to provide maximum efficiency. This fan is a stunning example of minimal, yet exquisite styling.

[42523-65]

Satin Nickel | Satin Opal Glass

Walnut Blades

Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp
(Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[42523-86]

Oiled Bronze | Amber Scavo Glass

Walnut Blades

Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)

FAN HEIGHT

Using 4.5" Downrod

- Distance of 15"
- Distance of 12"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Three Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4.5" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
4 Speeds-Reversible/Manual Reverse Switch
16 Poles
.55/40/26/22 AMPS on H/M/L
66/33/15/11 WATTS on H/M/L
188/133/84/71 RPMS on H/M/L
4 Speed Wall Control Included
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (1) 75W JD-E11 Mini-Can
Halogen Bulb (Included)

ENERGY SPECS

Energy Information at High Speed
Airflow: 5795 Cubic Feet/Minute
Electricity Use: 66 Watts (Excludes Lights)
Airflow Efficiency: 87 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can



DAYSTAR CEILING FAN

The Daystar series offers a modern take on comfort. Similar to a propeller, the five blades are incorporated into the decorative housing to create a sleek, contemporary look.

[88525-8]

Studio White | Satin Opal Glass

Studio White Blades

Light Kit uses (1) 100W T-3 78mm Halogen Lamp
(included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[88525-16]

Brushed Aluminum | Satin Opal Glass
 Gray Over Clear Blades
 Light Kit uses (1) 100W T-3 78mm Halogen Lamp (Included)
 Shown w/Optional Hugger Adapter (included)

FAN HEIGHT

Using 3.5" Downrod

- Distance of 18"
- Distance of 13.5"

GENERAL SPECS

2 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 15-Degree Blade Pitch
 80" Lead Wire
 3.5" and 6" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
 4 Speeds-Reversible / Manual Reverse Switch
 16 Poles
 .69/.44/.27/.23 AMPS on H-L
 83/33/13/9 WATTS on H-L
 188/119/73/60 RPMs on H-L
 Triple Capacitor
 Wall Control Included
 Remote Control Adaptable w/Manual Reverse
 Light Kit Uses (1) 100W T-3 78mm Halogen Bulb (Included)
 Supplied w/Optional Hugger Adapter


ENERGY SPECS

Energy Information at High Speed
 Airflow: 7488 Cubic Feet/Minute
 Electricity Use: 83 Watts (Excludes Lights)
 Airflow Efficiency: 89 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



T3 Halogen



DRAGONFLY 60 CEILING FAN

Sleek style combined with nautical influences define the Dragonfly 60" series. Gray or white Mylar® blades contrast nicely with the futuristic decorative housing and strong metal accents. Choose the Dragonfly to add a flight of fancy (and interest) to your space.

[59605-8]
Studio White
White Mylar® Blades


REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



[59605-65]
Satin Nickel
Gray Mylar® Blades

FAN HEIGHT

Using 3.5" Downrod

- Distance of 13.5"
- Distance of 10.25"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
60" Blade Sweep
12-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

28mm DC Motor
3 Speeds-Reversible
18 Poles
.87/59/37 AMPS on H/M/L
101/46/18 WATTS on H/M/L
133/88/57 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable

ENERGY SPECS

Energy Information at High Speed
Airflow: 4375 Cubic Feet/Minute
Electricity Use: 101 Watts (Excludes Lights)
Airflow Efficiency: 43 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-8

-65



DRAGONFLY 72 CEILING FAN

The Dragonfly 72" series will put even more wind in your sails with its Mylar® blades and unique styling. A larger version of the Dragonfly 60", this fan is equally as comfortable in a seaside resort as a lakeside cabin.

[59725-65]
Satin Nickel
Gray Mylar® Blades


REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



[59725-8]
Studio White
White Mylar® Blades

FAN HEIGHT

Using 3.5" Downrod

- Distance of 13.5"
- Distance of 10.25"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
72" Blade Sweep
12-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

28mm DC Motor
3 Speeds-Reversible
18 Poles
.86/.59/.37 AMPS on H/M/L
100/46/18 WATTS on H/M/L
88/56/37 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable

ENERGY SPECS


Energy Information at High Speed
Airflow: 4860 Cubic Feet/Minute
Electricity Use: 100 Watts (Excludes Lights)
Airflow Efficiency: 48 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





ELICA CEILING FAN

The Elica fan contrasts mirror-bright, studded chrome with rich walnut blades, making it the perfect contemporary touch to an otherwise classically styled room.

[36524-14]

Chrome

Walnut Blades

Light Kit uses (1) 50W GU-10 Halogen Lamp (Included)

Up-light uses (6) 15W C7 Lamps (Included)

WALL CONTROL INCLUDED
REMOTE CONTROL OPTION



Included



8-1402
Optional



FAN HEIGHT

Using 4" Downrod

- Distance of 14.25"
- Distance of 13.5"

GENERAL SPECS

Lifetime Motor Warranty

Four Blades

52" Blade Sweep

16-Degree Blade Pitch

80" Lead Wire

4" and 6" Downrod Included

MECHANICAL SPECS

188x20 Motor Size

3 Speeds-Reversible /Manual Reverse Switch

16 Poles

.60/.38/.26 AMPS on H/M/L

62/40/18 WATTS on H/M/L

156/100/60 RPMS on H/M/L

Wall Control Included

Remote Control Adaptable w/Manual Reverse

Light Kit Uses (1) 50W GU-10 Halogen Lamp (Included)

Up-Light Uses (6) 15W C7 Lamps (Included)

ENERGY SPECS


Energy Information at High Speed

Airflow: 4526 Cubic Feet/Minute

Electricity Use: 62 Watts (Excludes Lights)

Airflow Efficiency: 73 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-14

BULB TYPE



C7 Candelabra



GU-10 Halogen



FLEX CEILING FAN

Gently curved blades give the Flex series of fans its unique look. A compact housing and industrial inspired light add to the intriguing style. Uncommon yet practical, the Flex is a shining example of modern and beautiful design. Perfect for any environment where style is key.

[98604-86]

Oiled Bronze | White Frost Glass

Vintage Walnut Blades

Light Kit uses (1) 18W Self-Ballasted GU24 2700k Lamp
(Included)

WALL CONTROL INCLUDED



Included



[98604-65]

Satin Nickel | White Frost Glass
Weathered Pine Blades

Light Kit uses (1) 18W Self-Ballasted GU24 2700k Lamp (Included)

FAN HEIGHT

Using 6" Downrod

- Distance of 15.75"
- Distance of 12.25"

GENERAL SPECS

2 Finishes Available
Ltd Lifetime Motor Warranty
Four ABS Blades
60" Blade Sweep
14-Degree Blade Pitch
4" and 6" Downrod Included


MECHANICAL SPECS

125mm DC motor
6 Speeds-Reversible w/Wall Control
80" Lead Wire
.44/.27/.19/.13/.09/.06 AMPS on H/M/L
31/18/13/8/6/4 WATTS on H/M/L
166/142/119/96/74/50 RPMS on H/M/L
Wall Control Included
Light Kit Uses (1) 18W Self-Ballasted GU24 Spiral Lamp (Included)

ENERGY SPECS

Energy Information at High Speed
Airflow: 5702 Cubic Feet/Minute
Electricity Use: 31 Watts (Excludes Lights)
Airflow Efficiency: 184 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Spiral GU24



JELLYFISH CEILING FAN

The Jellyfish is more than just a ceiling fan, it's an artistic conversation piece. With polished chrome, bold shapes and sculptural details, this fan is just as appropriate for a modern art museum as it is your ultra-contemporary home.

[14583-914]

Polished Chrome

Clear Acrylic Blades

Light Kit uses (1) 50W GU-10 Halogen Lamp (Included)


WALL CONTROL INCLUDED
REMOTE CONTROL OPTION



Included



8-1401
Optional



FAN HEIGHT

Using 6" cable setup

- Distance of 20.5"
- Distance of 13"

GENERAL SPECS

Lifetime Motor Warranty

Three Blades

58" Blade Sweep

12-Degree Blade Pitch

100" Lead Wire

8 Optional Length Cables Included: 6", 12", 18",
24", 36", 48", 60", and 72"

MECHANICAL SPECS

188 x 18 Motor Size

3 Speeds-Reversible w/Wall Control

16 Poles

.44/.42/.32 AMPS on H/M/L

54/27/14 WATTS on H/M/L

110/75/45 RPMS on H/M/L

7-1301-0 Wall Control Included

Remote Control Adaptable

Light Kit Uses (1) 50W GU-10 Halogen Bulb (Included)

ENERGY SPECS


Energy Information at High Speed

Airflow: 4193 Cubic Feet/Minute

Electricity Use: 54 Watts (Excludes Lights)

Airflow Efficiency: 77 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-14

BULB TYPE



GU-10 Halogen



JUBILEE CEILING FAN

Quorum International celebrated our 30th anniversary with the Jubilee ceiling fan. The slightly whimsical shape of the Jubilee's blades adds an interesting twist to traditional ceiling fans. With a gently curved housing and three metal studs on each blade, the Jubilee provides a hint of rustic charm combined with classic elegance. Available in Oiled Bronze with Distressed Vintage Walnut Blades and Satin Nickel with Distressed Weathered Pine Blades.

[90524-65]

Satin Nickel

Distressed Weathered Pine Blades

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1401-0
Optional



[90524-86]
Oiled Bronze
Distressed Vintage Walnut Blades

FAN HEIGHT

Using 6" Downrod

- Distance of 15.75"
- Distance of 17"

GENERAL SPECS

2 Finishes Available
 Ltd Lifetime Motor Warranty
 Four Blades
 52" Blade Sweep
 14-Degree Blade Pitch
 4.5" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
 4 Speeds-Reversible w/Manual Reverse
 80" Lead Wire
 16 Poles
 .48/.36/.26/.18 AMPS on H/M/L
 57/32/17/8 WATTS on H/M/L
 140/104/73/47 RPMS on H/M/L
 Wall Control Included
 Triple Capacitor
 Remote Control Adaptable w/Manual Reverse
 Not Light Kit Adaptable

ENERGY SPECS

Energy Information at High Speed
 Airflow: 4713 Cubic Feet/Minute
 Electricity Use: 57 Watts (Excludes Lights)
 Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





MUSE CEILING FAN

With only two blades, the Muse series is one of our more unique styles. Bringing to mind a propeller, the Muse's design is deceptively simple. But its ability to move air is undeniable. And the sleek styling makes it appropriate for any contemporary interior.

[21542-14]

Chrome | Satin Opal Glass

Dark Teak Blades

Light Kit uses (1) 100W JDE11 Mini-Can Halogen Lamp
(Included)

WALL CONTROL INCLUDED
REMOTE CONTROL OPTION



Included



7-3000
Optional

FAN HEIGHT

Using 4" Downrod

- Distance of 17"
- Distance of 13.5"

GENERAL SPECS

Lifetime Motor Warranty

Two Blades

54" Blade Sweep

18-Degree Blade Pitch

80" Lead Wire

4" and 6" Downrod Included

MECHANICAL SPECS

153 x 18 Motor Size

3 Speeds-Reversible/Manual Reverse Switch

14 Poles

.41/.38/.26 AMPS on H/M/L

49/28/9 WATTS on H/M/L

137/107/55 RPMS on H/M/L

Wall Control Included

Remote Control Adaptable w/Manual Reverse

Light Kit Uses (1) 100W JDE-11 Mini-Can Halogen

Bulb (Included)

ENERGY SPECS


Energy Information at High Speed

Airflow: 4563 Cubic Feet/Minute

Electricity Use: 49 Watts (Excludes Lights)

Airflow Efficiency: 94 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-14

BULB TYPE



JD-E11 Mini-Can



NIKKO 44 CEILING FAN

The Nikko 44" series features a striking decorative housing available in three finishes to complement a variety of decorating styles. This compact fan's disk-like light adds just the right amount of modern sensibility.

[70443-14]

Chrome | Satin Opal Glass

Dark Teak Blades

Light Kit uses (1) 50W JDE11 Mini-Can Halogen Lamp
(Included)

WALL CONTROL INCLUDED
REMOTE CONTROL OPTION



Included



8-1401
Optional



[70443-65]

Satin Nickel | Satin Opal Glass
 Satin Nickel Blades
 Light Kit uses (1) 50W JDE11 Mini-Can Halogen
 Lamp (Included)



[70443-8]

Studio White | Satin Opal Glass
 Studio White Blades
 Light Kit uses (1) 50W JDE11 Mini-Can Halogen
 Lamp (Included)

FAN HEIGHT

- Distance of 8.75"
- Distance of 7"

GENERAL SPECS

3 Finishes Available
 Lifetime Motor Warranty
 Three Blades
 44" Blade Sweep
 13.5-Degree Blade Pitch
 8" Lead Wire

MECHANICAL SPECS

153 x 12 Motor Size
 3 Speeds-Reversible w/Wall Control
 14 Poles
 .41/.38/.29 AMPS on H/M/L
 46/28/14 WATTS on H/M/L
 138/106/62 RPMS on H/M/L
 Wall Control Included
 Remote Control Adaptable
 Light Kit Uses (1) 50W JDE-11 Mini-Can Halogen
 Bulb (Included)


ENERGY SPECS

Energy Information at High Speed
 Airflow: 3395 Cubic Feet/Minute
 Electricity Use: 46 Watts (Excludes Lights)
 Airflow Efficiency: 74 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can



NIKKO 52 CEILING FAN

The Nikko 52" series offers a larger take on the same distinctive styling as the smaller version. Available in three finishes, choose satin nickel blades for a truly contemporary feel.

[70523-65]

Satin Nickel | Satin Opal Glass

Satin Nickel Blades

Light Kit uses (1) 50W JDE11 Mini-Can Halogen Lamp
(Included)

WALL CONTROL INCLUDED
REMOTE CONTROL OPTION



Included



8-1401
Optional



[70523-14]

Chrome | Satin Opal Glass
 Dark Teak Blades
 Light Kit uses (1) 50W JDE11 Mini-Can Halogen
 Lamp (Included)



[70523-8]

Studio White | Satin Opal Glass
 Studio White Blades
 Light Kit uses (1) 50W JDE11 Mini-Can Halogen
 Lamp (Included)

FAN HEIGHT

- Distance of 8.75"
- Distance of 7.5"

GENERAL SPECS

3 Finishes Available
 Lifetime Motor Warranty
 Three Blades
 52" Blade Sweep
 13.5-Degree Blade Pitch
 8" Lead Wire

MECHANICAL SPECS

153 x 18 Motor Size
 3 Speeds-Reversible w/Wall Control
 14 Poles
 .47/.42/.34 AMPS on H/M/L
 54/33/17 WATTS on H/M/L
 172/132/93 RPMS on H/M/L
 Wall Control Included
 Remote Control Adaptable
 Light Kit Uses (1) 50W JDE-11 Mini-Can Halogen Bulb
 (Included)

ENERGY SPECS

Energy Information at High Speed
 Airflow: 4971 Cubic Feet/Minute
 Electricity Use: 54 Watts (Excludes Lights)
 Airflow Efficiency: 92 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can



PRIZM CEILING FAN

The Prizm fan unusual spelling isn't the only thing that's unique about this fan. From the clear acrylic blades to the translucent decorative housing, the Prizm is anything but boring.

[400525-14]

Chrome | Clear Acrylic
Chrome | Clear Acrylic Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



OPTIONAL LIGHT KIT

[2409-814] 10"(w) x 6"(h) - (4) 13W M Spiral CFL (included)
Polished Chrome

FAN HEIGHT

Using 6" Downrod

- Distance of 15.75"
- Distance of 13.25"

GENERAL SPECS

Lifetime Motor Warranty
Five Blades
52" Blade Sweep
13-Degree Blade Pitch
80" Lead Wire
6" Downrod Included


MECHANICAL SPECS

172 x 14 Motor Size
3 Speeds-Reversible
16 Poles
.55/.35/.21 AMPS on H/M/L
63/40/26 WATTS on H/M/L
156/100/60 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable

ENERGY SPECS


Energy Information at High Speed
Airflow: 5080 Cubic Feet/Minute
Electricity Use: 63 Watts (Excludes Lights)
Airflow Efficiency: 80 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-14



RETRO CEILING FAN

The Retro fan is true to its name with a futuristic feel, mod-inspired touches, and clear acrylic blades that create a truly groovy effect when in motion. This fan will have any throwback-styled room back to the future in no time.

[93524-14]

Chrome


Clear Acrylic Blades

(1) 75W Mini-Can Halogen Lamp (Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS




Included



7-1401-0
Optional



7-1305-0
Optional



FAN HEIGHT

Using 3.5" Downrod

- Distance of 23"
- Distance of 17.5"

GENERAL SPECS

Lifetime Motor Warranty

Four Blades

52" Blade Sweep

12-Degree Blade Pitch

80" Lead Wire

3.5" and 6" Downrod Included

MECHANICAL SPECS

188 x 20 Motor Size

4 Speeds-Reversible / Manual Reverse Switch

16 Poles

.49/.42/.32/.25 AMPS on H/M/L

63/42/26/15 WATTS on H/M/L

160/130/90/76 RPMS on H/M/L

Triple Capacitor

4 Speed Wall Control Included

Remote Control Adaptable w/Manual Reverse

ENERGY SPECS


Energy Information at High Speed

Airflow: 6065 Cubic Feet/Minute

Electricity Use: 63 Watts (Excludes Lights)

Airflow Efficiency: 95 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can



TELSTAR CEILING FAN

The Telstar fan is an industrial-inspired design that works well as both a central element and as a final touch. The clean, sharp lines and bright metal make this fan ideal for that edgy, minimalistic feel.

[600525-16]

Brushed Aluminum

Gray Blades

Light Kit uses (1) 50W GU-10 Halogen Lamp (Included)


REMOTE CONTROL OPTIONS



7-3000
Optional



7-1305-0
Optional



FAN HEIGHT

Using 6" Downrod

- Distance of 18.75"
- Distance of 12.5"

GENERAL SPECS

Lifetime Motor Warranty
Five Blades
52" Blade Sweep
12-Degree Blade Pitch
80" Lead Wire
6" Downrod Included


MECHANICAL SPECS

172 x 14 Motor Size
3 Speeds-Reversible
16 Poles
.59/.46/.33 AMPS on H/M/L
64/47/24 WATTS on H/M/L
161/124/65 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (1) 50W GU-10 Halogen Bulb (Included)

ENERGY SPECS

Energy Information at High Speed
Airflow: 4955 Cubic Feet/Minute
Electricity Use: 64 Watts (Excludes Lights)
Airflow Efficiency: 77 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



GU-10 Halogen



TRIMARK CEILING FAN

The Trimark series, with its uniquely shaped blades and cylindrical decorative housing, truly makes a statement. Three blades positioned directly into the housing add to the allure of this uncommon fan.

[20543-908]

Studio White | Satin Opal Glass
Studio White Blades
Light Kit uses (2) 40W C Bulbs (Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



8-1401
Optional



7-1305-0
Optional



[20543-986]
 Oiled Bronze | Amber Scavo Glass
 Walnut Blades
 Light Kit uses (2) 40W C Bulbs (Included)



[20543-965]
 Satin Nickel | Satin Opal Glass
 Satin Nickel Blades
 Light Kit uses (2) 40W C Bulbs (Included)



[20543-914]
 Chrome | Satin Opal Glass
 Dark Teak Blades
 Light Kit uses (2) 40W C Bulbs (Included)

FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 10.25"

GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 54" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 145mm Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .58/.51/.33 AMPS on H/M/L
- 67/37/17 WATTS on H/M/L
- 138/106/62 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (2) 40W C Bulbs (Included)

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5560 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-8	-14
-65	-86

BULB TYPE



Candelabra



METRO CEILING FAN

A large light kit and motor housing bring a touch of industrial style to this versatile fan. Choose Studio White for a more contemporary look or Oiled Bronze to complement a more rustic environment. No matter which finish you choose, the Metro is sure to become a fan favorite.

[39525-8]

Studio White | Satin Opal Glass

Studio White Blades

Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp
(Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-1401-0
Optional



7-1305-0
Optional



[39525-65]

Satin Nickel | Satin Opal Glass
Walnut Blades
Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)



[39525-86]

Oiled Bronze | Satin Opal Glass
Walnut Blades
Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)

FAN HEIGHT

Using 6" Downrod

- Distance of 15"
- Distance of 10.5"

GENERAL SPECS

3 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
11.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrods Included


MECHANICAL SPECS

153x18 Motor Size
4 Speeds-Reversible/Manual Reverse Switch
14 Poles
.51/.38/.29/18 AMPS on H/M/L
62/34/20/8 WATTS on H/M/L
190/130/101/55 RPMS on H/M/L
4 Speed Wall Control Included
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)

ENERGY SPECS

Energy Information at High Speed
Airflow: 4122 Cubic Feet/Minute
Electricity Use: 62 Watts (Excludes Lights)
Airflow Efficiency: 66 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can



ALTA CEILING FAN

The Alta series' unique decorative housing adds intrigue to this beautiful fan. A bit industrial and a tad contemporary, the Alta shines with style. Choose Satin Nickel for a sleek look or Oiled Bronze for a more traditional feel.

[58524-65]

Satin Nickel | Satin Opal Glass

Maple Blades

Light Kit uses (1) 75W 78mm T3 Halogen Lamp
(Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1305-0
Optional



[58524-86]

Oiled Bronze | Satin Opal Glass
Walnut Blades

Light Kit uses (1) 75W 78mm T3 Halogen Lamp (Included)

FAN HEIGHT

Using 4.5" Downrod

- Distance of 15.5"
- Distance of 9.75"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Four Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 22 Motor Size
4 Speeds-Reversible / Manual Reverse Switch
16 Poles
.50/.38/.25/.21 AMPS on H/M/L
68/32/14/10 WATTS on H/M/L
167/109/69/59 RPMS on H/M/L
4 Speeds Wall Control Included
Triple Capacitor
Remote Control Adaptable w/ Manual Reverse
Light Kit Uses (1) 75W T-3 78mm
Halogen Bulb (Included)

ENERGY SPECS

Energy Information at High Speed
Airflow: 5568 Cubic Feet/Minute
Electricity Use: 68 Watts (Excludes Lights)
Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



T-3 Halogen



ASHLAR CEILING FAN

The Ashlar series features an understated style with tapered blade holders and handsome walnut blades. Choose from two finishes and enjoy the Ashlar's effortless beauty.

[52525-995]

Old World | Amber Scavo Glass

Old World | Walnut Blades

Light Kit uses (3) 40W C Bulbs (Included)

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[52525-992]

Antique Silver | Satin Opal Glass
Antique Silver | Walnut Blades
Light Kit uses (3) 40W C Bulbs (Included)

FAN HEIGHT

Using 4" Downrod

- Distance of 18.75"
- Distance of 13.25"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
12-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
3 Speeds-Reversible
16 Poles
.56/45/18 AMPS on H/M/L
60/41/12 WATTS on H/M/L
165/111/53 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable w/ Manual Reverse
Light Kit Uses (3) 40W C Bulbs (Included)


ENERGY SPECS

Energy Information at High Speed
Airflow: 5048 Cubic Feet/Minute
Electricity Use: 60 Watts (Excludes Lights)
Airflow Efficiency: 84 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



BRISTOL CEILING FAN



The Bristol series' sleek and modern design is highlighted by the unique placement of the light. Below that, the decorative housing seamlessly transitions into the unique blade holders. A circular detail adds even more interest to this gorgeous fan.

[1858-986] 11"(w) x 4.75"(h) - (3) 40W C (Included)
Oiled Bronze | Cream Fabric
This Light Kit is shown on 54543-86 ceiling fan

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-1401-0
Optional



7-1305-0
Optional



[54543-86]
 Oiled Bronze | Amber Scavo Glass
 Walnut Blades
 Up-light uses (3) 40W C Bulbs (Included)



[54543-65]
 Satin Nickel | Satin Opal Glass
 Maple | Walnut Blades
 Up-light uses (3) 40W C Bulbs (Included)

FAN HEIGHT

- Using 6" Downrod
- Distance of 14"
- Distance of 11.5"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 54" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included


MECHANICAL SPECS

- 172 x 20 Motor Size
- 4 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .62/.44/.27/.24 AMPS on H/M/L
- 75/36/14/11 WATTS on H/M/L
- 172/115/68/60 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Up-Light Uses (3) 40W C Bulbs (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6165 Cubic Feet/Minute
- Electricity Use: 75 Watts (Excludes Lights)
- Airflow Efficiency: 82 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



COLTON CEILING FAN

With its five blades designed to fit directly into the decorative housing, the Colton series design is effortless and appealing. Choose Antique Silver with Satin Opal Glass or Oiled Bronze with Amber Scavo Glass.

[36525-992]

Antique Silver | Satin Opal Glass

Antique Silver | Walnut Blades

Light Kit uses (3) 40W C Bulbs (Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[36525-986]

Oiled Bronze | Amber Scavo Glass

Oiled Bronze | Walnut Blades

Light Kit uses (3) 40W C Bulbs (Included)

FAN HEIGHT

Using 4" Downrod

- Distance of 14.75"
- Distance of 12.25"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 18 Motor Size
4 Speeds-Reversible/Manual Reverse
16 Poles
.51/.35/.25/.13 AMPS on H-L
65/32/18/8 WATTS on H-L
162/109/80/45 RPMS on H-L
4 Speed Wall Control Included
Remote Control Adaptable w/ Manual Reverse
Light Kit Uses (3) 40W C Bulbs (Included)


ENERGY SPECS

Energy Information at High Speed
Airflow: 4745 Cubic Feet/Minute
Electricity Use: 65 Watts (Excludes Lights)
Airflow Efficiency: 73 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



DAVENPORT CEILING FAN

Lower ceilings love the Davenport Hugger series. Since it attaches directly to your ceiling, you have plenty of room to walk underneath. Sleek blade holders and three finishes make this fan a welcome addition to any space.

[65524-95]

Old World | Amber Scavo Glass
Old World | Walnut Blades
Light Kit uses (3) 40W C Bulbs

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[65524-8]

Studio White | Satin Opal Glass
 Studio White Blades
 Light Kit uses (3) 40W C Bulbs



[65524-92]

Antique Silver | Satin Opal Glass
 Antique Silver | Walnut Blades
 Light Kit uses (3) 40W C Bulbs

FAN HEIGHT

- Distance of 13"
- Distance of 8.75"

GENERAL SPECS

3 Finishes Available
 Lifetime Motor Warranty
 Four Blades
 52" Blade Sweep
 13.5-Degree Blade Pitch

MECHANICAL SPECS

172 x 14 Motor Size
 4 Speeds-Reversible/Manual Reverse
 16 Poles
 .60/.32/.24/.14 AMPS on H-L
 67/31/19/8 WATTS on H-L
 160/107/82/46 RPMS on H-L
 Light Kit houses (3) 40W C Sockets
 Remote Control Adaptable w/Manual Reverse
 4 Speed Wall Control Included


ENERGY SPECS

Energy Information at High Speed
 Airflow: 5286 Cubic Feet/Minute
 Electricity Use: 67 Watts (Excludes Lights)
 Airflow Efficiency: 78 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



HOFFMAN CEILING FAN



The Hoffman collection's rounded triangular irons add a hint of art deco and impart some geometry on to an otherwise smooth, traditional design. This fan is ideal for bringing symmetry to a traditional space with modern touches.

[83525-65]
Satin Nickel
Satin Nickel | Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[83525-95]
 Old World
 Old World I Walnut Blades



[83525-86]
 Oiled Bronze
 Oiled Bronze I Walnut Blades

FAN HEIGHT

Using 4" Downrod
 ● Distance of 15.25"
 ○ Distance of 14.25"

GENERAL SPECS

3 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 12-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

153 x 17 Motor Size
 3 Speeds-Reversible
 14 Poles
 .53/.37/.20 AMPS on H/M/L
 65/30/9 WATTS on H/M/L
 170/117/65 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
 Airflow: 5414 Cubic Feet/Minute
 Electricity Use: 65 Watts (Excludes Lights)
 Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





KAI CEILING FAN

The aerodynamically designed blades of the Kai ceiling fan not only provide ideal air circulation, they add a distinctively contemporary feel to any space. Choose the Satin Nickel finish for modern interiors, or opt for the Studio White or Oiled Bronze for a more traditional look.

[50524-8]
Studio White
Studio White Blades

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS




Included



7-3000
Optional



7-1305-0
Optional



[50524-86]
Oiled Bronze
Walnut Blades

[50524-65]
Satin Nickel
Satin Nickel Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 11.75"
- Distance of 10.5"

GENERAL SPECS

3 Finishes Available
 Lifetime Motor Warranty
 Four Blades
 52" Blade Sweep
 14-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

153 x 18 Motor Size
 4 Speeds-Reversible
 14 Poles
 .48/.35/.17/.09 AMPS on H/M/L
 56/30/8/4 WATTS on H/M/L
 180/136/65/41 RPMS on H/M/L
 4 Speed Wall Control Included
 Remote Control Adaptable w/Manual Reverse
 Not Light Kit Adaptable

ENERGY SPECS

Energy Information at High Speed
 Airflow: 5521 Cubic Feet/Minute
 Electricity Use: 56 Watts (Excludes Lights)
 Airflow Efficiency: 99 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





MENDOCINO CEILING FAN



The Mendocino series brings together Old World beauty and clean, modern lines. The double light kit with mottled glass provides plenty of illumination while staying true to the overall chic design.

[61525-995]

Old World I Amber Scavo Glass

Old World I Walnut Blades

Light Kit uses (3) 40C Bulbs (Included)

Up-light uses (4) 15W C7 Bulbs (Included)

WALL CONTROL INCLUDED
REMOTE CONTROL OPTION



Included



8-1402
Optional



[61525-986]

Oiled Bronze | Amber Scavo Glass
 Oiled Bronze | Walnut Blades
 Light Kit uses (3) 40C Bulbs (Included)
 Up-light uses (4) 15W C7 Bulbs (Included)

[61525-944]

Toasted Sienna | Cream Mottled Scavo Glass
 Toasted Sienna | Walnut Blades
 Light Kit uses (3) 40C Bulbs (Included)
 Up-light uses (4) 15W C7 Bulbs (Included)

FAN HEIGHT

Using 4" Downrod
 ● Distance of 19.25"
 ○ Distance of 14"

GENERAL SPECS

3 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 12-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
 3 Speeds-Reversible / Manual Reverse Switch
 16 Poles
 .48/.40/.32 AMPS on H/M/L
 65/21/14 WATTS on H/M/L
 160/116/76 RPMS on H/M/L
 Wall Control Included
 Remote Control Adaptable w/Manual Reverse
 Light Kit Uses (3) 40C Bulbs (Included)
 Up-Light Uses (4) 15W C7 Bulbs (Included)


ENERGY SPECS

Energy Information at High Speed
 Airflow: 5130 Cubic Feet/Minute
 Electricity Use: 65 Watts (Excludes Lights)
 Airflow Efficiency: 78 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE





MERCER CEILING FAN



The quietly unconventional Mercer series of fans will no doubt add a touch of modern sophistication to any space. Choose the Walnut blades and Satin Nickel finish for a more contemporary look or Oiled Bronze with Vintage Walnut blades for a hint of rustic elegance.

[94525-65]

Satin Nickel

Satin Nickel | Walnut Blades

Up-light uses (4) 25W C Bulbs (Included)

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[94525-86]
Oiled Bronze
Vintage Walnut Blades
Up-light uses (4) 25W C Bulbs (Included)

FAN HEIGHT

Using 4" Downrod

- Distance of 15"
- Distance of 11.75"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
3 Speeds-Reversible
16 Poles
.61/.48/.29 AMPS on H/M/L
71/42/15 WATTS on H/M/L
173/137/80 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable w/Manual Reverse
Light Kit Adaptable


ENERGY SPECS

Energy Information at High Speed
Airflow: 5386 Cubic Feet/Minute
Electricity Use: 71 Watts (Excludes Lights)
Airflow Efficiency: 76 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



MISSION CEILING FAN

The Mission fan takes its name from the popular style of the late 19th century. Characterized by horizontal and vertical lines, the style is recreated perfectly in this fan. Vertical accents around the decorative housing and four walnut blades give this fan its distinctively mission mindset.

[53524-86]

Oiled Bronze | Amber Scavo Glass

Walnut Blades

Light Kit uses (3) 40W C Bulbs (Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1305-0
Optional

FAN HEIGHT

Using 6" Downrod

- Distance of 14.25"
- Distance of 7.5"

GENERAL SPECS

Lifetime Motor Warranty
Four Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
6" Downrod Included


MECHANICAL SPECS

153 x 22 Motor Size
4 Speeds-Reversible/Manual Reverse Switch
16 Poles
.57/.40/.26/.22 AMPS on H/M/L
69/33/14/11 WATTS on H/M/L
165/116/74/63 RPMS on H/M/L
4 Speed Wall Control Included
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (3) 40W C Bulbs (Included)

ENERGY SPECS

Energy Information at High Speed
Airflow: 5574 Cubic Feet/Minute
Electricity Use: 69 Watts (Excludes Lights)
Airflow Efficiency: 81 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



NOVA CEILING FAN


The Nova series makes a bold, unique statement you don't find in your average fan. The combination of angular blades and curvy details is the perfect compliment to trendy contemporary styles.

[24563-8]
Studio White
Studio White Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[24563-65]
Satin Nickel
Satin Nickel Blades



[24563-86]
Oiled Bronze
Walnut Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 15.25"
- Distance of 12.5"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 56" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .57/.45/.24 AMPS on H/M/L
- 65/39/10 WATTS on H/M/L
- 157/124/59 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/ Manual Reverse
- Detachable Switch Cup
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4953 Cubic Feet/Minute
- Electricity Use: 65 Watts (Excludes Lights)
- Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





ROTHMAN CEILING FAN

Modern square blade holders are the perfect complement to the traditional bulb shape and rectangular blades of The Rothman series. Four finishes make this an easy choice for the traditional home.

[73525-986]

Oiled Bronze | Amber Scavo Glass
Oiled Bronze | Walnut Blades
Light Kit uses (2) 60W C Bulbs (Included)

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1305-0
Optional



[73525-944]

Toasted Sienna | Amber Scavo Glass
Toasted Sienna | Walnut Blades
Light Kit uses (2) 60W C Bulbs (Included)

FAN HEIGHT

Using 3.5" Downrod

- Distance of 17.5"
- Distance of 12"

GENERAL SPECS

4 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
12-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
3 Speeds-Reversible/Manual Reverse Switch
14 Poles
.56/38/21 AMPS on H/M/L
57/20/9 WATTS on H/M/L
165/115/63 RPMS on H/M/L
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (2) 60W C Bulbs (Included)


ENERGY SPECS

Energy Information at High Speed
Airflow: 4718 Cubic Feet/Minute
Electricity Use: 57 Watts (Excludes Lights)
Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



[73525-965]

Satin Nickel | Satin Opal Glass

Dark Oak | Rosewood Blades

Light Kit uses (2) 60W C Bulbs (Included)



[73525-908]

Studio White | Satin Opal Glass

Studio White Blades

Light Kit uses (2) 60W C Bulbs (Included)



SOHO CEILING FAN

The Soho series features clean lines and simple appointments like slightly curved blade holders and unobtrusive decorative housing. Choose from two beautiful finishes.

[1190-865] 12.5"(w) x 3.75"(h) - (2) 13W Spiral CFL
Satin Nickel | Faux Alabaster Glass
Non-Dimmable CFL Bulbs (Included)
Light Kit shown on 64525-65 ceiling fan

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[64525-65]
Satin Nickel
Satin Nickel | Walnut Blades



[64525-86]
Oiled Bronze
Oiled Bronze | Walnut Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 13.25"
- Distance of 11"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 14 Motor Size
3 Speeds-Reversible/Manual Reverse Switch
16 Poles
.51/.36/.20 AMPS on H/M/L
64/33/8 WATTS on H/M/L
160/110/62 RPMs on H/M/L
Detachable Switch Cup
Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
Airflow: 4758 Cubic Feet/Minute
Electricity Use: 64 Watts (Excludes Lights)
Airflow Efficiency: 74 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





VALOR CEILING FAN

The Valor series makes a statement with its understated sophistication and minimalist style. This four-blade fan is a beautiful, yet simple example of practical craftsmanship. Choose either Satin Nickel or Oiled Bronze finish with Distressed Vintage Walnut Blades.

[81524-65]

Satin Nickel

Distressed Vintage Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[81524-86]
Oiled Bronze
Distressed Vintage Walnut Blades

FAN HEIGHT

Using 6" Downrod

- Distance of 13.25"
- Distance of 9"

GENERAL SPECS

2 Finishes Available
Ltd Lifetime Motor Warranty
Four Blades
52" Blade Sweep
13.5-Degree Blade Pitch
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
3 Speeds-Reversible
80" Lead Wire
16 Poles
.63/48/29 AMPS on H/M/L
75/40/15 WATTS on H/M/L
171/126/71 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable

ENERGY SPECS


Energy Information at High Speed
Airflow: 6002 Cubic Feet/Minute
Electricity Use: 75 Watts (Excludes Lights)
Airflow Efficiency: 80 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





ALTON 60 CEILING FAN

The Alton 60" series exudes elegance and sophistication. Like a fine antique, the Alton's timeless beauty is here to stay and is enhanced by three lovely finishes and a variety of light kits.

[42605-22]


Antique Flemish

Antique Flemish | Pecan Blades

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



8-1401
Optional



7-1305-0
Optional



[42605-44]
Toasted Sienna
Toasted Sienna | Walnut Blades

FAN HEIGHT

- Using 4" Downrod
- Distance of 15.25"
- Distance of 12"

GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 60" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wirez
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 25 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .75/.48/.37 AMPS on H/M/L
- 90/38/23 WATTS on H/M/L
- 130/100/60 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/ Manual Reverse
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5955 Cubic Feet/Minute
- Electricity Use: 90 Watts (Excludes Lights)
- Airflow Efficiency: 86 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





OPTIONAL LIGHT KIT

[2389-9122] 11"(w) x 6.5"(h) - (3) 40W C (Included)
Antique Flemish I Amber Scavo Glass
Light Kit shown on 42605-22 ceiling fan



[42605-95]
Old World
Old World I Walnut Blades

[42605-86]
Oiled Bronze
Oiled Bronze I Walnut Blades



2383-9095



2386-9144



2388-9186



2389-9122

LIGHT KITS

item #	glass	dimensions	lights
antique flemish			
2383-9022	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2389-9122	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
toasted sienna			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
oiled bronze			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
old world			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

All light kits comply with 2005 Energy Policy Act.



ALTON 70 CEILING FAN

The Alton 70" series is ideal for larger spaces and offers the same stunning design as the smaller version, including four finishes and several light kits.

[42705-95]

Old World

Old World | Walnut Blades

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



8-1401
Optional



7-1305-0
Optional



[42705-22]
 Antique Flemish
 Antique Flemish | Pecan Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 15.25"
- Distance of 12"

GENERAL SPECS

4 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 70" Blade Sweep
 13.5-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

212 x 25 Motor Size
 3 Speeds-Reversible/Manual Reverse Switch
 20 Poles
 .71/59/39 AMPS on H/M/L
 74/50/25 WATTS on H/M/L
 92/70/40 RPMS on H/M/L
 Wall Control Included
 Remote Control Adaptable w/Manual Reverse
 Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
 Airflow: 5637 Cubic Feet/Minute
 Electricity Use: 74 Watts (Excludes Lights)
 Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





OPTIONAL LIGHT KIT

[2389-9144] 11"(w) x 6.5"(h) - (3) 40W C (Included)
Toasted Sienna | Amber Scavo Glass
Light Kit shown on 42705-44 ceiling fan



[42705-86]
Oiled Bronze
Oiled Bronze | Walnut Blades



[42705-44]
Toasted Sienna
Toasted Sienna | Walnut Blades



2383-9095



2386-9144



2388-9186



2389-9122

LIGHT KITS

item #	glass	dimensions	lights
antique flemish			
2383-9022	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2389-9122	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
toasted sienna			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
oiled bronze			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
old world			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

All light kits comply with 2005 Energy Policy Act.



ASHFIELD CEILING FAN

Relax and enjoy the subtly antique styling of the Ashfield fan. Rich walnut blades and an optional light kit featuring Amber Scavo glass give this fan its slightly masculine style.

[72565-24]

Walnut | Antique Flemish
Antique Flemish Blades

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



8-1401
Optional



7-1305-0
Optional



OPTIONAL LIGHT KIT

[2288-9124] 9.75"(w) x 6.75"(h) - (2) 60W C (Included)
Walnut | Antique Flemish
Amber Scavo Glass



OPTIONAL SCROLL KIT

[7-725-24]* 7.5"(w) x 5.75"(h)
Walnut
Scroll Kit shown on 72656-24 ceiling fan
*must use 12" downrod or longer.

FAN HEIGHT

Using 4" Downrod

- Distance of 14"
- Distance of 13.75"

GENERAL SPECS

Lifetime Motor Warranty
Five Blades
56" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

188 x 20 Motor Size
3 Speeds-Reversible/Manual Reverse Switch
16 Poles
.66/.58/.43 AMPS on H/M/L
74/54/25 WATTS on H/M/L
140/103/60 RPMS on H/M/L
Wall Control Included
Skirted Blade Arms
Remote Control Adaptable w/ Manual Reverse


ENERGY SPECS

Energy Information at High Speed
Airflow: 5356 Cubic Feet/Minute
Electricity Use: 74 Watts (Excludes Lights)
Airflow Efficiency: 72 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



All light kits comply with 2005 Energy Policy Act.



BAKERSFIELD CEILING FAN



Blade Alternative Options Available.

The fluted decorative housing on the Bakersfield series is just the beginning of this fan's interesting story. The blade holders feature curved arms and slightly curved ovals, while a band of decorative metal beads surround the fan's base.

[71525-88]


Corsican Gold

Corsican Gold | Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[71525-92]
Antique Silver
Antique Silver | Walnut Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 15.75"
- Distance of 11"

GENERAL SPECS

4 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
12-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

153 x 18 Motor Size
3 Speeds-Reversible
14 Poles
.51/.36/.20 AMPS on H/M/L
66/29/9 WATTS on H/M/L
159/110/61 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
Airflow: 5620 Cubic Feet/Minute
Electricity Use: 66 Watts (Excludes Lights)
Airflow Efficiency: 85 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



[71525-95]
Old World
Old World | Walnut Blades



[71525-44]
Toasted Sienna
Toasted Sienna | Walnut Blades



OPTIONAL LIGHT KIT

[2371-8095] 12.5"(w) x 4.5"(h) - (3) 13W M Spiral CFL (Included)
 Old World | Optional 2843 Glass
 Light Kit shown on 71525-95 ceiling fan



2371-8044*

LIGHT KITS

item #	glass	dimensions	lights
toasted sienna			
2371-8044*	NA	12.5"(w) x 4.5"(h)	(3) 13W M CFL (Included)
corsican gold			
2371-8088*	NA	12.5"(w) x 4.5"(h)	(3) 13W M CFL (Included)
antique silver			
2371-8092*	NA	12.5"(w) x 4.5"(h)	(3) 13W M CFL (Included)
old world			
2371-8095*	NA	12.5"(w) x 4.5"(h)	(3) 13W M CFL (Included)

*Light Kit supplied with Energy Star certified
 13W, 2700k Spiral CFL lamps - non-dimmable.
 All light kits comply with 2005 Energy Policy Act.



BARCLAY CEILING FAN



Blade Alternative Options Available.

The Barclay series is a stunning example of refined design. The uniquely shaped blade holders add distinctive style, while the walnut blades add a touch of elegance. Choose from three finishes to give any room a fresh look.

[76525-65]


Satin Nickel

Rosewood | Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[76525-86]
 Oiled Bronze
 Oiled Bronze | Walnut Blades



[76525-44]
 Toasted Sienna
 Toasted Sienna | Walnut Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 14.5"
- Distance of 11.25"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 80" Lead Wire
- 4" and 6" Downrods Included
- 12-Degree Blade Pitch


MECHANICAL SPECS

- 153x17 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .43/.35/.25 AMPS on H/M/L
- 57/29/13 WATTS on H/M/L
- 155/105/55 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4548 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 79 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



BREWSTER CEILING FAN

If ever a fan was deserving of your undivided attention, it's the Brewster. With blades gently curving upward at the last moment, this fan brings a unique look to any interior. Beautifully detailed blade supports are the perfect complement to the classic styling of the housing, making this fan the perfect choice for a variety of decorating styles.

[27603-70]

Persian White Finish

Distressed Weathered Pine Blades

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[27603-86]
Oiled Bronze Finish
Distressed Vintage Walnut Blades

FAN HEIGHT

- Using 6" downrod
- Distance of 17.75"
- Distance of 10.25"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 60" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included


MECHANICAL SPECS

- 172 x 20 Motor Size
- 4 Speeds - Reversible
- 16 Poles
- .42/.31/.23/.17 AMPS on H/M/M/L
- 51/28/16/7 WATTS on H/M/M/L
- 89/65/45/31 RPM on H/M/M/L
- Triple Capacitor
- 4 Speed Wall Control Included
- Remote Control Adaptable w/ Manual Reverse


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4812 Cubic Feet/Minute
- Electricity Used: 51 Watts (Excludes Lights)
- Airflow Efficiency: 94^o Cubic Feet/Watt

HEIGHT CHART



AVAILABLE FINISHES





[27603-94]

French Umber Finish

Distressed Weathered Pine Blades



OPTIONAL LIGHT KIT

[2360-086] 12.75"(w) x 6"(h) - (3) 60W C (included)

Oiled Bronze | Optional 2819 Glass

Light Kit shown on 27603-86 ceiling fan



OPTIONAL LIGHT KIT

[2360-070] 12.75"(w) x 6"(h) - (3) 60W C (included)
 Persian White | Optional 2801 Glass
 Light Kit shown on 27603-70 ceiling fan



OPTIONAL LIGHT KIT

[2360-094] 12.75"(w) x 6"(h) - (3) 60W C (included)
 French Umber | Optional 2819 Glass
 Light Kit shown on 27603-94 ceiling fan

LIGHT KITS

item #	glass	dimensions	lights
persian white			
2360-070	NA	12.75"(w) x 6"(h)	(3) 60W C (Included)
oiled bronze			
2360-086	NA	12.75"(w) x 6"(h)	(3) 60W C (Included)
french umber			
2360-094	NA	12.75"(w) x 6"(h)	(3) 60W C (Included)

All light kits comply with 2005 Energy Policy Act.



CHATEAUX CEILING FAN



Blade Alternative Options Available.

You don't have to live in the French countryside to appreciate the Chateau series. Its blade holders bring to mind an ornamental scepter a monarch might have at his side, while the detailing on the decorative housing is truly a work of art.

[78525-92]

Antique Silver

Rosewood | Walnut Blades

REMOTE CONTROL OPTIONS




7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[78525-22]
 Antique Flemish
 Antique Flemish I Pecan Blades

FAN HEIGHT

Using 3.5" Downrod

- Distance of 11"
- Distance of 9.75"

GENERAL SPECS

14 Finish Combinations Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 14-Degree Blade Pitch
 80" Lead Wire
 3.5" and 6" Downrod Included


MECHANICAL SPECS

188 x 15 Motor Size
 3 Speeds-Reversible
 16 Poles
 .69/44/23 AMPS on H/M/L
 80/33/9 WATTS on H/M/L
 169/106/51 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
 Airflow: 6323 Cubic Feet/Minute
 Electricity Use: 80 Watts (Excludes Lights)
 Airflow Efficiency: 79 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-8	-22	-44	-58
-65	-67	-70	-86
-88	-92	-93	-94
-95			

BLADE ALTERNATIVES

Use indoor blade type 4-52 - See page 400



[78525-6522]
Satin Nickel
Rosewood Blades



[78525-95]
Old World
Rosewood | Walnut Blades



[78525-93]
Charcoal
Medium Oak | Walnut Blades




[78525-86]
Oiled Bronze
Oiled Bronze | Walnut Blades




[78525-94]
French Umber Finish
Distressed Weathered Pine Blades



[78525-88]
Corsican Gold
Dark Oak | Walnut Blades



[78525-67]
Antique White
Antique White Blades



[78525-70]
Persian White
Distressed Weathered Pine Blades



[78525-65]
Satin Nickel
Satin Nickel | Walnut Blades



[78525-58]
Mystic Silver
Mystic Silver | Walnut Blades



[78525-44]
Toasted Sienna
Toasted Sienna | Walnut Blades



[78525-8]
Studio White
Studio White Blades



CIMARRON CEILING FAN



Blade Alternative Options Available.

With its gorgeous decorative housing, the elaborately adorned Cimarron series truly makes a statement. Perfect for an elegant great room, the Cimarron will surely give your guests plenty to talk about.

[69525-58]

Mystic Silver | Amber Scavo Glass

Mystic Silver | Walnut Blades

Up-light uses (6) 15W C7 Bulbs (Included)

WALL CONTROL INCLUDED
REMOTE CONTROL OPTION



Included



8-1402
Optional



[69525-95]

Old World | Amber Scavo Glass

Old World | Walnut Blades

Up-light uses (6) 15W C7 Bulbs (Included)

FAN HEIGHT

Using 4" Downrod

● Distance of 16.25"

○ Distance of 12.25"

GENERAL SPECS

4 Finishes Available

Lifetime Motor Warranty

Five Blades

52" Blade Sweep

13.5-Degree Blade Pitch

80" Lead Wire

4" and 6" Downrod Included

MECHANICAL SPECS

172 x 20 Motor Size

3 Speeds-Reversible / Manual Reverse Switch

16 Poles

.53/.43/.32 AMPS on H/M/L

69/29/15 WATTS on H/M/L

159/100/67 RPMS on H/M/L

Wall Control Included

Remote Control Adaptable w/Manual Reverse

Skirted Blade Arms

Up-light uses (6) 15W C7 Bulbs (Included)

ENERGY SPECS


Energy Information at High Speed

Airflow: 5427 Cubic Feet/Minute

Electricity Use: 69 Watts (Excludes Lights)

Airflow Efficiency: 78 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



C7 Candleabra

BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



OPTIONAL LIGHT KIT

[2383-9058] 8"(w) x 4.75"(h) - (3) 40W C (Included)
Mystic Silver | Optional 2842 Glass
Light Kit shown on 69525-58 ceiling fan



[69525-44]
Toasted Sienna | Amber Scavo Glass
Toasted Sienna | Walnut Blades
Up-light uses (6) 15W C7 Bulbs (Included)



[69525-86]
Oiled Bronze | Amber Scavo Glass
Oiled Bronze | Walnut Blades
Up-light uses (6) 15W C7 Bulbs (Included)



2389-9144



2383-9095



2388-9144



2386-9158

LIGHT KITS

item #	glass	dimensions	lights
mystic silver			
2383-9058	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9158	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
toasted sienna			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
old world			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

All light kits comply with 2005 Energy Policy Act.



EMPRESS CEILING FAN



The Empress series is the ultimate statement of luxury with its intricate Victorian details and seven elegant finish options. Aristocratic yet fully functional, this fan will make you feel like a queen whether you live in a house or a palace.

[35525-92]
Antique Silver
Rosewood | Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[35525-95]
 Old World
 Rosewood | Walnut Blades

FAN HEIGHT

- Using 4" Downrod
- Distance of 14.25"
- Distance of 13.25"

GENERAL SPECS

- 7 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .65/.44/.23 AMPS on H/M/L
- 75/33/9 WATTS on H/M/L
- 154/102/57 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6222 Cubic Feet/Minute
- Electricity Use: 75 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-4	-8	-44
-86	-88	-92
-95		



[35525-88]
Corsican Gold
Corsican Gold | Walnut Blades


[35525-86]
Oiled Bronze
Oiled Bronze | Walnut Blades



[35525-44]
Toasted Sienna
Rosewood | Walnut Blades



[35525-4]
Antique Brass
Medium Oak | Rosewood Blades



[35525-8]
Studio White
Studio White Blades



GALLOWAY CEILING FAN



Blade Alternative Options Available.

The Galloway series adds an elegant touch to a room with its Victorian-esque details without looking dated. The perfect blend of classic, modern, and decorative, this fan would be beautiful in a formal living room or stately bedroom.


[48525-995]

Old World | Antique Flemish | Cream Mottled Scavo Glass
Old World | Pecan Blades
Light Kit uses (3) 40W C Bulbs (Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



8-1401
Optional



7-1305-0
Optional



[48525-958]

Mystic Silver | Pecan | Cream Mottled Scavo Glass
 Mystic Silver | Pecan Blades
 Light Kit uses (3) 40W C Bulbs (Included)

FAN HEIGHT

Using 4" Downrod

- Distance of 19.25"
- Distance of 12.25"

GENERAL SPECS

2 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 Blade Type 5-52" with Scalloped Tip
 13.5-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
 3 Speeds-Reversible / Manual Reverse Switch
 16 Poles
 .58/50/36 AMPS on H/M/L
 68/38/12 WATTS on H/M/L
 165/119/70 RPMS on H/M/L
 Wall Control Included
 Remote Control Adaptable w/Manual Reverse
 Light Kit Uses (3) 40W C Bulbs (Included)


ENERGY SPECS

Energy Information at High Speed
 Airflow: 5381 Cubic Feet/Minute
 Electricity Use: 68 Watts (Excludes Lights)
 Airflow Efficiency: 79 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



GUSTO 32 CEILING FAN

The Gusto 32 is the ideal size for a more intimate space. Its soft contemporary style makes it the perfect choice for those desiring simple yet sophisticated design. Fan includes a dual-mount canopy for optional close-to-ceiling mounting. Choose from three appealing finishes.

[32323-8]

Studio White

Studio White Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[32323-95]
Old World
Walnut Blades



[32323-65]
Satin Nickel
Satin Nickel Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 16.5"
- Distance of 10"

GENERAL SPECS

3 Finishes Available
 Lifetime Motor Warranty
 Three Blades
 32" Blade Sweep
 13.5-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

153 x 10 Motor Size
 3 Speeds-Reversible
 14 Poles
 .37/.32/.20 AMPS on H/M/L
 44/33/13 WATTS on H/M/L
 187/175/99 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Dual-Mount Canopy
 Detachable Switch Cup

ENERGY SPECS

Energy Information at High Speed
 Airflow: 1683 Cubic Feet/Minute
 Electricity Use: 44 Watts (Excludes Lights)
 Airflow Efficiency: 38 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





HANOVER CEILING FAN



Blade Alternative Options Available.

The Hanover series' hammered finish and classic shape give this fan a strong, handcrafted feel while still imparting a sense of elegance. This balance of form and decoration will help accent a room without taking away from the flow of the design.

[29525-44]


Toasted Sienna

Rosewood | Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[29525-95]
Old World
Rosewood | Walnut Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 15.75"
- Distance of 15.5"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
3 Speeds-Reversible
16 Poles
.54/.43/.23 AMPS on H/M/L
65/38/11 WATTS on H/M/L
165/115/60 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
Airflow: 6456 Cubic Feet/Minute
Electricity Use: 69 Watts (Excludes Lights)
Airflow Efficiency: 94 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



KINGSLEY 52 CEILING FAN



Blade Alternative Options Available.

The Kingsley 52" series is a polished and graceful take on the more traditional ceiling fan design with smooth, rounded housing and charming floral accents. This makes it ideal for pairing with patterned fabric or detailed ironwork.

[38525-92]

Antique Silver

Antique Silver | Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[38525-95]
Old World
Old World | Walnut Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 13.5"
- Distance of 13"

GENERAL SPECS

4 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
3 Speeds-Reversible
16 Poles
.56/.38/.21 AMPS on H/M/L
71/30/10 WATTS on H/M/L
164/105/57 RPMS on H/M/L
Remote Control Adaptable

ENERGY SPECS

Energy Information at High Speed
Airflow: 5627 Cubic Feet/Minute
Electricity Use: 71 Watts (Excludes Lights)
Airflow Efficiency: 79 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



[38525-58]

Mystic Silver | Pecan

Mystic Silver | Pecan Blades



[38525-44]
Toasted Sienna
Toasted Sienna | Walnut Blades



KINGSLEY 60 CEILING FAN



Blade Alternative Options Available.


The Kingsley 60" series will fill the grandest of your rooms with a spring breeze no matter the season. The 60" blade sweep distributes over 5500 cubic feet of airflow per minute while filling your room with smooth lines and a touch of flowery detail.

[38605-92]

Antique Silver

Antique Silver | Walnut Blades

REMOTE CONTROL OPTIONS



7-1401-0
Optional



7-1305-0
Optional



[38605-58]
Mystic Silver | Pecan
Mystic Silver | Pecan Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 15.75"
- Distance of 15"

GENERAL SPECS

4 Finishes Available
Lifetime Motor Warranty
Five Blades
60" Blade Sweep
14-Degree Blade Pitch
4" and 6" Downrod Included


MECHANICAL SPECS

188 x 25 Motor Size
3 Speeds-Reversible
16 Poles
.74/.57/.38 AMPS on H/M/L
90/48/20 WATTS on H/M/L
136/103/67 RPMS on H/M/L
Remote Control Adaptable
Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
Airflow: 5765 Cubic Feet/Minute
Electricity Use: 90 Watts (Excludes Lights)
Airflow Efficiency: 64 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 5-60 - See page 407



OPTIONAL LIGHT KIT

[2444-8092] 10"(w) x 3"(h) - (4) 13W M Spiral CFL (Included)
Antique Silver | Optional 2819 Glass
Light Kit shown on 38605-92 ceiling fan



[38605-95]
Old World
Old World | Walnut Blades



[38605-44]
Toasted Sienna
Toasted Sienna | Walnut Blades



LIBERTY CEILING FAN



Blade Alternative Options Available.

The Liberty series mimics the rustic, yet deliberate detail of early American handmade craftsmanship with its hammered finish and shape not unlike the Liberty Bell itself.

[49525-95]

Old World

Old World I Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[49525-44]
Toasted Sienna
Toasted Sienna | Walnut Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 14.25"
- Distance of 12.25"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/.38/.21 AMPS on H/M/L
- 67/29/9 WATTS on H/M/L
- 158/102/55 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5856 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 87 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



LONE STAR CEILING FAN



Blade Alternative Options Available.

The Lone Star fan is perfect for adding a little giddy-up to a Western - or country-themed room. The optional light kit makes the stars on the housing and irons big and bright. Living deep in the heart of Texas is not required to enjoy this fan.

[80525-44]

Toasted Sienna | Amber Scavo Glass

Toasted Sienna | Walnut Blades

Up-light uses (4) 15W C7 Bulbs (Included)

WALL CONTROL INCLUDED
REMOTE CONTROL OPTION



Included



8-1401
Optional



FAN HEIGHT

Using 4" Downrod

- Distance of 16.25"
- Distance of 12.5"

GENERAL SPECS

Lifetime Motor Warranty
Five Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
3 Speeds-Reversible/Manual Reverse Switch
16 Poles
.56/.32/.25 AMPS on H/M/L
62/35/16 WATTS on H/M/L
155/112/60 RPMS on H/M/L
Remote Control Adaptable w/Manual Reverse
Up-Light Uses (4) 15W C7 Bulbs (Included)
Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
Airflow: 5234 Cubic Feet/Minute
Electricity Use: 62 Watts (Excludes Lights)
Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



C7 Candleabra

BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



OPTIONAL LIGHT KIT

[2388-9144] 11.5"W x 7.5"(h) - (2) 60W C
Toasted Sienna | Amber Scavo Glass
Light Kit shown on 80525-44 ceiling fan



2383-9044



2386-9144



2389-9144



2388-9144

LIGHT KITS

item #	glass	dimensions	lights
toasted sienna			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)



LOWELL CEILING FAN



Blade Alternative Options Available.

The Lowell series makes just the right statement with housing and irons that mimic the details of fashionable furniture and several different stylish light kit choices. This fan works best in a style that is classic with a slight flair for the dramatic.

[56525-44]


Toasted Sienna

Toasted Sienna | Pecan Blades

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



8-1401
Optional



7-1305-0
Optional



FAN HEIGHT

Using 4" Downrod

- Distance of 15.75"
- Distance of 12.5"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
3 Speeds-Reversible / Manual Reverse Switch
16 Poles
.58/.49/.35 AMPS on H/M/L
73/37/17 WATTS on H/M/L
164/119/72 RPMS on H/M/L
Wall Control Included
Remote Control Adaptable w/Manual Reverse
Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
Airflow: 5232 Cubic Feet/Minute
Electricity Use: 73 Watts (Excludes Lights)
Airflow Efficiency: 71 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



OPTIONAL LIGHT KIT

[2388-9144] 11.25"(w) x 7.5"(h) - (2) 60W C (Included)
Toasted Sienna | Amber Scavo Glass
Light Kit shown on 56525-44 ceiling fan



[56525-86]
Oiled Bronze
Oiled Bronze | Walnut Blades



2386-9144



2388-9186



2389-9144



2383-9044

LIGHT KITS

item #	glass	dimensions	lights
toasted sienna			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
oiled bronze			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)

All light kits comply with 2005 Energy Policy Act.



MEDALLION 30 CEILING FAN



Blade Alternative Options Available.

The Medallion 30" fan is an easy, sophisticated way to add air flow and ambience to tight spaces. The smaller 30" blade sweep will fit nicely in both galley-style and open-concept kitchens.

[51306-8]
Studio White
Studio White Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1305-0
Optional

FAN HEIGHT

- Distance of 8"
- Distance of 7.75"

GENERAL SPECS

Lifetime Motor Warranty
Six ABS Blades
30" Blade Sweep
25-Degree Blade Pitch

MECHANICAL SPECS

153 x 12 Motor Size
3 Speeds-Reversible
14 Poles
.44/.32/.19 AMPS on H/M/L
53/26/9 WATTS on H/M/L
203/146/84 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms
Sealed Vent Holes
UL Damp Listed

ENERGY SPECS

Energy Information at High Speed
Airflow: 3350 Cubic Feet/Minute
Electricity Use: 53 Watts (Excludes Lights)
Airflow Efficiency: 63 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-8

BLADE ALTERNATIVES

Use indoor blade type 1-30 - See page 391



MEDALLION 42 CEILING FAN



Blade Alternative Options Available.

The Medallion 42" series combines just the right amount of efficiency and class in a medium-sized blade sweep that is perfect for the smaller rooms of an apartment, duplex, or town home.

OPTIONAL LIGHT KIT

[1141-806] 10"(w) x 3.5"(h) - (1) 13W M Spiral CFL

(Included)

White | Satin Opal Glass

Light Kit shown on 51425-6 ceiling fan

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1305-0
Optional



[51425-6]
Gloss White
White Blades



[51425-8]
Studio White
Studio White Blades

FAN HEIGHT

- Distance of 8"
- Distance of 7.25"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
42" Blade Sweep
14-Degree Blade Pitch

MECHANICAL SPECS

153 x 13 Motor Size
3 Speeds-Reversible
14 Poles
.42/.31/.19 AMPS on H/M/L
54/25/10 WATTS on H/M/L
221/160/97 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
Airflow: 3860 Cubic Feet/Minute
Electricity Use: 54 Watts (Excludes Lights)
Airflow Efficiency: 71 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 1-42 - See page 392



MEDALLION 52 CEILING FAN

Blade Alternative Options Available.

The Medallion 52" series has a classic, comfortable, and yet elevated feel. This twist on the traditional design is so versatile, it will match the atmosphere of any room in your house.

[51525-6522]

Satin Nickel

Dark Oak | Rosewood Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[51525-8]
 Studio White
 Studio White Blades

FAN HEIGHT

- Distance of 7.5"
- Distance of 7.5"

GENERAL SPECS

5 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 14-Degree Blade Pitch

MECHANICAL SPECS

153 x 15 Motor Size
 3 Speeds-Reversible
 14 Poles
 .55/39/21 AMPS on H/M/L
 67/31/9 WATTS on H/M/L
 158/104/54 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
 Airflow: 4850 Cubic Feet/Minute
 Electricity Use: 67 Watts (Excludes Lights)
 Airflow Efficiency: 73 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394



[51525-67]
Antique White
Antique White Blades



[51525-6]
Gloss White
White Blades



[51525-4]
Antique Brass
Dark Oak | Medium Oak Blades



The Pinnacle fan can be converted to a 56" or 60" sweep by simply purchasing a set of optional blades. See page 405-409 for optional blade selection.

PINNACLE CEILING FAN



52" model only



Blade Alternative Options Available.

The Pinnacle series combines the best attributes of traditional fans into one design. Adaptable, effective, and classy, this fan has 11 finish combinations to choose from and the option to convert to either a 56" or 60" sweep.

[91525-65]

Satin Nickel

Satin Nickel | Walnut Blades

REMOTE CONTROL OPTIONS



8-1401
Optional



7-1305-0
Optional



[91525-86]
 Oiled Bronze
 Oiled Bronze | Walnut Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 12.5"
- Distance of 11"

GENERAL SPECS

11 Finish Combinations Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 16-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

188 x 22 Motor Size
 3 Speeds-Reversible
 16 Poles
 .65/.44/.23 AMPS on H/M/L
 83/36/10 WATTS on H/M/L
 162/108/64 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
 Airflow: 7093 Cubic Feet/Minute
 Electricity Use: 83 Watts (Excludes Lights)
 Airflow Efficiency: 85 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

For 52" use indoor blade type 5-52 - See page 401
 For 56" use indoor blade type 5-56 - See page 405
 For 60" use indoor blade type 5-60 - See page 407



[91525-6522]

Satin Nickel

Dark Oak | Rosewood Blades



[91525-44]

Toasted Sienna

Rosewood | Walnut Blades



[91525-95]
Old World
Rosewood | Walnut Blades



[91525-92]
Antique Silver
Rosewood | Walnut Blades



[91525-58]
Mystic Silver
Mystic Silver | Walnut Blades




OPTIONAL LIGHT KIT

This light kit is available with in an Energy Saving CFL configuration and is shown on our 91525-6 ceiling fan.

[4100-8161] 8"(w) x 6.5"(h) - (1) 13W M Spiral CFL (Included)
White | Opal Glass
Light kit shown on 91525-6 ceiling fan



[91525-6]
Gloss White
Washed Oak | White Blades



[91525-8]
Studio White
Studio White Blades



[91525-4]
Antique Brass
Medium Oak | Rosewood Blades



[91525-2]
Polished Brass
Medium Oak | Rosewood Blades



RODERICK CEILING FAN



Blade Alternative Options Available.

The Roderick series comes with stylized up lighting that provides an artful way to maintain a light/fan combination while remaining sleek and polished. In addition, the frosted glass and iron detail make this fan a classic choice.

[63525-86]

Oiled Bronze | Linen Glass

Oiled Bronze | Walnut Blades

Up-light uses (4) 15W C7 Bulbs (Included)

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[63525-44]

Toasted Sienna with Golden Fawn Accents | Amber Scavo Glass
Toasted Sienna | Walnut Blades
Up-light uses (4) 15W C7 Bulbs (Included)

FAN HEIGHT

Using 4" Downrod

- Distance of 13.75"
- Distance of 12.25"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
Blade Type 5-52" with Semi-Square Tip
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
3 Speeds-Reversible
16 Poles
.48/.35/.20 AMPS on H/M/L
71/32/12 WATTS on H/M/L
160/120/60 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable w/Manual Reverse
Skirted Blade Arms
Up-Light Uses (4) 15W C7 Bulbs (Included)


ENERGY SPECS

Energy Information at High Speed
Airflow: 5269 Cubic Feet/Minute
Electricity Use: 71 Watts (Excludes Lights)
Airflow Efficiency: 74 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



C7 Candelabra

BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



SALON CEILING FAN



Blade Alternative Options Available.

The Salon series adds a French aristocratic flair while providing superior lighting and circulation. With fleur-de-lis-like designs, various and detailed light kit options, and 56" Napoleon-tipped blades, this fan will make any room fit for the emperor himself.

[83565-88]

Corsican Gold

Dark Oak | Walnut Blades

Up-light uses (3) 60W C Bulbs

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



8-1402
Optional



7-1305-0
Optional



[83565-95]

Old World
 Rosewood | Walnut Blades
 Up-light uses (3) 60W C Bulbs

FAN HEIGHT

Using 12" Downrod
 ● Distance of 22.5"
 ○ Distance of 18.75"

GENERAL SPECS

6 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 56" Blade Sweep
 14-Degree Blade Pitch
 80" Lead Wire
 4" and 12" Downrod Included


MECHANICAL SPECS

188 x 15 Motor Size
 3 Speeds-Reversible w/Wall Control
 16 Poles
 .68/50/.28 AMPS on H/M/L
 66/31/9 WATTS on H/M/L
 150/90/50 RPMS on H/M/L
 Wall Control Included
 Remote Control Adaptable
 Up-Light Houses (3) 60W C Sockets
 Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
 Airflow: 5367 Cubic Feet/Minute
 Electricity Use: 66 Watts (Excludes Lights)
 Airflow Efficiency: 81 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

BLADE ALTERNATIVES

Use indoor blade type 5-56 - See page 405



[83565-67]


Antique White

Antique White Blades


Up-light uses (3) 60W C Bulbs



[83565-86]
Oiled Bronze
Oiled Bronze | Walnut Blades
Up-light uses (3) 60W C Bulbs



[83565-92]
Antique Silver
Rosewood | Walnut Blades
Up-light uses (3) 60W C Bulbs



[83565-44]

Toasted Sienna

Rosewood | Walnut Blades

Up-light uses (3) 60W C Bulbs

LIGHT KITS



2383-9067



2386-9144



2388-9144



2389-9195

LIGHT KITS

item #	glass	dimensions	lights
toasted sienna			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
antique white			
2383-9067	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
oiled bronze			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
corsican gold			
2383-9088	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9188	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
antique silver			
2383-9092	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
old world			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

All light kits comply with 2005 Energy Policy Act.



SAXONY CEILING FAN



Blade Alternative Options Available.

The Saxony series brings together a modern design base with European, period-style accents for just the right blend of the contemporary and the classic. It's perfect for a living room, bedroom, or den where antiques intermingle with modern furniture.

OPTIONAL LIGHT KIT

[2303-9088] 5.5"(w) x 3"(h) - (3) 60W C
Corsican Gold | Optional 2812A Glass
Light Kit shown on 89525-88 ceiling fan

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[89525-44]
Toasted Sienna
Toasted Sienna | Walnut Blades



[89525-88]
Corsican Gold
Corsican Gold | Walnut Blades



[89525-86]
Oiled Bronze
Oiled Bronze | Walnut Blades

FAN HEIGHT

- Using 4" Downrod
- Distance of 14.75"
- Distance of 12.25"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- Blade Type 5-52" with Semi-Square Tip
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .61/43/22 AMPS on H/M/L
- 72/34/10 WATTS on H/M/L
- 170/116/67 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 7002 Cubic Feet/Minute
- Electricity Use: 72 Watts (Excludes Lights)
- Airflow Efficiency: 97 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 401



TURINO CEILING FAN



Blade Alternative Options Available.

The Turino series is a chic combination of style and choice of lighting. Each light kit brings its own decorative qualities to the overall fixture while providing different illuminative capabilities. The charming ironwork details of these fans pair well with the Italian countryside look.

[63565-44]

Toasted Sienna | Indian Scavo Glass
Rosewood | Walnut Blades
Up-light uses (4) 40W C Sockets

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



8-1402
Optional



7-1305-0
Optional



[63565-88]

Corsican Gold | Indian Scavo Glass
 Dark Oak | Walnut Blades
 Up-light uses (4) 40W C Sockets

FAN HEIGHT

Using 16" Downrod
 ● Distance of 29.5"
 ○ Distance of 24.75"

GENERAL SPECS

3 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 56" Blade Sweep
 14-Degree Blade Pitch
 80" Lead Wire
 4" and 16" Downrod Included


MECHANICAL SPECS

188 x 25 Motor Size
 3 Speeds-Reversible w/ Wall Control
 16 Poles
 .53/48/20 AMPS on H/M/L
 69/48/20 WATTS on H/M/L
 138/98/53 RPMS on H/M/L
 Wall Control Included
 Remote Control Adaptable
 Up-Light Houses (4) 40W C Sockets
 Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
 Airflow: 5482 Cubic Feet/Minute
 Electricity Use: 69 Watts (Excludes Lights)
 Airflow Efficiency: 79 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

BLADE ALTERNATIVES

Use indoor blade type 5-56 - See page 405



OPTIONAL LIGHT KIT

[2386-9188] 11.25"(w) x 7.75"(h) - (2) 60W C (Included)
Corsican Gold I Indian Scavo Glass
Light Kit shown on 63565-88 ceiling fan



[63565-86]
Oiled Bronze I Amber Scavo Glass
Oiled Bronze I Walnut Blades
Up-light uses (4) 40W C Sockets



2383-9088



2386-9144



2388-9144




2389-9144

LIGHT KITS

item #	glass	dimensions	lights
toasted sienna			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
oiled bronze			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
corsican gold			
2383-9088	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9188	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)

All light kits comply with 2005 Energy Policy Act.



TURNER CEILING FAN

The Turner series has such an intriguing aesthetic, you'll wonder why you don't have one in every room. And if you do happen to have one in every room, we applaud your obvious sense of style. Two blades are all that's needed to make this fan a favorite of those seeking intricate detailing combined with refined vintage design. Not light kit adaptable.

[28682-70]

Persian White Finish

Distressed Weathered Pine Blades

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included




7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[28682-94]
 French Umber Finish
 Distressed Weathered Pine Blades



[28682-86]
 Oiled Bronze Finish
 Distressed Vintage Walnut Blades



FAN HEIGHT

- Using 4" Downrod
- Distance of 17.5"
- Distance of 13.25"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Two Blades
- 68" Blade Sweep
- 16-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 20 Motor Size
- 4 Speeds - Reversible
- 14 Poles
- .54/40/28/19 AMPS on H/M/M/L
- 63/36/17/8 WATTS on H/M/M/L
- 132/100/66/43 RPM on H/M/M/L
- Triple Capacitor
- 4 Speed Wall Control Included
- Remote Control Adaptable w/ Manual Reverse
- Not Light Kit Adaptable


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5696 Cubic Feet/Minute
- Electricity Used: 63 Watts (Excludes Lights)
- Airflow Efficiency: 91 Cubic Feet/Watt

HEIGHT CHART



AVAILABLE FINISHES





VENTURE CEILING FAN



Blade Alternative Options Available.

The Venture series provides a comfortable, classic way to keep a room circulated and cool. With slender housing and 8 available finish combinations, the Venture will match the style of any room without taking away from it.

[79525-65]

Satin Nickel

Satin Nickel | Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[79525-95]
Old World
Rosewood | Walnut Blades

FAN HEIGHT

Using 3.5" Downrod

- Distance of 11.5"
- Distance of 10.25"

GENERAL SPECS

8 Finish Combinations Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
14-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

172 x 14 Motor Size
3 Speeds-Reversible
16 Poles
.57/.39/.21 AMPS on H/M/L
68/33/9 WATTS on H/M/L
156/105/56 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
Airflow: 5566 Cubic Feet/Minute
Electricity Use: 68 Watts (Excludes Lights)
Airflow Efficiency: 82 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 2-52 - See page 398



OPTIONAL LIGHT KIT

[1129-865] 12"(w) x 5"(h) - (2) 13W M Spiral CFL Bulbs (Included)

Satin Nickel | Faux Alabaster Glass

This Light Kit is shown on 79525-6522 ceiling fan



[79525-86]

Oiled Bronze

Oiled Bronze | Walnut Blades



[79525-6522]
Satin Nickel
Dark Oak | Rosewood Blades



[79525-67]
Antique White
Antique White | Washed Oak Blades



[79525-44]
Toasted Sienna
Rosewood | Walnut Blades



[79525-6]
Gloss White
Washed Oak | White Blades



[79525-8]
Studio White
Maple | Studio White Blades



WINDSOR CEILING FAN



The Windsor series will bring a touch of Old World class to your home. Include the optional scroll kit to really dress up that special room, or go without to add a bit of elegance to your everyday dwellings.

[85525-88]
Corsican Gold
Corsican Gold | Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[85525-44]
 Toasted Sienna
 Rosewood | Walnut Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 15.75"
- Distance of 13.75"

GENERAL SPECS

5 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 14-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

188 x 15 Motor Size
 3 Speeds-Reversible
 16 Poles
 .61/.42/.22 AMPS on H/M/L
 83/34/9 WATTS on H/M/L
 169/110/54 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
 Airflow: 6866 Cubic Feet/Minute
 Electricity Use: 83 Watts (Excludes Lights)
 Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES






[85525-67]
Antique White
Antique White Blades



[85525-95]
Old World
Rosewood | Walnut Blades



[85525-92]
Antique Silver
Rosewood | Walnut Blades




OPTIONAL SCROLL KIT

[7-85-44] 11.5"(w) x 9.25"(h)
Toasted Sienna

Also Available In: [7-85-88] Corsican Gold, [7-85-95] Old World
Scroll Kit shown on 85525-44 ceiling fan

*Must use 12" downrod or longer with 7-85-XX scroll kit



PINWHEEL CEILING FAN

No playroom is complete without a multi-colored fan. The Pinwheel features six primary colored blades shaped like, you guessed it, a pinwheel. This whimsical fan is the perfect addition to any room in need of a splash of happiness.

[33466-99]

Yellow

Multi-Color Primary Blades

REMOTE CONTROL OPTIONS




7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



FAN HEIGHT

Using 3.5" Downrod

- Distance of 12.75"
- Distance of 11.75"

GENERAL SPECS

Lifetime Motor Warranty
Six Blades
46" Blade Sweep
20-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 16 Motor Size
14 Poles
.57/.38/.23 AMPS on H/M/L
70/36/15 WATTS on H/M/L
163/110/67 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup

ENERGY SPECS


Energy Information at High Speed
Airflow: 4555 Cubic Feet/Minute
Electricity Use: 70 Watts (Excludes Lights)
Airflow Efficiency: 65 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-31



CAPRI I CEILING FAN



*The original value priced ceiling fan.
Blade Alternative Options Available.*

The Capri I series is truly the quintessential fan style. The Capri I family, with its classic blade holders and simple style, is one of our most popular collections. This fan offers two blade sizes and an incredible 19 finish combinations for 52" models.

[77525-22]

Antique Flemish


Antique Flemish | Pecan Blades

To order this fan without blades use [77520-22]

REMOTE CONTROL OPTIONS




7-3000
Optional



7-1401-0
Optional
52" Model



7-1305-0
Optional
Manual
Reverse
42" Model



[77525-95]

Old World
Rosewood | Walnut Blades
To order this fan without blades
use [77520-95]

Also Available: [77425-95] 42"
To order this fan without blades
use [77420-95]

FAN HEIGHT

Using 3.5" Downrod (52"/42" models)

- Distance of 11.25"/11"
- Distance of 8.5"/9"

GENERAL SPECS

19 Finish Combinations Available for 52"

6 Finish Combinations Available for 42"

Lifetime Motor Warranty

Five Blades

11.5-Degree Blade Pitch (14-Degree for 42")

80" Lead Wire

3.5" and 6" Downrod Included

MECHANICAL SPECS

153 x 15 Motor Size (153 x 12 Motor Size for 42")

3 Speeds-Reversible

14 Poles

.57/.39/.21 AMPS on H/M/L (.51/.36/.20 for 42")

70/30/9 WATTS on H/M/L (50/28/10 for 42")

180/120/63 RPMS on H/M/L (158/104/56 for 42")

Triple Capacitor

Remote Control Adaptable w/ Manual Reverse
for 42" Model

Detachable Switch Cup

ENERGY SPECS


Energy Information at High Speed 52"/42"

Airflow: 5152/3818 Cubic Feet/Minute

Electricity Use: 69/50 Watts (Excludes Lights)

Airflow Efficiency: 75/76 Cubic Feet/Minute/Watt

HEIGHT CHART




AVAILABLE FINISHES

-2	-4	-6	-8	-15	-22
-26	-33	-44	-58	-59	-65
-67	-86	-88	-92	-95	

BLADE ALTERNATIVES

For 42" use indoor blade type 1-42 - See page 392

For 52" use indoor blade type 1-52 - See page 394



[77525-92]

Antique Silver

Rosewood | Walnut Blades

To order this fan without blades use [77520-92]



[77525-88]

Corsican Gold

Dark Oak | Walnut Blades

To order this fan without blades use [77520-88]

[77525-86]

Oiled Bronze

Oiled Bronze | Walnut Blades

To order this fan without blades use [77520-86]



[77525-65]

Satin Nickel

Satin Nickel | Walnut Blades

To order this fan without blades use [77520-65]

Also Availalbe: [77425-65] 42"

To order this fan without blades use [77420-65]



OPTIONAL LIGHT KIT

This Light Kit is available with in an Energy Saving CFL configuration.

[1504-865] 10"(w) x 4.5"(h) - (2) 13W M Spiral CFL (Included)

Satin Nickel | Satin Opal Glass

Light Kit is shown on 77525-6522 ceiling fan



[77525-67]

Antique White

Antique White Blades

To order this fan without blades use [77520-67]

Also Available: [77425-67] 42"

To order this fan without blades use [77420-67]




[77525-6522]

Satin Nickel

Dark Oak | Rosewood Blades

To order this fan without blades use [77520-65]



[77525-656]

Satin Nickel

Maple | White Blades

To order this fan without blades use [77520-65]



[77525-59]

Matte Black

Medium Oak | Walnut Blades

To order this fan without blades use [77520-59]




[77525-58]

Mystic Silver

Mystic Silver | Walnut Blades

To order this fan without blades use [77520-58]



[77525-44]
Toasted Sienna
Rosewood | Walnut Blades
To order this fan without blades use [77520-44]



[77525-33]
Cobblestone
Old Pine Blades
To order this fan without blades use [77520-33]



[77525-26]

Polished Brass | Gloss White

White Blades

To order this fan without blades use [77520-26]



[77525-15]

Gloss Black

Black Blades

To order this fan without blades use [77520-15]



[77525-6]

Gloss White
White Blades

To order this fan without blades use [77520-6]

Also Available: [77425-6] 42"

To order this fan without blades use [77420-6]



[77525-8]

Studio White
Studio White Blades

To order this fan without blades use [77520-8]

Also Available: [77425-8] 42"

To order this fan without blades use [77420-8]




[77525-4]

Antique Brass
Dark Oak | Medium Oak Blades

To order this fan without blades use [77520-4]

Also Available: [77425-4] 42"

To order this fan without blades use [77420-4]



[77525-2]

Polished Brass
Dark Oak | Medium Oak Blades

To order this fan without blades use [77520-2]



CAPRI III CEILING FAN



*Incandescent bowl light kit included.
Blade Alternative Options Available.*

The Capri III series comes with a lovely incandescent bowl style light kit. And with 9 finishes and two bowl styles to choose from, you'll have no problem finding the right one for your space.

[77525-9295]

Old World I Faux Alabaster

Old World I Walnut Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9295]

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[77525-9495]

Old World I Amber Scavo
 Old World I Walnut Blades
 Light Kit Uses (2) 60W C (Included)
 To order this fan without blades use [77520-9495]

FAN HEIGHT

Using 3.5" Downrod
 ● Distance OF 17.25"
 ○ Distance OF 10.5"

GENERAL SPECS

16 Finish Combinations Available
 Lifetime Motor Warranty
 Five Blades
 11.5-Degree Blade Pitch
 80" Lead Wire
 3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
 3 Speeds-Reversible
 14 Poles
 .57/.39/.21 AMPS on H/M/L
 67/30/9 WATTS on H/M/L
 180/120/63 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable w/Manual Reverse
 Detachable Switch Cup
 Light Kit Uses (2) 60W C (Included)


ENERGY SPECS

Energy Information at High Speed
 Airflow: 5116 Cubic Feet/Minute
 Electricity Use: 67 Watts (Excludes Lights)
 Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394



[77525-9595]

Old World I Faux Alabaster

Old World I Walnut Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9595]

[77525-9265]

Satin Nickel I Faux Alabaster

Dark Oak I Rosewood Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9265]



[77525-9267]

Antique White I Faux Alabaster

Antique White Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9267]



[77525-9565]

Satin Nickel | Faux Alabaster

Dark Oak | Rosewood Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9565]



[77525-9458]

Mystic Silver | Amber Scavo

Mystic Silver | Walnut Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9458]



[77525-9244]

Toasted Sienna | Faux Alabaster

Toasted Sienna | Walnut Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9244]



[77525-9444]

Toasted Sienna | Amber Scavo

Toasted Sienna | Walnut Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9444]

[77525-9486]

Oiled Bronze | Amber Scavo

Oiled Bronze | Walnut Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9486]



[77525-9544]

Toasted Sienna I Faux Alabaster
Toasted Sienna I Walnut Blades
Light Kit Uses (2) 60W C (Included)
To order this fan without blades use [77520-9544]



[77525-9422]

Antique Flemish I Amber Scavo
Antique Flemish I Pecan Blades
Light Kit Uses (2) 60W C (Included)
To order this fan without blades use [77520-9422]



[77525-9208]

Studio White I Faux Alabaster

Studio White Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9208]



[77525-9508]

Studio White I Faux Alabaster

Studio White Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9508]



[77525-9506]

Gloss White I Faux Alabaster

White Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9506]



[77525-9206]

Gloss White I Faux Alabaster

White Blades

Light Kit Uses (2) 60W C (Included)

To order this fan without blades use [77520-9206]



CAPRI IV CEILING FAN



***Energy Star approved bowl light kit included.
Blade Alternative Options Available.***

The Capri IV series features a fluorescent bowl that adds a bit of elegance to this classic style. This fan family offers eight finish combinations and three bowl colors.

[77525-2495]

Old World | Amber Scavo

Old World | Walnut Blades

Light Kit uses (2) 13W 2700K GU24 (Included)



[77525-2595]

Old World I Faux Alabaster
 Old World I Walnut Blades
 Light Kit uses (2) 13W 2700K GU24 (Included)

FAN HEIGHT

Using 3.5" Downrod
 ● Distance of 20.5"
 ○ Distance of 12.75"

GENERAL SPECS

10 Finish Combinations Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 11.5-Degree Blade Pitch
 80" Lead Wire
 3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
 3 Speeds-Reversible
 14 Poles
 .50/.37/.22 AMPS on H/M/L
 59/30/10 WATTS on H/M/L
 222/158/83 RPMS on H/M/L
 Triple Capacitor
 Fluorescent Lamps (Included)
 Not Remote Control Adaptable
 Light Kit Non-Dimmable

ENERGY SPECS

Energy Information at High Speed
 Airflow: 5948 Cubic Feet/Minute
 Electricity Use: 59 Watts (Excludes Lights)
 Airflow Efficiency: 100 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-6	-8	-44
-65	-86	-95

BULB TYPE



13W 2700K GU24

BLADE ALTERNATIVES

Use indoor blade type I-52 - See page 394



[77525-2565]

Satin Nickel | Faux Alabaster Light Kit
Dark Oak | Rosewood Blades
Light Kit uses (2) 13W 2700K GU24 (Included)

[77525-2686]

Oiled Bronze | Linen
Oiled Bronze | Walnut Blades
Light Kit uses (2) 13W 2700K GU24 (Included)



[77525-2486]

Oiled Bronze | Amber Scavo
Oiled Bronze | Walnut Blades
Light Kit uses (2) 13W 2700K GU24 (Included)

[77525-2586]

Oiled Bronze | Faux Alabaster
Oiled Bronze | Walnut Blades
Light Kit uses (2) 13W 2700K GU24 (Included)



[77525-2444]
Toasted Sienna | Amber Scavo
Toasted Sienna | Walnut Blades
Light Kit uses (2) 13W 2700K GU24 (Included)



[77525-2544]
Toasted Sienna | Faux Alabaster
Toasted Sienna | Walnut Blades
Light Kit uses (2) 13W 2700K GU24 (Included)



[77525-2508]
Studio White | Faux Alabaster
Studio White Blades
Light Kit uses (2) 13W 2700K GU24 (Included)



[77525-2506]
Gloss White | Faux Alabaster
White Blades
Light Kit uses (2) 13W 2700K GU24 (Included)



CAPRI V CEILING FAN



Four light kit included.

Blade Alternative Options Available.

A 4-light CFL light kit distinguishes the Capri V series. Choose from 14 finish combinations and three glass colors.

[77525-8286]

Oiled Bronze | Linen

Oiled Bronze | Walnut Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8286]



[77525-8195]

Old World | Faux Alabaster
 Old World | Walnut Blades
 Light Kit uses (4) 13W M Spiral CFL (Included)
 To order this fan without blades use [77520-8195]

FAN HEIGHT

Using 3.5" Downrod

- Distance Of 19"
- Distance Of 11.5"

GENERAL SPECS

14 Finish Combinations Available
 Lifetime Motor Warranty
 Five Blades
 11.5-Degree Blade Pitch
 80" Lead Wire
 3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
 3 Speeds-Reversible
 14 Poles
 .51/.36/.20 AMPS on H/M/L
 67/28/10 WATTS on H/M/L
 158/104/56 RPMS on H/M/L
 Triple Capacitor
 Not Remote Control Adaptable
 Detachable Switch Cup
 Light Kit Uses (4) 13W M 2700k Spiral CFL Bulbs (Included)
 Light Kit Non-Dimmable

ENERGY SPECS

Energy Information at High Speed
 Airflow: 5116 Cubic Feet/Minute
 Electricity Use: 67 Watts (Excludes Lights)
 Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Spiral CFL

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394




[77525-8167]

Antique White | Faux Alabaster

Antique White Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8167]




[77525-8165] (non-dimmable bulbs included)

Satin Nickel | Faux Alabaster

Satin Nickel | Walnut Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8165]



[7752581656]

Satin Nickel | Faux Alabaster

Maple | White Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8165]



[77525-8358]

Mystic Silver | Amber Scavo

Mystic Silver | Walnut Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8358]



[7752581652]

Satin Nickel | Faux Alabaster

Dark Oak | Rosewood Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8165]



[77525-8144]

Toasted Sienna | Faux Alabaster

Toasted Sienna | Walnut Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8144]



[77525-8344]

Toasted Sienna | Amber Scavo

Toasted Sienna | Walnut Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8344]



[77525-8395]

Old World | Amber Scavo

Old World | Walnut Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8395]



[77525-8322]

Antique Flemish | Amber Scavo

Antique Flemish | Pecan Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8322]




[77525-8108]

Studio White | Faux Alabaster

Studio White Blades

Light Kit uses (4) 13W M Spiral CFL (Included)

To order this fan without blades use [77520-8108]



[77525-8106]

Gloss White | Faux Alabaster
White Blades

Light Kit uses (4) 13W M Spiral CFL (Included)
To order this fan without blades use [77520-8106]



[77525-8102]

Polished Brass | Faux Alabaster
Medium Oak | Dark Oak Blades

Light Kit uses (4) 13W M Spiral CFL (Included)
To order this fan without blades use [77520-8102]



CAPRI VI CEILING FAN



Three light kit included.
Blade Alternative Options Available.

The Capri VI series features a 3-light incandescent bulb kit that comes in three lovely colors – Linen, Amber Scavo and Faux Alabaster. Choose from 15 different finish combinations sure to complement any décor.

[77525-1665]

Satin Nickel | Faux Alabaster

Satin Nickel | Walnut Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use [77520-1665]

REMOTE CONTROL OPTIONS^{SV}



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[77525-1795]

Old World I Amber Scavo

Old World I Walnut Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use [77520-1795]

FAN HEIGHT

Using 3.5" Downrod

● Distance OF 19.75"

○ Distance OF 12.5"

GENERAL SPECS

16 Finish Combinations Available

Lifetime Motor Warranty

Five Blades

11.5-Degree Blade Pitch

80" Lead Wire

3.5" and 6" Downrod Included

MECHANICAL SPECS

153 x 15 Motor Size

3 Speeds-Reversible

14 Poles

.57/.39/.22 AMPS on H/M/L

67/28/7 WATTS on H/M/L

171/115/60 RPMS on H/M/L

Triple Capacitor

Remote Control Adaptable w/Manual Reverse

Detachable Switch Cup

Light Kit Uses (3) 60W C Bulbs (Included)

ENERGY SPECS


Energy Information at High Speed

Airflow: 5116 Cubic Feet/Minute


Electricity Use: 67 Watts (Excludes Lights)

Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES




BULB TYPE



Candelabra

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394



[77525-1667]

Antique White | Faux Alabaster

Antique White Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use [77520-1667]



[77525-1886]

Oiled Bronze | Linen

Oiled Bronze | Walnut Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use [77520-1886]



[77525-1758]

Mystic Silver | Amber Scavo

Mystic Silver | Walnut Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use [77520-1758]



[7752516656]

Satin Nickel | Faux Alabaster

Maple | White Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use [77520-1665]



[77525-1695]

Old World | Faux Alabaster
Old World | Walnut Blades
Light Kit uses (3) 60W C (Included)
To order this fan without blades use [77520-1695]



[77525-1786]

Oiled Bronze | Amber Scavo
Oiled Bronze | Walnut Blades
Light Kit uses (3) 60W C (Included)
To order this fan without blades use [77520-1786]



[77525-1686]

Oiled Bronze | Faux Alabaster
Oiled Bronze | Walnut Blades
Light Kit uses (3) 60W C (Included)
To order this fan without blades use [77520-1686]



[7752516652]

Satin Nickel | Faux Alabaster
Dark Oak | Rosewood Blades
Light Kit uses (3) 60W C (Included)
To order this fan without blades use [77520-1665]




[77525-1644]

Toasted Sienna | Faux Alabaster
Toasted Sienna | Walnut Blades
Light Kit uses (3) 60W C (Included)
To order this fan without blades use [77520-1644]



[77525-1744]

Toasted Sienna | Amber Scavo
Toasted Sienna | Walnut Blades
Light Kit uses (3) 60W C (Included)
To order this fan without blades use [77520-1744]



[77525-1722]

Antique Flemish I Amber Scavo

Antique Flemish I Pecan Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use [77520-1722]



[77525-1608]

Studio White I Faux Alabaster

Studio White Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use [77520-1608]



[77525-1606]

Gloss White I Faux Alabaster

White Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use [77520-1606]



[77525-1602]

Polished Brass | Faux Alabaster

Medium Oak | Dark Oak Blades

Light Kit uses (3) 60W C (Included)

To order this fan without blades use [77520-1602]



CAPRI VII CEILING FAN



***Energy Star approved four light kit included.
Blade Alternative Options Available.***

There's nothing quite like a room that celebrates the traditional. Why not complement that interior with the comfortably stylish Capri series. A four-light fluorescent bulb kit adds just the right amount of ambience while five different finishes make for a seamless addition to any space.

[77525-8844]

Toasted Sienna | Amber Scavo

Toasted Sienna | Walnut Blades

Light Kit uses (4) 13W 2700K GU24 (Included)



[77525-8986]

Oiled Bronze | Linen

Oiled Bronze | Walnut Blades

Light Kit uses (4) 13W 2700K GU24 (Included)

FAN HEIGHT

Using 3.5" Downrod

- Distance OF 17.5"
- Distance OF 9.75"

GENERAL SPECS

5 Finish Combinations Available
 Lifetime Motor Warranty
 Five Blades
 12-Degree Blade Pitch
 80" Lead Wire
 3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
 3 Speeds-Reversible
 14 Poles
 .52/.37/.21 AMPS on H/M/L
 67/29/9 WATTS on H/M/L
 190/133/69 RPMS on H/M/L
 Triple Capacitor
 Not Remote Control Adaptable
 Light Kit Uses (4) 13W 2700k GU24 Bulbs (Included)
 Light Kit Not Dimmable


ENERGY SPECS

Energy Information at High Speed
 Airflow: 5607 Cubic Feet/Minute
 Electricity Use: 67 Watts (Excludes Lights)
 Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



13W 2700K GU24

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394



[77525-8706]

Gloss White | Faux Alabaster

Gloss White Blades

Light Kit uses (4) 13W 2700K GU24 (Included)



[77525-8708]

Studio White | Faux Alabaster

Studio White Blades

Light Kit uses (4) 13W 2700K GU24 (Included)



[77525-8744]

Toasted Sienna | Faux Alabaster
Toasted Sienna | Walnut Blades
Light Kit uses (4) 13W 2700K GU24 (Included)



CUSTOM HUGGER CEILING FAN



Blade Alternative Options Available.

The Custom Hugger series attaches directly to your ceiling and offers a variety of finishes and most are available in two sizes. The familiar design of this fan is a comforting reminder of warm summer nights spent beneath the cool breeze of gently circulating air.

[11525-65]

Satin Nickel

Satin Nickel | Walnut Blades



[11525-2]
 Polished Brass
 Dark Oak | Medium Oak Blades
Also Available: [11425-2] 42"

FAN HEIGHT

- (52"/42" models)
 ● Distance of 7.75"/7.5"
 ○ Distance of 6"/6"

GENERAL SPECS

4 Finishes Available (for 52")
 3 Finishes Available (for 42")
 Lifetime Motor Warranty
 Five Blades
 11.5-Degree Blade Pitch

MECHANICAL SPECS

153 x 12 Motor Size for 52"
 153 x 10 Motor Size for 42"
 3 Speeds-Reversible
 14 Poles (14 Poles for 42")
 .40/.32/.19 AMPS on H/M/L (.38/.29/.21 for 42")
 71/32/14 WATTS on H/M/L (48/27/15 for 42")
 158/121/75 RPMS on H/M/L (220/175/120 for 42")
 Triple Capacitor (Single for 42")
 Not Remote Control Adaptable
 Detachable Switch Cup

ENERGY SPECS

Energy Information at High Speed (52"/42")
 Airflow: 5307/3812 Cubic Feet/Minute
 Electricity Use: 71/48 Watts (Excludes Lights)
 Airflow Efficiency: 74/79 cubic feet/min./watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

For 42" use indoor blade type 1-42 - See page 392
 For 52" use indoor blade type 1-52 - See page 394



[11525-6]

Gloss White

White Blades

Also Available: [11425-6] 42"



[11525-4]
Antique Brass
Dark Oak | Medium Oak Blades
Also Available: [11425-4] 42"



ESTATE 30 CEILING FAN



Blade Alternative Options Available.

The Estate 30" collection is our smallest Estate fan, allowing you to cool and circulate air through more modest spaces without compromising on taste. The classic, yet refined design is great for brightening up a breakfast nook or a petite cottage room.

[43306-65]

Satin Nickel

Satin Nickel | Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[43306-95]
 Old World
 Rosewood | Walnut Blades

FAN HEIGHT

Using 3.5" Downrod

- Distance of 12"
- Distance of 10.75"

GENERAL SPECS

5 Finishes Available
 Lifetime Motor Warranty
 Six Blades
 30" Blade Sweep
 25-Degree Blade Pitch
 80" Lead Wire
 3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 12 Motor Size
 3 Speeds-Reversible
 14 Poles
 .30/.20/.09 AMPS on H/M/L
 53/26/9 WATTS on H/M/L
 240/182/100 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
 Airflow: 3690 Cubic Feet/Minute
 Electricity Use: 53 Watts (Excludes Lights)
 Airflow Efficiency: 69 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES


-6	-44	-65
-67	-95	

BLADE ALTERNATIVES


Use indoor blade type 1-30 - See page 391



[43306-44]
Toasted Sienna
Rosewood | Walnut Blades



[43306-6]
Gloss White
White Blades



[43306-67]
Antique White
Antique White Blades



ESTATE 42 CEILING FAN



Blade Alternative Options Available.

The Estate 42" series has the most versatile blade sweep of all the Estate fans. Whether you're fitting a standard-sized game room or small home office, this fan will provide adequate circulation and a touch of class without overwhelming the room.

[43425-65]

Satin Nickel

Satin Nickel | Walnut Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[43425-4]
 Antique Brass
 Dark Oak | Medium Oak Blades

FAN HEIGHT

Using 3.5" Downrod

- Distance of 12"
- Distance of 10.75"

GENERAL SPECS

6 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 42" Blade Sweep
 14-Degree Blade Pitch
 3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 13 Motor Size
 3 Speeds-Reversible
 14 Poles
 .47/.34/.20 AMPS on H/M/L
 55/25/9 WATTS on H/M/L
 195/138/75 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
 Airflow: 4595 Cubic Feet/Minute
 Electricity Use: 63 Watts (Excludes Lights)
 Airflow Efficiency: 73 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES


Use indoor blade type 1-42 - See page 392



[43425-67]

Antique White

Antique White Blades




[43425-44]

Toasted Sienna

Rosewood | Walnut Blades



[43425-95]
Old World
Rosewood | Walnut Blades



[43425-6]
Gloss White
White Blades



ESTATE 52 CEILING FAN



Blade Alternative Options Available.

The Estate 52" series is the perfect way to provide the refined aesthetic of our Estate fans to the larger rooms in your house. The 52" blade sweep and 12 finish combinations will keep you cool and comfortable while providing the ideal accent to wide rooms and vaulted ceilings.

OPTIONAL LIGHT KIT

[2444-8059] 10"(w) x 3"(h) - (4) 13W M Spiral CFL (Included)
Matte Black | Optional 2812 Glass
Light Kit shown on 43525-59 ceiling fan

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[43525-86]
 Oiled Bronze
 Oiled Bronze | Walnut Blades

FAN HEIGHT

Using 3.5" Downrod

- Distance of 12"
- Distance of 10.5"

GENERAL SPECS

12 Finish Combinations Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 14-Degree Blade Pitch
 3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
 3 Speeds-Reversible
 14 Poles
 .58/.39/.21 AMPS on H/M/L
 66/29/9 WATTS on H/M/L
 175/104/58 RPMs on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
 Airflow: 5361 Cubic Feet/Minute
 Electricity Use: 66 Watts (Excludes Lights)
 Airflow Efficiency: 81 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394




[43525-65]
Satin Nickel
Satin Nickel | Walnut Blades



[43525-95]
Old World
Rosewood | Walnut Blades



[43525-92]
Antique Silver
Rosewood | Walnut Blades




[43525-67]
Antique White
Antique White Blades



[43525-6522]

Satin Nickel

Dark Oak | Rosewood Blades




[43525-44]

Toasted Sienna

Rosewood | Walnut Blades




[43525-8]
Studio White
Studio White Blades




[43525-59]
Matte Black
Medium Oak | Walnut Blades



[43525-4]
Antique Brass
Dark Oak | Medium Oak Blades



[43525-6]
Gloss White
White Blades



[43525-2]
Polished Brass
Dark Oak | Medium Oak Blades



MONTICELLO CEILING FAN



Blade Alternative Options Available.

Old world charm and baroque opulence have never been so intertwined. The Monticello series celebrates ornate style with intricately designed blade holders and exceptionally detailed shapes on the decorative housing.

[17525-88]

Corsican Gold

Dark Oak | Walnut Blades

To order this fan without blades use [17520-88]

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[17525-95]

Old World

Rosewood | Walnut Blades

To order this fan without blades use [17520-95]

FAN HEIGHT

Using 3.5" Downrod

- Distance of 13.5"
- Distance of 11"

GENERAL SPECS

- 10 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 16 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/.37/.20 AMPS on H/M/L
- 63/28/8 WATTS on H/M/L
- 156/105/50 RPMS on H/M/L
- Dual Capacitor
- Remote Control Adaptable
- Detachable Switch Cup

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5711 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 85 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-6	-8	-44	-65	-67
-86	-88	-92	-95	

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394



[17525-92]
Antique Silver
Rosewood | Walnut Blades
To order this fan without blades use [17520-92]



[17525-86]
Oiled Bronze
Oiled Bronze | Walnut Blades
To order this fan without blades use [17520-86]



[17525-65]
Satin Nickel
Maple | Studio White Blades
To order this fan without blades use [17520-65]



[17525-67]
Antique White
Antique White | Washed Oak Blades
To order this fan without blades use [17520-67]



[17525-6522]
Satin Nickel
Dark Oak | Rosewood Blades
To order this fan without blades use [17520-65]



[17525-44]


Toasted Sienna

Rosewood | Walnut Blades

To order this fan without blades use [17520-44]



[17525-8]
Studio White
Maple | Studio White Blades
To order this fan without blades use [17520-8]



[17525-6]
Gloss White
White Blades
To order this fan without blades use [17520-6]



VANDERBILT 60 UNI-PACK CEILING FAN



Blade Alternative Options Available

With its clean lines and understated sophistication, the Vanderbilt series is a study in elegant simplicity. And with a variety of finishes ranging from Satin Nickel to Antique White, this family of fans truly is as versatile as it is beautiful.

[55605-6]

Gloss White | Faux Alabaster Glass

White Blades

Light Kit uses (2) 13W 2700k M Spiral CFL (Included)

REMOTE CONTROL OPTIONS



7-1401-0
Optional



[55605-86]

Oiled Bronze | Amber Scavo Glass

Oiled Bronze | Walnut Blades

Light Kit uses (2) 13W 2700k M Spiral CFL (Included)

FAN HEIGHT

Using 4" Downrod

● Distance of 12.75"

○ Distance of 19.75"

GENERAL SPECS

6 Finish Combinations Available

Lifetime Motor Warranty

Five Blades

60" Blade Sweep

13.5-Degree Blade Pitch

80" Lead Wire

4" and 6" Downrod Included

MECHANICAL SPECS

172 x 20 Motor Size

3 Speeds-Reversible

16 Poles

.57/43/23 AMPS on H/M/L

65/38/10 WATTS on H/M/L

113/88/49 RPMS on H/M/L

Triple Capacitor

Remote Control Adaptable

Light Kit Uses (2) 13W 2700k GU 24 (Included)

Detachable Switch Cup

Skirted Blade Arms

ENERGY SPECS


Energy Information at High Speed

Airflow: 5460 Cubic Feet/Minute

Electricity Use: 65 Watts (Excludes Lights)

Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-6	-8	-44
-65	-67	-86

BULB TYPE



13W 2700K M Spiral CFL

BLADE ALTERNATIVES

Use indoor blade type 5-60 - See page 407



[55605-44]

Toasted Sienna | Amber Scavo Glass

Toasted Sienna | Walnut Blades

Light Kit uses (2) 13W 2700k M Spiral CFL (Included)



[55605-65]

Satin Nickel | Faux Alabaster Glass

Satin Nickel | Walnut Blades

Light Kit uses (2) 13W 2700k M Spiral CFL (Included)



[55605-67]

Antique White I Faux Alabaster Glass

Antique White Blades

Light Kit uses (2) 13W 2700k M Spiral CFL (Included)



[55605-8]

Studio White I Faux Alabaster Glass

Studio White Blades

Light Kit uses (2) 13W 2700k M Spiral CFL (Included)

PATIO FAN


VISUAL TABLE OF CONTENTS

CONTEMPORARY DESIGNS




260

Bronx



262


Dragonfly 60"



264


DragonFly 72"

SOFT CONTEMPORARY DESIGNS




266

Hanover




268

Hudson




270

Orbit



272


Portside



274

Rockwell

TRADITIONAL DESIGNS




280

Adirondacks




282

Allure




284

Allure All-Weather




286

Auburn



288

Baltic




298

Medallion 42"




300

Medallion 52"



302

Monaco



304

Pinnacle



278

Veranda




314

Estate 30"



316

Estate 42"



318


Estate 52"



308


Estate Uni-Pack

VALUE DESIGNS




290

Belvedere




276

Galveston



292

Georgia



294


Marsden



296

Medallion 30"

TRADITIONAL DESIGNS



306

Westbrook



BRONX PATIO FAN



The Bronx Patio series offers contemporary style with blades anchored directly to the decorative housing. With two finishes to choose from, the Bronx Patio is destined to add a refined casualness to any outdoor setting.

[142523-65]

Satin Nickel

Walnut ABS Blades

Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp
(Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[142523-86]

Oiled Bronze

Walnut ABS Blades

Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)

FAN HEIGHT

Using 4.5" Downrod

- Distance of 15"
- Distance of 12"

GENERAL SPECS

2 Finishes Available (Powder Coated)

Lifetime Motor Warranty

Three ABS Blades

52" Blade Sweep

13.5-Degree Blade Pitch

80" Lead Wire

4.5" Downrod Included

MECHANICAL SPECS

172 x 17 Motor Size

4 Speeds-Reversible/Manual Reverse Switch

16 Poles

.55/.42/.27/.23 AMPS on H/M/L

66/37/16/12 WATTS on H/M/L

207/150/91/78 RPMs on H/M/L

4 Speed Wall Control Included

Remote Control Adaptable w/Manual Reverse

Light Kit Uses (1) 75W JD-E11 Mini-Can

Halogen Bulb (Included)

UL Wet Listed

ENERGY SPECS


Energy Information at High Speed

Airflow: 6514 Cubic Feet/Minute

Electricity Use: 66 Watts (Excludes Lights)

Airflow Efficiency: 99 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can



DRAGONFLY 60 PATIO FAN

Sleek style combined with nautical influences define the Dragonfly patio 60". Water-resistant canvas blades contrast nicely with the futuristic decorative housing and strong metal accents. Choose the Dragonfly to add a flight of fancy (and interest) to covered decks and boathouses.

[159605-8]


Studio White

White Water Resistant Canvas Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



[159605-65]
Satin Nickel
Gray Water Resistant Canvas Blades

FAN HEIGHT

Using 3.5" Downrod

- Distance of 13.5"
- Distance of 10.25"

GENERAL SPECS

2 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Five Water-Resistant Canvas Blades
60" Blade Sweep
12-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

28mm DC Motor
3 Speeds-Reversible
18 Poles
.87/59/37 AMPS on H/M/L
101/46/18 WATTS on H/M/L
133/88/57 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
UL Damp Listed

ENERGY SPECS

Energy Information at High Speed
Airflow: 5630 Cubic Feet/Minute
Electricity Use: 101 Watts (Excludes Lights)
Airflow Efficiency: 55 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-8

-65



DRAGONFLY 72 PATIO FAN

The Dragonfly patio 72" will put even more wind in your sails with its water-resistant canvas blades and unique styling. A larger version of the Dragonfly 60", this fan is equally as comfortable in a beach-front resort as a lake-side cabin.

[159725-8]

Studio White

White Water Resistant Canvas Blades


REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



[159725-65]

Satin Nickel

Gray Canvas Water Resistant Blades

FAN HEIGHT

Using 3.5" Downrod

- Distance of 13.5"
- Distance of 10.25"

GENERAL SPECS

2 Finishes Available (Powder Coated)

Lifetime Motor Warranty

Five Water-Resistant Canvas Blades

72" Blade Sweep

12-Degree Blade Pitch

80" Lead Wire

3.5" and 6" Downrod Included

MECHANICAL SPECS

28mm DC Motor

3 Speeds-Reversible

18 Poles

.86/.59/.37 AMPS on H/M/L

100/46/18 WATTS on H/M/L

88/56/37 RPMS on H/M/L

Triple Capacitor

Remote Control Adaptable

UL Damp Listed

ENERGY SPECS


Energy Information at High Speed

Airflow: 4690 Cubic Feet/Minute

Electricity Use: 100 Watts (Excludes Lights)

Airflow Efficiency: 46 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





HANOVER PATIO FAN



Blade Alternative Options Available.

Understated style defines the Hanover patio series of fans. A substantial decorative housing with slightly distressed finish and hammered blade holders make this fan a favorite of patios everywhere.

[129525-44]

Toasted Sienna

Rosewood ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[129525-95]
Old World
Walnut ABS Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 15.75"
- Distance of 15.5"

GENERAL SPECS

2 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
3 Speeds-Reversible
16 Poles
.55/.41/.21 AMPS on H/M/L
67/36/11 WATTS on H/M/L
180/130/67 RPMS on H/M/L
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms
UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 6323 Cubic Feet/Minute
Electricity Use: 68 Watts (Excludes Lights)
Airflow Efficiency: 94 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use outdoor blade type 5-52 - See page 413



HUDSON PATIO FAN



The Hudson patio series combines rugged details with interesting shapes to create a look that truly makes a statement. The studs on the decorative housing are repeated on the blade holders to create a rustic feel.

[137525-95]
Old World
Walnut ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional




7-1305-0
Optional



[5251515314]
Optional Black ABS blades shown on
137525-9 Ceiling Fan



[137525-9]
Galvanized
Medium Oak ABS Blades



[137525-44]
Toasted Sienna
Rosewood ABS Blades

FAN HEIGHT

Using 6" Downrod
 ● Distance of 16.5"
 ○ Distance of 14.75"

GENERAL SPECS

3 Finishes Available (Powder Coated)
 Lifetime Motor Warranty
 Five ABS Blades
 52" Blade Sweep
 14-Degree Blade Pitch
 80" Lead Wire
 6" Downrod Included


MECHANICAL SPECS

172 x 14 Motor Size
 3 Speeds-Reversible
 16 Poles
 .57/.39/.21 AMPS on H/M/L
 68/30/9 WATTS on H/M/L
 163/110/65 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 UL Wet Listed

ENERGY SPECS

Energy Information at High Speed
 Airflow: 5647 Cubic Feet/Minute
 Electricity Use: 68 Watts (Excludes Lights)
 Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





ORBIT PATIO FAN



The Orbit Patio will bring a polished look to any outdoor space. Clean lines accentuate the modern style and offer an interesting esthetic for those wanting to add a contemporary element to their patio.

[18524-65]

Satin Nickel | Satin Opal Glass


Maple ABS Blades

Light Kit uses (3) 40W C Bulbs (Included)

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[18524-86]

Oiled Bronze | Satin Opal Glass

Walnut ABS Blades

Light Kit uses (3) 40W C Bulbs (Included)

FAN HEIGHT

Using 4" Downrod

● Distance of 15.5"

○ Distance of 9.75"

GENERAL SPECS

2 Finishes Available

Lifetime Motor Warranty

Four ABS Blades

52" Blade Sweep

12-Degree Blade Pitch

80" Lead Wire

4" and 6" Downrod Included

MECHANICAL SPECS

172 x 17 Motor Size

3 Speeds-Reversible

16 Poles

.54/.47/.25 AMPS on H/M/L

59/46/12 WATTS on H/M/L

163/142/66 RPMS on H/M/L

Triple Capacitor

Remote Control Adaptable w/ manual reverse

Light Kit Uses (3) 40C Bulbs (Included)

UL Wet Listed

ENERGY SPECS


Energy Information at High Speed

Airflow: 5499 Cubic Feet/Minute

Electricity Use: 59 Watts (Excludes Lights)

Airflow Efficiency: 93 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



PORTSIDE PATIO FAN



Blade Alternative Options Available.

It's likely the unique decorative housing of the Portside patio collection will draw your attention first. Then your eye will inevitably wind up on the unique blade holders that add a certain amount of rustic elegance to this popular fan.

[144525-86]

Oiled Bronze

Walnut ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[144525-44]
Toasted Sienna
Walnut ABS Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 16.25"
- Distance of 14"

GENERAL SPECS

2 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
3 Speeds-Reversible
16 Poles
.53/.38/.21 AMPS on H/M/L
64/31/9 WATTS on H/M/L
160/110/50 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Skirted Blade Arms
UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 5692 Cubic Feet/Minute
Electricity Use: 64 Watts (Excludes Lights)
Airflow Efficiency: 89 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use outdoor blade type 5-52 - See page 413



ROCKWELL PATIO FAN



Slightly curved blades and uniquely shaped blade holders set the Rockwell Patio series apart. Choose the Satin Nickel or Oiled Bronze finish for a modern look or the Studio White for a fresh, clean feel.

[19525-65]

Satin Nickel | Satin Opal Glass

Satin Nickel ABS Blades

Light Kit uses (2) 13W M Non-Dimmable Spiral CFL Bulbs
(Included)

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[19525-86]

Oiled Bronze | Satin Opal Glass

Walnut ABS Blades

Light Kit uses (2) 13W M Non-Dimmable Spiral CFL Bulbs
(Included)

FAN HEIGHT

Using 4" Downrod

- Distance of 16.5"
- Distance of 10"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
12-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

153 x 18 Motor Size
3 Speeds-Reversible
14 Poles
.44/.35/.21 AMPS on H/M/L
53/33/12 WATTS on H/M/L
194/148/81 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (2) 13W M Spiral CFL Bulbs (Included)
Light Kit Non-Dimmable
UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 4955 Cubic Feet/Minute
Electricity Use: 53 Watts (Excludes Lights)
Airflow Efficiency: 92 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Spiral CFL



GALVESTON PATIO FAN

There's nothing quite like an ocean breeze. But the next best thing is the gentle, refreshing air circulation provided by the Galveston. With styling reminiscent of a lantern, thanks to its cage-like metal housing around the light, this functional fan is an outdoor accessory perfect for those laid-back, beachside days and nights.

[13525-86]
Oiled Bronze
Walnut ABS Blades

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[13525-8]
 Studio White
 White ABS Blades



[13525-44]
 Toasted Sienna
 Walnut ABS Blades

FAN HEIGHT

- Using 4" Downrod
- Distance of 18.5"
- Distance of 10.75"

GENERAL SPECS

- 3 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 80" Lead Wire
- 13.5-Degree Blade Pitch
- 4" and 6" Downrods Included


MECHANICAL SPECS

- 172x17 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .57/.38/.20 AMPS on H/M/L
- 63/29/8 WATTS on H/M/L
- 175/127/59 RPMS on H/M/L
- Remote Control Adaptable w/ Manual Reverse
- Light Kit uses (1) 14W M CFL Bulb (Included)
- Light Kit Non-Dimmable
- UL Wet listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5126 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 90 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE





VERANDA PATIO FAN



“Retro cool” perfectly describes the Veranda. Designed for the patio, but just as comfortable in a garage, game room or guest house, the Veranda brings a contemporary vibe to an old-school function.

[92413-65]
Satin Nickel
Satin Nickel Blades

WALL CONTROL INCLUDED



7-1094-6
Included



ALTERNATE VIEW

[92413-65]
Satin Nickel
Satin Nickel Blades



[92413-86]
Oiled Bronze
Oiled Bronze Blades

FAN HEIGHT

- Extension of 18"
- Height of 23"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Four ABS Blades
13" Blade Sweep
12" Lead Wire
On/Off Switch for Oscillating Function
Oscillates 45 Degree


MECHANICAL SPECS

153x16 Motor Size
3 Speeds-Reversible
14 Poles
.49/.50/.48 AMPS on H/M/L
60/49/40 WATTS on H/M/L
1299/1107/899 RPMS on H/M/L
Not Remote Control Adaptable
UL Damp listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 1411 Cubic Feet/Minute
Electricity Use: 60 Watts (Excludes Lights)
Airflow Efficiency: 24 Cubic Feet/Minute/Watt

WIDTH HEIGHT



AVAILABLE FINISHES





ADIRONDACKS PATIO FAN



Blade Alternative Options Available.

The Adirondacks series takes the concept of simple style to a new level. Subtle details like metal plugs and vertical bands on the decorative housing add just the right amount of adornment to this classic, easy-going fan.

[138525-44]

Toasted Sienna

Walnut ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[138525-95]
Old World
Walnut ABS Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 14.25"
- Distance of 12.5"

GENERAL SPECS

2 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
12-Degree Blade Pitch
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 14 Motor Size
3 Speeds-Reversible
80" Lead Wire
16 Poles
.47/34/25 AMPS on H/M/L
57/30/10 WATTS on H/M/L
170/128/59 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup/Skirted Blade Arms
UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 5245 Cubic Feet/Minute
Electricity Use: 57 Watts (Excludes Lights)
Airflow Efficiency: 92 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use outdoor blade type 5-52 - See page 413



ALLURE PATIO FAN



Blade Alternative Options Available.

The Allure is minimalism at its best. Nothing distracts from the semi-circle fan holders and five solid blades that give this fan its timeless style. This unobtrusive design is a welcome addition to any décor.

[136525-6]

Gloss White

White ABS Blades

all plastic ABS housing

REMOTE CONTROL OPTIONS




7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



FAN HEIGHT

Using 4" Downrod

- Distance of 13.75"
- Distance of 12.75"

GENERAL SPECS

Powder Coated Finish
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

153 x 16 Motor Size
3 Speeds-Reversible
14 Poles
.53/.37/.21 AMPS on H/M/L
64/33/12 WATTS on H/M/L
160/110/60 RPMs on H/M/L
Triple Capacitor
Remote Control Adaptable w/ Manual Reverse
UL Wet Listed

ENERGY SPECS

Energy Information at High Speed
Airflow: 5266 Cubic Feet/Minute
Electricity Use: 64 Watts (Excludes Lights)
Airflow Efficiency: 82 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 412



ALLURE ALL-WEATHER

PATIO FAN



Blade Alternative Options Available.

Like a favorite pair of slippers, the all-weather Allure patio series is comfortable in just about any environment. These fans are the dependable workhorse you can count on to get the job done. Nothing fancy, just solid styling and reliable performance.

[146525-86]

Oiled Bronze

Walnut ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[146525-44]
Toasted Sienna
Rosewood ABS Blades



[146525-6]
Gloss White
White ABS Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 13.75"
- Distance of 12.75"

GENERAL SPECS

3 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
80" Lead Wire
13.5-Degree Blade Pitch
4" and 6" Downrods Included


MECHANICAL SPECS

153x16 Motor Size
3 Speeds-Reversible
14 Poles
.53/.37/.21 AMPS on H/M/L
64/33/12 WATTS on H/M/L
160/110/60 RPMS on H/M/L
Remote Control Adaptable w/ Manual Reverse
UL Wet listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 5266 Cubic Feet/Minute
Electricity Use: 64 Watts (Excludes Lights)
Airflow Efficiency: 82 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 412



AUBURN PATIO FAN



The Auburn patio fan's distinctive style is sure to elicit compliments from everyone who happens to look up. Hammered glass on the decorative housing as well as the light kit gives this fan a unique, mid-century modern esthetic few can resist.

[12525-995]

- Old World I Clear Hammered Glass
- Walnut ABS Blades
- Light Kit uses (3) 40W C Bulbs (Included)
- Motor Housing uses (6) 7W C7 Bulbs (Included)


REMOTE CONTROL OPTIONS



7-3000
Optional



7-1305-0
Optional



FAN HEIGHT

Using 7" Downrod

- Distance of 19"
- Distance of 14.25"

GENERAL SPECS

Powder Coated Finish
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
7" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
3 Speeds-Reversible
16 Poles
.64/.43/.23 AMPS on H/M/L
71/34/10 WATTS on H/M/L
187/122/60 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable w/ Manual Reverse
Light Kit Uses (3) 40W C Bulbs (Included)
Housing Light Uses (6) 7W C7 Bulbs (Included)
UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 5998 Cubic Feet/Minute
Electricity Use: 71 Watts (Excludes Lights)
Airflow Efficiency: 84 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra C7 Candelabra



BALTIC PATIO FAN



The beautifully appointed Baltic patio series combines Victorian-era details with modern functionality. Intriguing details like candle lights, fluted fan holders and six-sided glass housing work together to bring a classic street lamp look to this elegant and refined fan.

[145525-86]

Oiled Bronze | Clear Seeded Glass
Walnut ABS Blades
Light Kit uses (3) 40W C Bulbs (Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1305-0
Optional



FAN HEIGHT

Using 4" Downrod

- Distance of 23.5"
- Distance of 10.75"

GENERAL SPECS

Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
14-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172x17 Motor Size
4 Speeds-Reversible /Manual Reverse Switch
16 Poles
.59/.40/.22/.18 AMPS on H/M/L
57/30/10/8 WATTS on H/M/L
165/110/90/50 RPMS on H/M/L
4 Speed Wall Control Included
Remote Control Adaptable w/ Manual Reverse
Light Kit Uses (3) 40W C Bulbs (Included)
UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 5685 Cubic Feet/Minute
Electricity Use: 57 Watts (Excludes Lights)
Airflow Efficiency: 99 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



BELVEDERE PATIO FAN



The Belvedere patio collection is a study in octagonal brilliance. Ornate without being overworked, this classic and comforting fan makes a statement by bringing a refined elegance to any patio.

[14525-906]

Gloss White | White Frost Glass

White ABS Blades

Light Kit uses (3) 40W C Bulbs (Included)

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1305-0
Optional



[14525-944]

Toasted Sienna | Amber Scavo Glass
Walnut ABS Blades
Light Kit uses (3) 40W C Bulbs (Included)



[14525-986]

Oiled Bronze | Amber Scavo Glass
Walnut ABS Blades
Light Kit uses (3) 40W C Bulbs (Included)

FAN HEIGHT

- Using 4" Downrod
- Distance of 20.75"
- Distance of 11.75"

GENERAL SPECS

3 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
3 Speeds-Reversible
16 Poles
.44/.39/.25 AMPS on H/M/L
54/32/12 WATTS on H/M/L
161/121/67 RPMS on H/M/L
Light Kit Uses (3) 40W C Bulbs (Included)
Remote Control Adaptable w/ Manual Reverse
UL Wet Listed

ENERGY SPECS

Energy Information at High Speed
Airflow: 4560 Cubic Feet/Minute
Electricity Use: 54 Watts (Excludes Lights)
Airflow Efficiency: 84 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



GEORGIA PATIO FAN



The Georgia patio series is a timeless and beautiful example of antique styling highlighted by clear hammered glass and leaf shaped blade holders. Intricate details and three candle lights add even more style and elegance.

[174525-995]

Old World I Clear Hammered Glass

Walnut ABS Blades

Light Kit uses (3) 40W C Bulbs (Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS



Included



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[174525-944]

Toasted Sienna | Clear Hammered Glass
Walnut ABS Blades
Light Kit uses (3) 40W C Bulbs (Included)

FAN HEIGHT

- Using 4" Downrod
- Distance of 21.75"
- Distance of 10"

GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 4 Speeds-Reversible / Manual Reverse
- 16 Poles
- .54/.36/.26/.12 AMPS on H-L
- 60/35/19/8 WATTS on H-L
- 162/109/81/43 RPMS on H-L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/ Manual Reverse
- Skirted Blade Arms
- Light Kit Uses (3) 40W C Bulbs (Included)
- UL Wet Listed


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5135 Cubic Feet/Minute
- Electricity Use: 60 Watts (Excludes Lights)
- Airflow Efficiency: 85 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



MARSDEN PATIO FAN



The Marsden patio fan's distinctive blades set it apart from other fans. Reminiscent of wainscoting, the blades and faux wood-grain decorative housing add a farmhouse feel to a classically simple design.

[139525-70]
Persian White
Weathered Pine Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



OPTIONAL LIGHT KIT

[1395-870] 12.5"(w) x 7"(h) - (2) 13W CFL
 Persian White | Linen Glass
 (non-dimmable bulbs included)
 UL Wet



OPTIONAL LIGHT KIT

[1395-808] 12.5"(w) x 7"(h) - (2) 13W CFL
 Studio White | Faux Alabaster Glass
 (non-dimmable bulbs included)
 UL Wet



[139525-8]
 Studio White
 Studio White ABS Blades

FAN HEIGHT

Using 4" Downrod
 ● Distance of 14.5"
 ○ Distance of 13.25"

GENERAL SPECS

2 Finishes Available
 Powder Coated Finish
 Lifetime Motor Warranty
 Five ABS Blades
 52" Blade Sweep
 14-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
 3 Speeds-Reversible
 16 Poles
 .56/.43/.22 AMPS on H/M/L
 68/39/12 WATTS on H/M/L
 156/115/53 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms
 UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
 Airflow: 5850 Cubic Feet/Minute
 Electricity Use: 65 Watts (Excludes Lights)
 Airflow Efficiency: 90 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES





MEDALLION 30 PATIO FAN



Blade Alternative Options Available.

The compact design of the Medallion 30" makes it the ideal fan for smaller rooms, while its six blades ensure that plenty of air is circulating, no matter where this fan finds its home.

[151306-8]
Studio White
Studio White ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1305-0
Optional

FAN HEIGHT

- Distance of 8"
- Distance of 7.75"

GENERAL SPECS

Powder Coated Finish
Lifetime Motor Warranty
Six ABS Blades
30" Blade Sweep
25-Degree Blade Pitch

MECHANICAL SPECS

153 x 12 Motor Size
3 Speeds-Reversible
14 Poles
.44/.32/.19 AMPS on H/M/L
53/26/9 WATTS on H/M/L
203/146/84 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms
Sealed Vent Holes
UL Damp Listed

ENERGY SPECS

Energy Information at High Speed
Airflow: 3350 Cubic Feet/Minute
Electricity Use: 53 Watts (Excludes Lights)
Airflow Efficiency: 63 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-8

BLADE ALTERNATIVES

Use outdoor blade type 1-30 - See page 410



MEDALLION 42 PATIO FAN



Blade Alternative Options Available.

The Medallion patio 42", with its simple lines and classic curves makes this fan the ideal choice for those seeking a fan to seamlessly blend with any décor.

[151425-8]
Studio White
Studio White ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1305-0
Optional



[151425-95]
Old World
Walnut ABS Blades

FAN HEIGHT

- Distance of 8"
- Distance of 7.25"

GENERAL SPECS

2 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Five ABS Blades
42" Blade Sweep
14-Degree Blade Pitch

MECHANICAL SPECS

153 x 13 Motor Size
3 Speeds-Reversible
14 Poles
.42/.31/.19 AMPS on H/M/L
54/25/9 WATTS on H/M/L
240/179/102 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms
Sealed Vent Holes
UL Damp Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 3860 Cubic Feet/Minute
Electricity Use: 54 Watts (Excludes Lights)
Airflow Efficiency: 71 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use outdoor blade type 1-42 - See page 411



MEDALLION 52 PATIO FAN



Blade Alternative Options Available.

The Medallion patio 52" is large enough to bring comfort to an expansive space, providing subtle style and unobtrusive looks.

[151525-8]

Studio White

Studio White ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[151525-95]
 Old World
 Walnut ABS Blades

FAN HEIGHT

- Distance of 7.5"
- Distance of 7.5"

GENERAL SPECS

2 Finishes Available (Powder Coated)
 Lifetime Motor Warranty
 Five ABS Blades
 52" Blade Sweep
 14-Degree Blade Pitch

MECHANICAL SPECS

153 x 15 Motor Size
 3 Speeds-Reversible
 14 Poles
 .55/.39/.21 AMPS on H/M/L
 66/31/10 WATTS on H/M/L
 167/116/62 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms
 Sealed Vent Holes
 UL Damp Listed


ENERGY SPECS

Energy Information at High Speed
 Airflow: 4850 Cubic Feet/Minute
 Electricity Use: 66 Watts (Excludes Lights)
 Airflow Efficiency: 73 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 412



MONACO PATIO FAN



Who doesn't love a tropical breeze blowing off the ocean? The Monaco patio series recreates this sensation with beautifully designed leaf-shaped blades and nicely detailed blade holders.

[135525-8]
Studio White
Studio White ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional




7-1305-0
Optional



[135525-65]
Satin Nickel
Maple ABS Blades



[135525-44]
Toasted Sienna
Rosewood ABS Blades



[135525-95]
Old World
Walnut ABS Blades

FAN HEIGHT

- Using 4" Downrod
- Distance of 16.75"
- Distance of 13.5"

GENERAL SPECS

- 4 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds/Reversible
- 16 Poles
- .52/38/26 AMPS on H/M/L
- 67/38/18 WATTS on H/M/L
- 170/120/78 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- UL Wet Listed

ENERGY SPECS


- Energy Information at High Speed
- Airflow: 5055 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 75 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-8	-44
-65	-95



The Pinnacle fan can be converted to a 56" or 60" sweep by simply purchasing a set of optional blades. See page 414-415 for optional blade selection.

PINNACLE PATIO FAN



Blade Alternative Options Available.

The Pinnacle patio series is surely one of the most enduring designs. It makes a statement without showing off. And with a variety of colors and finishes to choose from, it's bound to find it's way to your outdoor space.

[191525-86]
Oiled Bronze
Walnut ABS Blades

REMOTE CONTROL OPTIONS



7-1401-0
Optional



7-1305-0
Optional



[191525-95]
Old World
Walnut ABS Blades



[191525-44]
Toasted Sienna
Rosewood ABS Blades



[191525-8]
Studio White
Studio White ABS Blades

FAN HEIGHT

Using 4" Downrod
● Distance of 13"
○ Distance of 11.25"

GENERAL SPECS

4 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
16-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

188 x 22 Motor Size.
3 Speeds-Reversible
16 Poles
.72/.47/.24 AMPS on H/M/L
83/37/10 WATTS on H/M/L
173/110/54 RPMS on H/M/L
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms
Sealed Vent Holes
UL Wet Listed


ENERGY SPECS

Energy Information at High Speed w/52" Blades
Airflow: 7415 Cubic Feet/Minute
Electricity Use: 83 Watts (Excludes Lights)
Airflow Efficiency: 89 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

For 52" use outdoor blade type 5-52 - See page 413
For 56" use outdoor blade type 5-56 - See page 414
For 60" use outdoor blade type 5-60 - See page 415



WESTBROOK PATIO FAN



The Westbrook patio fan is a study in gorgeous details. The clear hammered glass and uniquely positioned candle lights add a sophisticated touch and the substantial blade holders give this fan an upscale, elegant feel.

[142525-945]

Baltic Granite I Clear Hammered Glass
Walnut ABS Blades
Light Kit uses (3) 40W C Bulbs (Included)

WALL CONTROL INCLUDED REMOTE CONTROL OPTIONS




Included



8-1401
Optional



7-1305-0
Optional



FAN HEIGHT

Using 4" Downrod

- Distance of 20.25"
- Distance of 10.5"

GENERAL SPECS

Powder Coated Finish
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
13.5 Degree Blade Pitch
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
3 Speeds-Reversible/Manual Reverse Switch
16 Poles
.62/.44/.32 AMPS on H/M/L
64/42/16 WATTS on H/M/L
160/110/63 RPMS on H/M/L
Wall Control Included
Remote Control Adaptable/w Manual Reverse
Light Kit Uses (3) 40W C Bulbs (Included)
UL Wet Listed

ENERGY SPECS

Energy Information at High Speed
Airflow: 5210 Cubic Feet/Minute
Electricity Use: 64 Watts (Excludes Lights)
Airflow Efficiency: 81 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra



ESTATE UNI-PACK PATIO FAN



Blade Alternative Options Available.

The Estate Uni-Pack series comes in so many different finishes and colors, you're bound to find one to make your outdoor space shine. Straightforward design means this fan will blend perfectly with just about any décor.

[1435259395]

Old World | Amber Scavo

Walnut ABS Blades

Light Kit uses (2) 60W C Bulbs (Included)

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[143525-944]

Toasted Sienna | Amber Scavo Glass
 Rosewood ABS Blades
 Light Kit uses (2) 60W C Bulbs (Included)

FAN HEIGHT

- Using 4" Downrod
- Distance of 19.25"
- Distance of 11.5"

GENERAL SPECS

8 Finish Combinations Available (Powder Coated)
 Lifetime Motor Warranty
 Five ABS Blades
 52" Blade Sweep
 14-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
 3 Speeds - Reversible
 14 Poles
 .57/.39/.21 AMPS on H/M/L
 55/30/9 WATTS on H/M/L
 154/105/52 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable w/Manual Reverse
 Light Kit Uses (2) 60W C Bulbs (Included)
 Skirted Blade Arms/Sealed Vent Holes
 UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
 Airflow: 4710 Cubic Feet/Minute
 Electricity Use: 55 Watts (Excludes Lights)
 Airflow Efficiency: 86 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 412



[143525-959]

Matte Black | Satin Opal Glass
Medium Oak ABS Blades
Light Kit uses (2) 60W C Bulbs (Included)



[143525-906]

Gloss White | Satin Opal Glass
White ABS Blades
Light Kit uses (2) 60W C Bulbs (Included)



[1435255959]

Matte Black | Satin Opal Glass

Matte Black ABS Blades

Light Kit uses (2) 60W C Bulbs (Included)



[143525-986]

Oiled Bronze | Amber Scavo

Walnut ABS Blades

Light Kit uses (2) 60W C Bulbs (Included)



[143525-995]

Old World | Satin Opal Glass

Walnut ABS Blades

Light Kit uses (2) 60W C Bulbs (Included)



[143525-909]

Galvanized | Satin Opal Glass

Medium Oak ABS Blades

Light Kit uses (2) 60W C Bulbs (Included)



ESTATE 30 PATIO FAN



Blade Alternative Options Available.

The Estate patio 30" is a popular choice among those wishing to add classic comfort to their patio. This fan is ideal for smaller spaces, but with six blades, still creates a just-right breeze.

[143306-6]

Gloss White

White ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[143306-95]
 Old World
 Walnut ABS Blades

FAN HEIGHT

Using 4" Downrod

- Distance of 12"
- Distance of 10.75"

GENERAL SPECS

2 Finishes Available (Powder Coated)
 Lifetime Motor Warranty
 Six ABS Blades
 30" Blade Sweep
 Blade Type 1-30" with Semi-Square Tip
 25-Degree Blade Pitch
 3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 12 Motor Size
 3 Speeds-Reversible
 14 Poles
 29/21/09 AMPS on H/M/L
 53/27/9 WATTS on H/M/L
 245/185/103 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms/Sealed Vent Holes
 UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
 Airflow: 3690 Cubic Feet/Minute
 Electricity Use: 53 Watts (Excludes Lights)
 Airflow Efficiency: 69 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

BLADE ALTERNATIVES

Use outdoor blade type 1-30 - See page 410



ESTATE 42 PATIO FAN



Blade Alternative Options Available.

The Estate patio 42" has the same simple styling as the other fans in this collection and offers a solid dependability for those hot summer nights.

[143425-9]

Galvanized
Medium Oak ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[143425-44]
Toasted Sienna
Rosewood ABS Blades



[143425-6]
Gloss White
White ABS Blades



[143425-95]
Old World
Walnut ABS Blades

FAN HEIGHT

Using 4" Downrod
 ● Distance of 12.5"
 ○ Distance of 11.25"

GENERAL SPECS

4 Finishes Available (Powder Coated)
 Lifetime Motor Warranty
 Five ABS Blades
 42" Blade Sweep
 14-Degree Blade Pitch
 4" and 6" Downrod Included


MECHANICAL SPECS

153 x 13 Motor Size
 3 Speeds-Reversible
 14 Poles
 .42/.31/.18 AMPS on H/M/L
 61/26/9 WATTS on H/M/L
 214/156/52 RPMs on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms/Sealed Vent Holes
 UL Wet Listed

ENERGY SPECS

Energy Information at High Speed
 Airflow: 4583 Cubic Feet/Minute
 Electricity Use: 61 Watts (Excludes Lights)
 Airflow Efficiency: 75 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use outdoor blade type 1-42 - See page 411



ESTATE 52 PATIO FAN



Blade Alternative Options Available.

The Estate patio 52" is perfect for larger patios. And talk about options! Choose from 10 color and finish options.

[143525-67]

Antique White

Antique White ABS Blades

REMOTE CONTROL OPTIONS



7-3000
Optional



7-1401-0
Optional



7-1305-0
Optional



[143525-95]
 Old World
 Walnut ABS Blades

FAN HEIGHT

- Using 4" Downrod
- Distance of 14.25"
- Distance of 11.5"

GENERAL SPECS

- 10 Finish Combinations Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 15 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .57/.38/.21 AMPS on H/M/L
- 65/29/8 WATTS on H/M/L
- 168/112/65 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms/Sealed Vent Holes
- UL Wet Listed


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5443 Cubic Feet/Minute
- Electricity Use: 65 Watts (Excludes Lights)
- Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 412



[143525-44]
Toasted Sienna
Rosewood ABS Blades



[143525-33]
Cobblestone
Weathered Pine ABS Blades



[143525-599]
Matte Black
Black ABS Blades



[143525-59]
Matte Black
Medium Oak ABS Blades




[143525-6]
Gloss White
White ABS Blades



[143525-86]
Oiled Bronze
Walnut ABS Blades



[143525-13]
Brown
Brown ABS Blades



[143525-9]
Galvanized
Medium Oak ABS Blades





LIGHT KIT DESIGNS

BRIGHT

Nothing elevates your fan like a beautiful light kit. Whether your style is contemporary, traditional, or somewhere in between, dozens of light kit styles make it easy to find the perfect illuminating accent for your Quorum fan.



a



b



c

OLD WORLD LIGHT KITS

a. [1032-95] 10"(w) x 4"(h) - (2) 60W C (Included)
Old World I Amber Scavo Glass

b. [1191-895]* 12.5"(w) x 3.75"(h) - (2) 13W M Spiral CFL
Old World I White Scavo Glass

c. [1901-895]* 14"(w) x 6"(h) - (2) 13W M Spiral CFL
Old World I Antique Amber Scavo Glass



d



e

d. [2303-9095] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Old World

e. [2326-895]* 17"(w) x 6"(h) - (3) 13W M Spiral CFL
Old World I Amber Scavo Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



f

f. [2371-8095]* 12.5"(w) x 4.5"(h) - (3) 13W M Spiral CFL
Old World

g. [2401-8095]* 7"(w) x 2.75"(h) - (4) 13W M Spiral CFL
Old World

h. [2444-8095]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Old World



g



h



a



b

OLD WORLD LIGHT KITS

a. [2530-8095]* 14"(w) x 5.5"(h) - (5) 13W M Spiral CFL
Old World

b. [4102-8095]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Old World

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



c

FRENCH UMBER LIGHT KITS

c. [2444-8094]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
French Umber

d. [2530-8094]* 14"(w) x 5.5"(h) - (5) 13W M Spiral CFL
French Umber



d



a

CHARCOAL LIGHT KIT

a. [2303-9093] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Charcoal



ANTIQUÉ SILVER LIGHT KITS

b. [1191-892]* 12.5"(w) x 3.75"(h) - (2) 13W M Spiral CFL
Antique Silver | White Scavo Glass

c. [2303-9092] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Antique Silver



d. [2371-8092]* 12.5"(w) x 4.5"(h) - (3) 13W M Spiral CFL
Antique Silver

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



ANTIQUE SILVER LIGHT KITS

a

a. [2444-8092]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Antique Silver



b

b. [2530-8092]* 14"(w) x 5.5"(h) - (5) 13W M Spiral CFL
Antique Silver

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



c



d

CORSICAN GOLD LIGHT KITS

c. [2303-9088] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Corsican Gold

d. [2371-8088]* 12.5"(w) x 4.5"(h) - (3) 13W M Spiral CFL
Corsican Gold

e. [2444-8088]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Corsican Gold



e



g



f

f.[2530-8088]* 14"(w) x 5.5"(h) - (5) 13W M Spiral CFL
Corsican Gold

g. [1230-888]* 13.5"(w) x 8.75"(h) - (2) 13W M Spiral CFL
Corsican Gold | Antique Amber Scavo Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a



b

OILED BRONZE LIGHT KITS

a. [2303-9086] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Oiled Bronze

b. [2401-8086]* 8"(w) x 2.5"(h) - (4) 13W M Spiral CFL
Oiled Bronze



c



d

c. [2444-8086]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Oiled Bronze

d. [2530-8086]* 14"(w) x 5.5"(h) - (5) 13W M Spiral CFL
Oiled Bronze

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



e



f

PERSIAN WHITE LIGHT KITS

e. [2444-8070]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Persian White

f. [2530-8070]* 14"(w) x 5.5"(h) - (5) 13W M Spiral CFL
Persian White

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



ANTIQUE WHITE LIGHT KITS

a. [1190-867]* 12.5"(w) x 3.75"(h) - (2) 13W M Spiral CFL
Antique White | Faux Alabaster Glass

b. [2303-9067] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Antique White



*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



c. [2444-8067]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Antique White

d. [2530-8067]* 14"(w) x 5.5"(h) - (5) 13W M Spiral CFL
Antique White

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a

SATIN NICKEL LIGHT KITS

a. [1032-65] 10"(w) x 4"(h) - (2) 60W C (Included)
Satin Nickel | Satin Opal Glass



b



c

b. [1129-865]* 12"(w) x 5"(h) - (2) 13W M Spiral CFL
Satin Nickel | Faux Alabaster Glass

c. [1190-865]* 12.5"(w) x 3.75"(h) - (2) 13W M Spiral CFL
Satin Nickel | Faux Alabaster Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



d



e



f

d. [1504-865]* 10"(w) x 4.5"(h) - (2) 13W M Spiral CFL
Satin Nickel | Satin Opal Glass

e. [2303-9065] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Satin Nickel

f. [2326-865]* 17"(w) x 6"(h) - (3) 13W M Spiral CFL
Satin Nickel | Faux Alabaster Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a



b

a. [2401-8065]* 7"(w) x 2.75"(h) - (4) 13W M Spiral CFL
Satin Nickel


b. [2409-865]* 10"(w) x 6"(h) - (4) 13W M Spiral CFL
Satin Nickel



c

c. [2444-8065]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Satin Nickel

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



d



e

d. [2530-8065]* 14"(w) x 5.5"(h) - (5) 13W M Spiral CFL
Satin Nickel

e. [4102-8065]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Satin Nickel

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a



b



c

MATTE BLACK LIGHT KITS

a. [2444-8059]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Matte Black

b. [2303-9059] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Matte Black

c. [2409-859]* 10"(w) x 6"(h) - (4) 13W M Spiral CFL
Matte Black

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



d

MYSTIC SILVER LIGHT KITS

d. [2303-9058] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Mystic Silver

e. [2444-8058]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Mystic Silver



e

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



TOASTED SIENNA LIGHT KITS

a. [1191-844]* 12.5"(w) x 3.75"(h) - (2) 13W M Spiral CFL
Toasted Sienna | White Scavo Glass

b. [2303-9044] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Toasted Sienna

c. [2371-8044]* 12.5"(w) x 4.5"(h) - (3) 13W M Spiral CFL
Toasted Sienna

d. [2401-8044]* 7"(w) x 2.75"(h) - (4) 13W M Spiral CFL
Toasted Sienna



*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



e



f

e. [2530-8044]* 14"(w) x 5.5"(h) - (5) 13W M Spiral CFL
Toasted Sienna

f. [4102-8044]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Toasted Sienna



g

g. [2444-8044]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Toasted Sienna

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.

COBBLESTONE LIGHT KITS

a. [2303-9033] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Cobblestone

b. [2444-8033]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Cobblestone

c. [4102-8033]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Cobblestone



a



b



c



d



e

ANTIQUE FLEMISH LIGHT KITS

d. [2303-9022] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Antique Flemish

e. [2444-8022]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Antique Flemish



f

YELLOW LIGHT KIT

f. [2410-831]* 13.5"(w) x 6.5"(h) - (4) 13W M Spiral CFL
Yellow

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a

STUDIO WHITE LIGHT KITS

a. [1032-8] 10"(w) x 4"(h) - (2) 60W C (Included)
Studio White | Satin Opal Glass

b. [1190-808]* 12.5"(w) x 3.75"(h) - (2) 13W M Spiral CFL
Studio White | Faux Alabaster Glass



b



c



d

c. [2303-908] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Studio White

d. [2401-808]* 7"(w) x 2.75"(h) - (4) 13W M Spiral CFL
Studio White


*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a

STUDIO WHITE LIGHT KITS

a. [2444-808]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Studio White



b

b. [4102-808]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Studio White

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



c



e



d

WHITE LIGHT KITS

c. [1129-806]* 12"(w) x 5"(h) - (2) 13W M Spiral CFL
White | Faux Alabaster Glass

d. [1141-806]* 10"(w) x 3.5"(h) - (2) 13W M Spiral CFL
White | Satin Opal Glass

e. [1190-806]* 12.5"(w) x 3.75"(h) - (2) 13W M Spiral CFL
White | Faux Alabaster Glass



f



g

f. [2303-906] 5.5"(w) x 3"(h) - (3) 60W C (Included)
White

g. [2401-806]* 7"(w) x 2.75"(h) - (4) 13W M Spiral CFL
White

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a



b

WHITE LIGHT KITS

a. [2409-806]* 10"(w) x 6"(h) - (4) 13W M Spiral CFL
White

b. [2444-806]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
White



c



d

c. [4100-8161]* 8"(w) x 6.5"(h) - (1) 13W M Spiral CFL
White | Opal Glass

d. [4102-806]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
White



e



f



g



h

ANTIQUE BRASS LIGHT KITS

e. [1190-804]* 12.5"(w) x 3.75"(h) - (2) 13W M Spiral CFL
Antique Brass | Faux Alabaster Glass

f. [2303-904] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Antique Brass

g. [2444-804]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Antique Brass

h. [2401-804]* 7"(w) x 2.75"(h) - (4) 13W M Spiral CFL
Antique Brass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



ANTIQUE BRASS LIGHT KITS

a. [2530-804]* 14"(w) x 5.5"(h) - (5) 13W M Spiral CFL
Antique Brass



POLISHED BRASS LIGHT KITS


b. [2303-902] 5.5"(w) x 3"(h) - (3) 60W C (Included)
Polished Brass

c. [2444-802]* 10"(w) x 3"(h) - (4) 13W M Spiral CFL
Polished Brass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



+



+



=

PULL CHAIN ADAPTOR

The Quorum Pull Chain Adaptor allows any Quorum 11" ceiling flush mount fixture to be switched with a pull chain.

The fixture can then be installed on a ceiling fan, on the ceiling, or on a wall.

[7-7257-14] 12"(w) x 1.5"(h)
Chrome



d

POLISHED BRASS LIGHT KITS

d. [4102-802]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Polished Brass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



CEILING FAN LIGHT KIT

Light kit shown on 79525-6 ceiling fan

a. [1101-811]* 13"(w) x 6"(h) - (2) 13W M Spiral CFL
Satin Nickel | White | Clear | Frost Glass



b



c

b. [1120-801A]* 12.75"(w) x 8.5"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Old World | Etruscan Glass with Amber Accents

c. [1120-811A1]* 12.75"(w) x 8.5"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Old World | Indian Scavo Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



d



e

d. [1120-801D]* 12.75"(w) x 8.5"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Old World | Tea-Stained Scavo Glass

e. [1120-801E] 12.75"(w) x 8.5"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Old World | Cream Mottled Scavo Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.

CEILING FAN WITH LIGHT KIT

Light kit shown on 43525-65 ceiling fan

a. [1120-801H]* 12.75"(w) x 8.5"(h) - (2) 13W M Spiral CFL
Satin Nickel | White | Satin Opal Glass



b

b. [1120-801P]* 12.75"(w) x 8.5"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Old World | Amber Stone Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a



c

c. [1120-801U]* 12.75"(w) x 8.5"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Old World | Iced Etruscan Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.

CUSTOM LIGHT KITS 359



CEILING FAN WITH LIGHT KIT

Light kit shown on 83525-95 ceiling fan

a. [1158-801]* 10.75"(w) x 6.5"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Old World | Linen Glass



b. [1147-801]* 12.75"(w) x 8.5"(h) - (2) 13W M Spiral CFL
Satin Nickel | Oiled Bronze | Silver Mercury Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



c



d

c. [1133-801]* 13.25"(w) x 9"(h) - (2) 13W M Spiral CFL
Satin Nickel | White | Faux Alabaster Glass

d. [1166-801]* 13"(w) x 7.5"(h) - (2) 13W M Spiral CFL
Satin Nickel | White | Faux Alabaster Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a



b



c

a. [1858-965] 11"(w) x 4.75"(h) - (3) 40W C (Included)
Satin Nickel | Cream Fabric Shade

b. [1858-986] 11"(w) x 4.75"(h) - (3) 40W C (Included)
Oiled Bronze | Cream Fabric Shade

c. [1228-801]* 12.75"(w) x 7"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Old World | Linen Glass

*2700K non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



d

d. [1231-801]* 12.75"(w) x 7"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Old World | Amber Linen Glass

e. [1232-801]* 12.75"(w) x 7"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Old World | Amber Scavo Glass



e





PATIO LIGHT KIT DESIGNS

DURABLE

Choose from dozens of light kit styles to compliment your Patio Ceiling Fan. Each is built to last and ready for whatever Mother Nature throws at it.



a



b

OLD WORLD PATIO LIGHT KITS

a. [1375-895]* 12.75"(w) x 7"(h) - (1) 13W M Spiral CFL
Old World I Clear Hammered Glass
UL Wet

b. [1377-895]* 10"(w) x 6"(h) - (1) 13W M Spiral CFL
Old World I Satin Opal Glass
UL Wet



c



d

c. [1374-895]* 9.75"(w) x 6.5"(h) - (1) 13W M Spiral CFL
Old World I Clear Hammered Glass
UL Wet

d. [1376-895]* 13"(w) x 9.25"(h) - (1) 13W M Spiral CFL
Old World I Clear Hammered Glass
UL Wet



e

e. [4106-8095]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Old Word
UL Wet



f

OILED BRONZE PATIO LIGHT KITS

f. [1375-886]* 12.75"(w) x 7"(h) - (1) 13W M
Oiled Bronze | Clear Hammered Glass
UL Wet



g

g. [1374-886]* 9.75"(w) x 6.5"(h) - (1) 13W M
Oiled Bronze | Clear Hammered Glass
UL Wet



h

h. [1377-886]* 10"(w) x 6"(h) - (1) 13W M
Oiled Bronze | Amber Scavo Glass
UL Wet



a

ANTIQUE WHITE PATIO LIGHT KIT

a. [1377-867]* 10"(w) x 6"(h) - (1) 13W M Spiral CFL
Antique White | Satin Opal Glass
UL Wet

* 2700k non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



b



c

MATTE BLACK PATIO LIGHT KITS

b. [1375-859]* 12.75"(w) x 7"(h) - (1) 13W M Spiral CFL
Matte Black | Clear Hammered Glass
UL Wet

c. [1377-859]* 10"(w) x 6"(h) - (1) 13W M Spiral CFL
Matte Black | Satin Opal Glass
UL Wet



d

d. [1374-859]* 9.75"(w) x 6.5"(h) - (1) 13W M Spiral CFL
Matte Black | Clear Hammered Glass
UL Wet

* 2700k non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a

TOASTED SIENNA PATIO LIGHT KITS

a.[1375-844]* 12.75"(w) x 7"(h) - (1) 13W M Spiral CFL
Toasted Sienna | Clear Hammered Glass
UL Wet

b.[1374-844]* 9.75"(w) x 6.5"(h) - (1) 13W M Spiral CFL
Toasted Sienna | Clear Hammered Glass
UL Wet



b



c

c. [1377-844]* 10"(w) x 6"(h) - (1) 13W M Spiral CFL
Toasted Sienna | Amber Scavo Glass
UL Wet

d. [1378-844]* 11"(w) x 4.5"(h) - (2) 13W M Spiral CFL
Toasted Sienna | Amber Scavo Glass
UL Wet



d



e. [1376-844]* 13"(w) x 9.25"(h) - (1) 13W M Spiral CFL
UL Wet




f. [4106-8044]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Toasted Sienna
UL Wet



g. [2313-8044]* 6"(w) x 4"(h) - (3) 13W M Spiral CFL
Toasted Sienna
UL Wet

* 2700k non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a



b

COBBLESTONE PATIO LIGHT KITS

a. [1374-833]* 9.75"(w) x 6.5"(h) - (1) 13W M Spiral CFL
Cobblestone | Clear Hammered Glass
UL Wet

b. [1377-833]* 10"(w) x 6"(h) - (1) 13W M Spiral CFL
Cobblestone | Amber Scavo Glass
UL Wet

c. [4106-8033]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Cobblestone
UL Wet



c



d

BROWN PATIO LIGHT KIT

d. [4106-8013]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Brown
UL Wet



e



f

GALVANIZED PATIO LIGHT KITS

e. [1374-809]* 9.75"(w) x 6.5"(h) - (1) 13W M Spiral CFL
Galvanized | Clear Hammered Glass
UL Wet

f. [1375-809]* 12.75"(w) x 7"(h) - (1) 13W M Spiral CFL
Galvanized | Clear Hammered Glass
UL Wet

* 2700k non-dimmable bulbs included
All items comply with 2005 Energy Policy Act.



a



b

STUDIO WHITE PATIO LIGHT KITS

a. [1375-808]* 12.75"(w) x 7"(h) - (1) 13W M Spiral CFL
Studio White | Clear Hammered Glass
UL Wet

b. [1378-808]* 11"(w) x 4.5"(h) - (2) 13W M Spiral CFL
Studio White | Satin Opal Glass
UL Wet



c

c. [1395-808]* 13.75"(w) x 5.5"(h) - (2) 13W M Spiral CFL
Studio White | Faux Alabaster Glass
UL Wet



d

WHITE PATIO LIGHT KITS

d. [1374-806]* 9.75"(w) x 6.5"(h) - (1) 13W M Spiral CFL
Gloss White | Clear Hammered Glass
UL Wet



e

e. [1377-806]* 10"(w) x 6"(h) - (1) 13W M Spiral CFL
Gloss White | Satin Opal Glass
UL Wet



f

g



f. [4106-806]* 4.25"(w) x 2.25"(h) - (1) 13W M Spiral CFL
Gloss White
UL Wet

g.[1378-806]* 11"(w) x 4.5"(h) - (2) 13W M Spiral CFL
Gloss White | Satin Opal Glass
UL Wet





GLASS DESIGNS

BRILLIANT

The right glass can make all the difference when choosing a light for your ceiling fan. That's why we offer many varieties of glass colors, shapes and sizes designed to enhance the beauty and style of your Quorum ceiling fan.



[2104] 5"(w) x 4.75"(h)
Clear Hammered



[2156] 5.75"(w) x 4.25"(h)
Frost



[2291] 4.5"(w) x 4.75"(h)
Clear Ribbed



[2292] 4.5"(w) x 4.75"(h)
Frost Ribbed



[2469G] 5"(w) x 4.75"(h)
Amber Frost



[2520H] 5"(w) x 5"(h)
Satin Opal



[2520] 5"(w) x 5"(h)
Opal



[2531] 4.25"(w) x 4.75"(h)
Clear Ribbed



[2532] 4.25"(w) x 5"(h)
Frost Ribbed



[2747] 4.25"(w) x 5"(h)
Silver Mercury



[2801] 5"(w) x 5.25"(h)
Clear Seeded



[2807] 4.75"(w) x 4.5"(h)
Clear Crackle



[2812] 5.5"(w) x 5"(h)
Faux Alabaster



[2812A] 5.5"(w) x 5"(h)
Etruscan w/Amber Accent



[2812A1] 5.5"(w) x 5"(h)
Amber Indian Scavo



[2812E] 5.5"(w) x 5"(h)
Cream Mottled Scavo



[2812G] 5.5"(w) x 5"(h)
Amber Frost



[2812P] 5.5"(w) x 5"(h)
Amber Stone



[2812U] 5.5"(w) x 5"(h)
Iced Etruscan



[2813] 6"(w) x 4.5"(h)
Faux Alabaster



[2814] 5.5"(w) x 5"(h)
Faux Brown Alabaster



[2831] 5.5"(w) x 4.75"(h)
Amber Linen



[2819] 5.5"(w) x 4.75"(h)
Linen



[2833] 5.5"(w) x 5"(h)
Amber Linen



[2840] 5.5"(w) x 4.75"(h)
Amber Scavo



[2842] 5.5"(w) x 5"(h)
Amber Scavo



[2843] 5.5"(w) x 5.25"(h)
Amber Scavo



[2847] 5.5"(w) x 4.75"(h)
Silver Mercury



[2915] 5.5"(w) x 5.25"(h)
Faux Alabaster



[2915A] 5.5"(w) x 5.25"(h)
Etruscan w/Amber Accent



[2915E] 5.5"(w) x 5.25"(h)
Cream Mottled Scavo



[2915U] 5.5"(w) x 5.25"(h)
Iced Etruscan



[2943] 5.5"(w) x 5.25"(h)
Faux Alabaster



[2943A] 5.5"(w) x 5.25"(h)
Etruscan w/Amber Accent



[2943A3] 5.5"(w) x 5.25"(h)
Antique Amber Scavo



[2943E] 5.5"(w) x 5.25"(h)
Cream Mottled Scavo



[2943H] 5.5"(w) x 5.25"(h)
Satin Opal



[2947] 5.5"(w) x 5.25"(h)
Silver Mercury



[4100] 8"(w) x 6"(h)
Opal





ACCESSORY DESIGNS

EFFORTLESS

Remote controls, down rods, conversion kits, ceiling adapters, wall controls and custom blade options are just a few of the fan accessories you can choose from for your Quorum ceiling fan. Our accessories are designed to make installing and using your fan as easy and convenient as possible.

BLADE ALTERNATIVES

CUSTOMIZE YOUR NEW QUORUM FAN:

STEP 1: Find the blade type for the fan you have selected.


NOTE: Blade type is found in your fan's specifications table under "Blade Alternative".
Not all fans offer blade alternatives.

STEP 2: Select your new blade set from those available for your fan.

STEP 3: Order your fan WITH the alternative blade item number.

Example: 43525-86 w/ 5252020721

HOW BLADE NUMBERS WORK (in general):



CONTENTS

INDOOR BLADE TYPES 391

Blade Type 1 - 30.....	391
Blade Type 1 - 42.....	392
Blade Type 1 - 52.....	394
Blade Type 2 - 52.....	398
Blade Type 4 - 52.....	400
Blade Type 5 - 52.....	401
Blade Type 5 - 56.....	405
Blade Type 5 - 60.....	407

OUTDOOR BLADE TYPES..... 410

Blade Type 1 - 30.....	410
Blade Type 1 - 42.....	411
Blade Type 1 - 52.....	412
Blade Type 5 - 52.....	413
Blade Type 5 - 56.....	414
Blade Type 5 - 60.....	415

BLADE TYPE 1 - 30 INDOOR

Blade type 1 - 30 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 6 count with a 30" sweep.


ALTERNATIVE BLADES FOR:



Estate 30 - 43306-XX



Medallion 30 - 51306-XX



3060606121

White | White


Blade Tip - Semi-Square



3066524121

Satin Nickel | Walnut

Blade Tip - Semi-Square



3060808121

Studio White | Studio White

Blade Tip - Semi-Square



3066565121

Satin Nickel | Satin Nickel

Blade Tip - Semi-Square



3062222121

Cherry | Cherry

Blade Tip - Semi-Square



3066767121

Antique White | Antique White

Blade Tip - Semi-Square



3064608121

Maple | Studio White


Blade Tip - Semi-Square



3068383121

Teak | Teak

Blade Tip - Semi-Square



3065524121

Rosewood | Walnut

Blade Tip - Semi-Square

BLADE TYPE 1 - 42 INDOOR

Blade type 1 - 42 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 42" sweep.

ALTERNATIVE BLADES FOR:



Capri I 42 - 77425-XX



Custom Hugger 42 - 11425-XX



Estate 42 - 43425-XX




Medallion 42 - 51425-XX




4250606111
White | White
Blade Tip - Pointed



4254608111
Maple | Studio White
Blade Tip - Pointed



4250606121
White | White
Blade Tip - Semi-Square



4254608121
Maple | Studio White
Blade Tip - Semi-Square



4252222121
Cherry | Cherry
Blade Tip - Semi-Square



4255524111
Rosewood | Walnut
Blade Tip - Pointed



4254545111
Old Pine | Old Pine
Blade Tip - Pointed



4255524121
Rosewood | Walnut
Blade Tip - Semi-Square



4254545121
Old Pine | Old Pine
Blade Tip - Semi-Square




4255650111
Dark Oak | Medium Oak
Blade Tip - Pointed




4255650121
Dark Oak | Medium Oak
 Blade Tip - Semi-Square




4256565121
Satin Nickel | Satin Nickel
 Blade Tip - Semi-Square



4255655121
Dark Oak | Rosewood
 Blade Tip - Semi-Square




4256767111
Antique White | Antique White
 Blade Tip - Pointed



4256524111
Satin Nickel | Walnut
 Blade Tip - Pointed



4256767121
Antique White | Antique White
 Blade Tip - Semi-Square



4256524121
Satin Nickel | Walnut
 Blade Tip - Semi-Square



4258383121
Teak | Teak
 Blade Tip - Semi-Square

BLADE TYPE 1 - 52 INDOOR

Blade type 1 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

ALTERNATIVE BLADES FOR:



Capri I - 77525-XX



Capri III - 77525-92XX/94XX/95XX



Capri IV - 77525-85XX/86XX



Capri V - 77525-81XX/82XX/83XX



Capri VI - 77525-16XX/17XX/18XX



Capri VII - 77525-87XX/88XX/89XX



Custom Hugger 52 - 11525-XX



Estate 52 - 43525-XX



Medallion 52 - 51525-XX



Monticello - 17525-XX



5202222181
Antique Flemish | Antique Flemish
With Patina Edge
Blade Tip - Muted



5202525181
Pecan | Pecan
With Patina Edge
Blade Tip - Muted



5202424181
Walnut | Walnut
With Patina Edge
Blade Tip - Muted




5205555181
Rosewood | Rosewood
With Patina Edge
Blade Tip - Muted



5250606111
White | White
 Blade Tip - Pointed



5252222111
Cherry | Cherry
 Blade Tip - Pointed



5250606121
White | White
 Blade Tip - Semi-Square




5252222121
Cherry | Cherry
 Blade Tip - Semi-Square



5250808111
Studio White | Studio White
 Blade Tip - Pointed



5252225111
Antique Flemish | Pecan
 With Patina Edge
 Blade Tip - Pointed



5250808121
Studio White | Studio White
 Blade Tip - Semi-Square



5252225121
Antique Flemish | Pecan
 With Patina Edge
 Blade Tip - Semi-Square



5251515111
Black | Black
 Blade Tip - Pointed



5253345111
Cobblestone | Old Pine
 Blade Tip - Pointed



5252020721
Vintage Walnut | Vintage Walnut
 Scrapped
 Blade Tip - Semi-Square



5254424111
Toasted Sienna | Walnut
 Blade Tip - Pointed



5252020821
Vintage Walnut | Vintage Walnut
 Distressed
 Blade Tip - Semi-Square



5254545111
Old Pine | Old Pine
 Blade Tip - Pointed



5252020961
Vintage Walnut
 Distressed with Trim
 Blade Tip - Scalloped




5254545121
Old Pine | Old Pine
 Blade Tip - Semi-Square

BLADE TYPE 1 - 52 INDOOR (CONTINUED)


Blade type 1 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.



5254608111
Maple | Studio White
Blade Tip - Pointed




5255524111
Rosewood | Walnut
Blade Tip - Pointed



5254608121
Maple | Studio White
Blade Tip - Semi-Square



5255524121
Rosewood | Walnut
Blade Tip - Semi-Square



5255024111
Medium Oak | Walnut
Blade Tip - Pointed



5255624111
Dark Oak | Walnut
Blade Tip - Pointed



5255024121
Medium Oak | Walnut
Blade Tip - Semi-Square



5255624121
Dark Oak | Walnut
Blade Tip - Semi-Square



5255050221
Medium Oak | Medium Oak
Hi Gloss
Blade Tip - Semi-Square



5255650111
Dark Oak | Medium Oak
Blade Tip - Pointed




5255055111
Medium Oak | Rosewood
Blade Tip - Pointed




5255650121
Dark Oak | Medium Oak
Blade Tip - Semi-Square



5255455121
Pine | Rosewood
Blade Tip - Semi-Square



5255655111
Dark Oak | Rosewood
Blade Tip - Pointed



5255655121
Dark Oak | Rosewood
 Blade Tip - Semi-Square




5256767121
Antique White | Antique White
 Blade Tip - Semi-Square



5255858621
Ash | Ash
 Unfinished
 Blade Tip - Semi-Square




5258383111
Teak | Teak
 Blade Tip - Pointed



5256524111
Satin Nickel | Walnut
 Blade Tip - Pointed



5258383121
Teak | Teak
 Blade Tip - Semi-Square



5256524121
Satin Nickel | Walnut
 Blade Tip - Semi-Square



5258524111
Mystic Silver | Walnut
 Blade Tip - Pointed



5256565121
Satin Nickel | Satin Nickel
 Blade Tip - Semi-Square




5258624111
Oiled Bronze | Walnut
 Blade Tip - Pointed



5256752121
Antique White | Washed Oak
 Blade Tip - Semi-Square



5258624121
Oiled Bronze | Walnut
 Blade Tip - Semi-Square



5256767111
Antique White | Antique White
 Blade Tip - Pointed



5259524111
Old World | Walnut
 Blade Tip - Pointed


BLADE TYPE 2 - 52 INDOOR

Blade type 2 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

ALTERNATIVE BLADES FOR:



Venture - 79525-XX




5250606122
White | White
Blade Tip - Semi-Square



5255024122
Medium Oak | Walnut
Blade Tip - Semi-Square



5252222122
Cherry | Cherry
Blade Tip - Semi-Square



5255524122
Rosewood | Walnut
Blade Tip - Semi-Square



5252225122
Antique Flemish | Pecan
With Patina Edge
Blade Tip - Semi-Square




5255650122
Dark Oak | Medium Oak
Blade Tip - Semi-Square



5254545122
Old Pine | Old Pine
Blade Tip - Semi-Square




5255655122
Dark Oak | Rosewood
Blade Tip - Semi-Square



5254608122
Maple | Studio White
Blade Tip - Semi-Square



5255858622
Ash | Ash
Unfinished
Blade Tip - Semi-Square



5256524122
Satin Nickel | Walnut
Blade Tip - Semi-Square



5258624122
Oiled Bronze | Walnut
Blade Tip - Semi-Square



5256565122
Satin Nickel | Satin Nickel
Blade Tip - Semi-Square



5402424182
Walnut | Walnut
With Patina Edge
Blade Tip - Muted



5256752122
Antique White | Washed Oak
Blade Tip - Semi-Square



5402525182
Pecan | Pecan
With Patina Edge
Blade Tip - Muted



5258383122
Teak | Teak
Blade Tip - Semi-Square




5405555182
Rosewood | Rosewood
With Patina Edge
Blade Tip - Muted

BLADE TYPE 4 - 52 INDOOR

Blade type 4 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.


ALTERNATIVE BLADES FOR:




Chateaux - 78525-XX



5255655164
Dark Oak | Rosewood
Blade Tip - Scalloped



5250808164
Studio White | Studio White
Blade Tip - Scalloped



5256524164
Satin Nickel | Walnut
Blade Tip - Scalloped



5252020964
Vintage Walnut
Distressed with Trim
Blade Tip - Scalloped



5256752164
Antique White | Washed Oak
Blade Tip - Scalloped



5252225164
Antique Flemish | Pecan
With Patina Edge
Blade Tip - Scalloped



5258524164
Mystic Silver | Walnut
Blade Tip - Scalloped




5254424164
Toasted Sienna | Walnut
Blade Tip - Scalloped



5258624164
Oiled Bronze | Walnut
Blade Tip - Scalloped



5255024164
Medium Oak | Walnut
Blade Tip - Scalloped



8-78525-44
Rosewood | Walnut
Blade Tip - Scalloped



5255624164
Dark Oak | Walnut
Blade Tip - Scalloped



8-78525-70
Weathered Pine | Weathered Pine
Distressed
Blade Tip - Scalloped

BLADE TYPE 5 - 52 INDOOR

Blade type 5 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

ALTERNATIVE BLADES FOR:



Bakersfield - 71525-XX



Barclay - 76525-XX



Cimarron - 69525-XX



Galloway - 48525-XX



Hanover - 29525-XX



Kingsley 52" - 38525-XX



Liberty - 49525-XX



Lone Star - 80525-XX



Lowell - 56525-XX



Pinnacle - 91525-XX



Roderick - 63525-XX



Saxony - 89525-XX




5202424185
Walnut | Walnut
With Patina Edge
Blade Tip - Muted



5205555185
Rosewood | Rosewood
With Patina Edge
Blade Tip - Muted



5202525185
Pecan | Pecan
With Patina Edge
Blade Tip - Muted



5250808125
Studio White | Studio White
Blade Tip - Semi-Square

BLADE TYPE 5 - 52 INDOOR (CONTINUED)

Blade type 5 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.




5252020125
Vintage Walnut | Vintage Walnut
Blade Tip - Semi-Square



5252525125
Pecan | Pecan
With Patina Edge
Blade Tip - Semi-Square




5252020725
Vintage Walnut | Vintage Walnut
Scrapped
Blade Tip - Semi-Square



5252544125
Pecan | Toasted Sienna
Blade Tip - Semi-Square



5252020825
Vintage Walnut | Vintage Walnut
Distressed
Blade Tip - Semi-Square



5254424125
Toasted Sienna | Walnut
Blade Tip - Semi-Square



5252020965
Vintage Walnut
Distressed with Trim
Blade Tip - Scalloped



5254424155
Toasted Sienna | Walnut
Blade Tip - Napoleon



5252222125
Cherry | Cherry
Blade Tip - Semi-Square



5254424165
Toasted Sienna | Walnut
Blade Tip - Scalloped



5252225125
Antique Flemish | Pecan
With Patina Edge
Blade Tip - Semi-Square




5254608125
Maple | Studio White
Blade Tip - Semi-Square



5252225155
Antique Flemish | Pecan
With Patina Edge
Blade Tip - Napoleon



5254747125
Weathered Pine | Weathered Pine
Blade Tip - Semi-Square



5255055125
Medium Oak | Rosewood
Blade Tip - Semi-Square




5256565125
Satin Nickel | Satin Nickel
Blade Tip - Semi-Square




5255206125
Washed Oak | White
Blade Tip - Semi-Square



5258383125
Teak | Teak
Blade Tip - Semi-Square




5255524125
Rosewood | Walnut
Blade Tip - Semi-Square




5258524125
Mystic Silver | Walnut
Blade Tip - Semi-Square




5255624125
Dark Oak | Walnut
Blade Tip - Semi Square




5258524165
Mystic Silver | Walnut
Blade Tip - Scalloped




5255655125
Dark Oak | Rosewood
Blade Tip - Semi-Square



5258525155
Mystic Silver | Pecan
Blade Tip - Napoleon



5256524125
Satin Nickel | Walnut
Blade Tip - Semi-Square




5258525165
Mystic Silver | Pecan
Blade Tip - Scalloped

BLADE TYPE 5 - 52 INDOOR (CONTINUED)

Blade type 5 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.




5258624125
Oiled Bronze | Walnut
Blade Tip - Semi-Square



5259224165
Antique Silver | Walnut
Blade Tip - Scalloped




5258624165
Oiled Bronze | Walnut
Blade Tip - Scalloped



5259524125
Old World | Walnut
Blade Tip - Semi-Square



5258824125
Corsican Gold | Walnut
Blade Tip - Semi-Square




5259524155
Old World | Walnut
Blade Tip - Napoleon



5258824165
Corsican Gold | Walnut
Blade Tip - Scalloped




5259524165
Old World | Walnut
Blade Tip - Scalloped




5259224125
Antique Silver | Walnut
Blade Tip - Semi-Square



5259525125
Old World | Pecan
Blade Tip - Semi-Square



5259224155
Antique Silver | Walnut
Blade Tip - Napoleon



5259525165
Old World | Pecan
Blade Tip - Scalloped

BLADE TYPE 5 - 56 INDOOR

Blade type 5 - 56 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 56" sweep.

ALTERNATIVE BLADES FOR:




Pinnacle - 91525-XX



Salon - 83565-XX



Turino - 63565-XX




5650808125
Studio White | Studio White
 Blade Tip - Semi-Square



5654747125
Weathered Pine | Weathered Pine
 Blade Tip - Semi-Square



5652222125
Cherry | Cherry
 Blade Tip - Semi-Square




5655055125
Medium Oak | Rosewood
 Blade Tip - Semi-Square



5652225125
Antique Flemish | Pecan
 With Patina Edge
 Blade Tip - Semi-Square




5655206125
Washed Oak | White
 Blade Tip - Semi-Square




5654424125
Toasted Sienna | Walnut
 Blade Tip - Semi-Square



5655524125
Rosewood | Walnut
 Blade Tip - Semi-Square



5654608125
Maple | Studio White
 Blade Tip - Semi-Square



5655524165
Rosewood | Walnut
 Blade Tip - Napoleon

BLADE TYPE 5 - 56 INDOOR (CONTINUED)

Blade type 5 - 56 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 56" sweep.



5655624125
Dark Oak | Walnut
Blade Tip - Semi-Square



5658383125
Teak | Teak
Blade Tip - Semi-Square



5655624165
Dark Oak | Walnut
Blade Tip - Napoleon




5658524125
Mystic Silver | Walnut
Blade Tip - Semi-Square



5655650125
Dark Oak | Medium Oak
Blade Tip - Semi-Square




5658524165
Mystic Silver | Walnut
Blade Tip - Napoleon



5655655125
Dark Oak | Rosewood
Blade Tip - Semi-Square



5658624125
Oiled Bronze | Walnut
Blade Tip - Semi-Square




5656524125
Satin Nickel | Walnut
Blade Tip - Semi-Square




5658624165
Oiled Bronze | Walnut
Blade Tip - Scalloped



5656565125
Satin Nickel | Satin Nickel
Blade Tip - Semi-Square



5659224125
Antique Silver | Walnut
Blade Tip - Semi-Square



5656767165
Antique White | Antique White
Blade Tip - Napoleon

BLADE TYPE 5 - 60 INDOOR

Blade type 5 - 60 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 60" sweep.

ALTERNATIVE BLADES FOR:




Kingsley 60 - 38605-XX



Pinnacle - 91525-XX



Vanderbilt - 55605-XX



6050606125
White | White
 Blade Tip - Semi-Square



6052525125
Pecan | Pecan
 With Patina Edge
 Blade Tip - Semi-Square



6050808125
Studio White | Studio White
 Blade Tip - Semi-Square



6054424125
Toasted Sienna | Walnut
 Blade Tip - Semi-Square



6052222125
Cherry | Cherry
 Blade Tip - Semi-Square



6054424155
Toasted Sienna | Walnut
 Blade Tip - Napoleon



6052225125
Antique Flemish | Pecan
 With Patina Edge
 Blade Tip - Semi-Square



6054608125
Maple | Studio White
 Blade Tip - Semi-Square




6052225155
Antique Flemish | Pecan
 With Patina Edge
 Blade Tip - Napoleon



6054747125
Weathered Pine | Weathered Pine
 Blade Tip - Semi-Square

BLADE TYPE 5 - 60 INDOOR (CONTINUED)

Blade type 5 - 60 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 60" sweep.




6055055125
Medium Oak | Rosewood
Blade Tip - Semi-Square



6055655125
Dark Oak | Rosewood
Blade Tip - Semi-Square



6055206125
Washed Oak | White
Blade Tip - Semi-Square



6056524125
Satin Nickel | Walnut
Blade Tip - Semi-Square



6055524125
Rosewood | Walnut
Blade Tip - Semi-Square



6056565125
Satin Nickel | Satin Nickel
Blade Tip - Semi-Square




6055650125
Dark Oak | Medium Oak
Blade Tip - Semi-Square




6056767125
Antique White | Antique White
Blade Tip - Semi-Square




6058383125
Teak I Teak
Blade Tip - Semi-Square




6059224125
Antique Silver I Walnut
Blade Tip - Semi-Square




6058524125
Mystic Silver I Walnut
Blade Tip - Semi-Square



6059224155
Antique Silver I Walnut
Blade Tip - Napoleon



6058525155
Mystic Silver I Pecan
Blade Tip - Napoleon



6059524155
Old World I Walnut
Blade Tip - Napoleon



6058624125
Oiled Bronze I Walnut
Blade Tip - Semi-Square

BLADE TYPE 1 - 30 OUTDOOR

Blade type 1 - 30 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 6 count with a 30" sweep.


ALTERNATIVE BLADES FOR:



Estate 30 Patio - 143306-XX



Medallion 30 Patio - 151306-XX



3060606321
White | White
Blade Tip - Semi-Square



3062424321
Walnut | Walnut
Blade Tip - Semi-Square



3061515321
Black | Black
Blade Tip - Semi-Square



3064747321
Weathered Pine | Weathered Pine
Blade Tip - Semi-Square

BLADE TYPE 1 - 42 OUTDOOR

Blade type 1 - 42 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 42" sweep.


ALTERNATIVE BLADES FOR:



Estate 42 Patio - 143425-XX



Medallion 42 Patio - 151425-XX



4250606321

White | White

Blade Tip - Semi-Square



4254747321

Weathered Pine | Weathered Pine

Blade Tip - Semi-Square



4251515321

Black | Black

Blade Tip - Semi-Square



4255050321

Medium Oak | Medium Oak

Blade Tip - Semi-Square



4252424321

Walnut | Walnut

Blade Tip - Semi-Square



4255555321

Rosewood | Rosewood

Blade Tip - Semi-Square

BLADE TYPE 1 - 52 OUTDOOR

Blade type 1 - 52 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

ALTERNATIVE BLADES FOR:



All-Weather Allure Patio - 146525-XX



Allure Patio - 136525-XX



Estate 52 Patio - 143525-XX




Estate Uni-Pack Patio - 143525-9XX



Medallion Patio - 151525-XX



5254747321
Weathered Pine | Weathered Pine
Blade Tip - Semi-Square



5250606321
White | White
Blade Tip - Semi-Square



5255050321
Medium Oak | Medium Oak
Blade Tip - Semi-Square



5251313321
Brown | Brown
Blade Tip - Semi-Square



5255555321
Rosewood | Rosewood
Blade Tip - Semi-Square



5251515321
Black | Black
Blade Tip - Semi-Square



5255656321
Dark Oak | Dark Oak
Blade Tip - Semi-Square



5252424321
Walnut | Walnut
Blade Tip - Semi-Square



5256767321
Antique White | Antique White
Blade Tip - Semi-Square

BLADE TYPE 5 - 52 OUTDOOR

Blade type 5 - 52 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

ALTERNATIVE BLADES FOR:



Adirondacks Patio - 138525-XX



Hanover Patio - 129525-XX



Pinnacle Patio - 191525-XX



Portside Patio - 144525-XX



5250808325
Studio White | Studio White
Blade Tip - Semi-Square



5254747325
Weathered Pine | Weathered Pine
Blade Tip - Semi-Square



5251515325
Black | Black
Blade Tip - Semi-Square



5255555325
Rosewood | Rosewood
Blade Tip - Semi-Square



5252424325
Walnut | Walnut
Blade Tip - Semi-Square



5255656325
Dark Oak | Dark Oak
Blade Tip - Semi-Square


BLADE TYPE 5 - 56 OUTDOOR

Blade type 5 - 56 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 56" sweep.

ALTERNATIVE BLADES FOR:



Pinnacle Patio - 191525-XX



5650808325
Studio White | Studio White
Blade Tip - Semi-Square



5654747325
Weathered Pine | Weathered Pine
Blade Tip - Semi-Square



5651515325
Black | Black
Blade Tip - Semi-Square



5655555325
Rosewood | Rosewood
Blade Tip - Semi-Square



5652424325
Walnut | Walnut
Blade Tip - Semi-Square


BLADE TYPE 5 - 60 OUTDOOR

Blade type 5 - 60 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 60" sweep.

ALTERNATIVE BLADES FOR:



Pinnacle Patio - 191525-XX



6050808325
Studio White | Studio White
Blade Tip - Semi-Square



6054747325
Weathered Pine | Weathered Pine
Blade Tip - Semi-Square



6051515325
Black | Black
Blade Tip - Semi-Square



6055555325
Rosewood | Rosewood
Blade Tip - Semi-Square



6052424325
Walnut | Walnut
Blade Tip - Semi-Square

OPTIONAL 1/2" DOWNRODS

These downrods allow you to choose how far your fan will hang from the ceiling. We offer a complete line of extension rods to match Quorum finishes. For odd lengths or extra long drops, use our Downrod Coupler to join two downrods together. Remember, your fan should always hang at least 7 feet above the floor.

Downrod Finish	6"	12"	18"	24"	36"	48"	60"	72"
Polished Brass	6-062	6-122	6-182	6-242	6-362	6-482	6-602	6-722
Antique Brass	6-064	6-124	6-184	6-244	6-364	6-484	6-604	6-724
White	6-066	6-126	6-186	6-246	6-366	6-486	6-606	6-726
Studio White	6-0608	6-128	6-188	6-248	6-368	6-488	6-608	6-728
Galvanized	6-069	6-129	6-189	NA	6-369	6-489	6-609	6-729
Brown	6-0613	6-1213	6-1813	6-2413	6-3613	6-4813	6-6013	6-7213
Chrome	6-0614	6-1214	6-1814	6-2414	6-3614	6-4814	6-6014	6-7214
Black	6-0615	6-1215	6-1815	6-2415	6-3615	6-4815	6-6015	6-7215
Brushed Aluminum	NA	6-1216	6-1816	6-2416	6-3616	NA	NA	NA
Antique Flemish	NA	6-1222	6-1822	6-2422	6-3622	6-4822	6-6022	6-7222
Walnut	NA	6-1224	6-1824	6-2424	6-3624	6-4824	6-6024	6-7224
Pecan	NA	6-1225	6-1825	6-2425	6-3625	6-4825	6-6025	6-7225
Yellow	6-0631	6-1231	6-1831	6-2431	6-3631	6-4831	6-6031	6-7231
Cobblestone	6-0633	6-1233	6-1833	6-2433	6-3633	6-4833	6-6033	6-7233
Toasted Sienna	6-0644	6-1244	6-1844	6-2444	6-3644	6-4844	6-6044	6-7244
Baltic Granite	NA	6-1245	6-1845	6-2445	6-3645	6-4845	6-6045	6-7245
Mystic Silver	NA	6-1258	6-1858	6-2458	6-3658	6-4858	6-6058	6-7258
Matte Black	6-0659	6-1259	6-1859	6-2459	6-3659	6-4859	6-6059	6-7259
Satin Nickel	6-0665	6-1265	6-1865	6-2465	6-3665	6-4865	6-6065	6-7265
Antique White	6-0667	6-1267	6-1867	6-2467	6-3667	6-4867	6-6067	6-7267
Persian White	NA	6-1270	6-1870	6-2470	6-3670	6-4870	6-6070	6-7270
Oiled Bronze	NA	6-1286	6-1886	6-2486	6-3686	6-4886	6-6086	6-7286
Corsican Gold	NA	6-1288	6-1888	6-2488	6-3688	6-4888	6-6088	6-7288
Antique Silver	6-0692	6-1292	6-1892	6-2492	6-3692	6-4892	6-6092	6-7292
Charcoal	6-0693	6-1293	6-1893	6-2493	6-3693	6-4893	6-6093	6-7293
French Umber	NA	6-12094	6-18094	6-24094	6-36094	6-48094	6-60094	6-72094
Old World	6-0695	6-1295	6-1895	6-2495	6-3695	6-4895	6-6095	6-7295

DOWNROD COUPLERS

When it is necessary to hang your fan from a non-standard size downrod, use our downrod couplers to join 2 of our 1/2" downrods together to form the perfect length. Strong, safe and easy to install.



STANDARD COUPLER

Finish	Item#	Finish	Item#	Finish	Item#
Polished Brass	6-002	Antique Flemish	6-022	Antique White	6-0067
Antique Brass	6-004	Yellow	6-031	Oiled Bronze	6-086
White	6-006	Cobblestone	6-033	Corsican Gold	6-088
Studio White	6-008	Toasted Sienna	6-044	Antique Silver	6-092
Galvanized	6-009	Mystic Silver	6-058	Charcoal	6-093
Chrome	6-014	Matte Black	6-059	Old World	6-095
Black	6-015	Satin Nickel	6-0065		

30 DEGREE CEILING FAN ADAPTER FOR JELLYFISH™


When you have a ceiling with a slope up to 30 degrees, use this adapter to hang your Jellyfish™ fan.

12" DOWNROD SUPPLIED WITH ADAPTER KIT.

Item#	Finish
7-1450-14	Chrome

CEILING FAN SPARE PARTS

We stock a complete line of replacement parts for all our ceiling fans. Contact your local Quorum dealer for help in locating any part you require.



45 DEGREE CEILING ADAPTER

When you have a ceiling with a slope up to 45 degrees, use this adapter to hang your ceiling fan. 6"(w) x 3.25"(h).

Item#	Finish	Item#	Finish
7-1745-2	Polished Brass	7-1745-44	Toasted Sienna
7-1745-4	Antique Brass	7-1745-58	Mystic Silver
7-1745-6	White	7-1745-59	Matte Black
7-1745-8	Studio White	7-1745-65	Satin Nickel
7-1745-9	Galvanized	7-1745-67	Antique White
7-1745-13	Brown	7-1745-70	Persian White
7-1745-14	Chrome	7-1745-86	Oiled Bronze
7-1745-15	Black	7-1745-88	Corsican Gold
7-1745-22	Antique Flemish	7-1745-92	Antique Silver
7-1745-31	Yellow	7-1745-93	Charcoal
7-1745-33	Cobblestone	7-1745-94	French Umber
		7-1745-95	Old World

HUGGER ADAPTER

Use a Hugger Adapter to mount your fan flush to the ceiling. This easy to install unit fits all standard body Quorum ceiling fans. 5"(w) x 2"(h). Includes hanging bracket and canopy.

Item#	Finish	Item#	Finish
7-1600-2	Polished Brass	7-1600-59	Matte Black
7-1600-4	Antique Brass	7-1600-65	Satin Nickel
7-1600-6	White	7-1600-67	Antique White
7-1600-8	Studio White	7-1600-70	Persian White
7-1600-15	Black	7-1600-86	Oiled Bronze
7-1600-22	Antique Flemish	7-1600-88	Corsican Gold
7-1600-31	Yellow	7-1600-92	Antique Silver
7-1600-33	Cobblestone	7-1600-93	Charcoal
7-1600-44	Toasted Sienna	7-1600-94	French Umber
7-1600-58	Mystic Silver	7-1600-95	Old World

BOWL KIT END CAPS

Personalize your decor with one of the many optional finishes of end caps for bowl style light kits. Caps are drilled for fan speed and light pull chains.

Item#	Finish	Item#	Finish
7-1100-02	Polished Brass	7-1100-065	Satin Nickel
7-1100-04	Antique Brass	7-1100-067	Antique White
7-1100-06	White	7-1100-070	Persian White
7-1100-08	Studio White	7-1100-086	Oiled Bronze
7-1100-022	Antique Flemish	7-1100-088	Corsican Gold
7-1100-033	Cobblestone	7-1100-092	Antique Silver
7-1100-044	Toasted Sienna	7-1100-093	Charcoal
7-1100-058	Mystic Silver	7-1100-094	French Umber
7-1100-059	Matte Black	7-1100-095	Old World

PULL CHAIN ADAPTOR

The Quorum Pull Chain Adaptor allows any Quorum 11" ceiling flush mount fixture to be switched with a pull chain. The fixture can then be installed on a ceiling fan, on the ceiling, or on a wall.



[7-7257-14] 11.75"(w) x 1.5"(h)
 Chrome
 See pages 357 for detailed description

STANDARD REMOTE CONTROLS



2-WIRE CANOPY LCD REMOTE

Control Kit

a. [7-3000]

On/Off Fan Function, 3 fan speed settings, infinite light dimmer control, low battery indicator. Receiver fits in ceiling canopy and uses existing 2 wires. Can be used with halogen light kits, 250 watt bulb max.

2-Wire Canopy Remote Control Kit with Reverse Function

b. [7-1401-0]

Controls 3 speeds and forward/reverse functions on one fan and light dimmer. Also features a temperature sensor. Receiver fits in ceiling canopy and uses 2 existing wires. Can be used with halogen light kits, 100W bulb max.

2-WIRE CANOPY CONTROLS

Canopy controls provide additional convenience when operating your ceiling fan. Imagine the ease of controlling a fan without having to use the fan's pull chains. This is also another way to control ceiling fans hanging on high, hard-to-reach ceilings and in applications where running a 3rd wire for a ceiling fan is prohibitive. Canopy controls are easy to install and will control the fan speed functions and the light functions.



a



b

2-WIRE CANOPY WALL CONTROL WITH REVERSE FUNCTION

a. [7-1301-0]

Controls 3 speeds and forward/reverse functions on one fan and light dimmer. Receiver fits in ceiling canopy cup and uses 2 existing wires. Can be used with halogen light kits, 100W bulb max. Will work with all models compatible with the 7-1401-0 as listed for assorted models throughout the fan section.

BATTERY OPERATED WALL CONTROL WITH REVERSE FUNCTION

b. [7-1305-0]

Controls 3 speeds and forward/reverse functions for one ceiling fan. Light on/off with dimmer for incandescent lamp. Light on/off only for fluorescent or LED lamps. 300W light max (no halogen). Receiver fits inside ceiling canopy and uses two existing wires. This control is supplied with removable white and ivory face plates. 12 volt battery included. Compatible models noted in specification section pages 425-476.



c

2-WIRE CANOPY WALL CONTROL KIT

c. [7-3001-6]

Add the convenience of a light dimmer without running a third wire to the ceiling fan. Controls 3 speeds of one fan and 5 light dimmer positions. Can be used with halogen light, 300W bulb max. Receiver fits inside the ceiling canopy. Wall plate included. Will work with all models compatible with the 7-3000 as listed for assorted models throughout the fan section.

WALL CONTROLS

Quorum offers a full line of slider and rotary style fan and light kit wall controls. They are guaranteed not to cause humming or noise when used with Quorum ceiling fans.



[7-1191-6]
Also Available:
[7-1191-10]



[7-1192-6]
Also Available:
[7-1192-10]

SLIDER WALL CONTROL (fan only)

Controls a single ceiling fan's 3 speeds and the power on/off.

[7-1191-6]* - White

[7-1191-10]* - Almond

*faceplate is included

SLIDER WALL CONTROL (fan/light kit)

Controls the 3 speeds, power on/off and the light kit settings for one fan.

[7-1192-6]* - White

[7-1192-10]* - Almond

*faceplate is included



[7-1196-0]



[7-1197-0]

2 AMP SLIDER WALL CONTROL (fan only)

Controls the 3 speeds and the power on/off for 2 ceiling fans.

[7-1199-6]* - White

*faceplate is included

5 AMP SLIDER WALL CONTROL (fan only)

Controls the 3 speeds and the power on/off for 4-5 ceiling fans.

[7-1190-6]* - White

*faceplate is included

ROTARY WALL CONTROL (fan only)

Controls a single ceiling fan's speeds and the power on/off. Clear knob will blend with any existing faceplate.

[7-1196-0] 3 Speeds

[7-1197-0] 4 Speeds




MECHANICAL SPECIFICATIONS VISUAL INDEX

LOOKING FOR THE COOLEST FAN?

After perusing our finest ceiling fan families, you probably need a quick way to go back and find the ones you liked. Well, you're in the right spot! On the following pages we've arranged a Visual Index to make finding your perfect fan all the more easier.

ADIRONDACKS PATIO
p. 280

138525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 14.25"
- Distance of 12.5"

GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 14 Motor Size
- 3 Speeds-Reversible
- 80" Lead Wire
- 16 Poles
- .47/34/25 AMPS on H/M/L
- 57/30/10 WATTS on H/M/L
- 170/128/59 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup/Skirted Blade Arms
- UL Wet Listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5245 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 92 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use outdoor blade type 5-52 - See page 415

ALL-WEATHER ALLURE PATIO
p. 284

146525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 13.75"
- Distance of 12.75"

GENERAL SPECS

- 3 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 80" Lead Wire
- 13.5-Degree Blade Pitch
- 4" and 6" Downrods Included


MECHANICAL SPECS

- 153x16 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .53/37/21 AMPS on H/M/L
- 64/33/12 WATTS on H/M/L
- 160/110/60 RPMS on H/M/L
- Remote Control Adaptable w/Manual Reverse
- UL Wet listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5266 Cubic Feet/Minute
- Electricity Use: 64 Watts (Excludes Lights)
- Airflow Efficiency: 82 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 414

ALLURE PATIO
p. 282

136525-6



FAN HEIGHT

- Using 4" Downrod
- Distance of 13.75"
- Distance of 12.75"

GENERAL SPECS

- Powder Coated Finish
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 16 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .53/37/21 AMPS on H/M/L
- 64/33/12 WATTS on H/M/L
- 160/110/60 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/Manual Reverse
- UL Wet Listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5266 Cubic Feet/Minute
- Electricity Use: 64 Watts (Excludes Lights)
- Airflow Efficiency: 82 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 414

ALPHA 52" & 60"
p. 012

97003-0XX



FAN HEIGHT

- Distance of 18"
- Distance of 16.25"

GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 52" Blade Sweep for 52"
- 60" Blade Sweep for 60"
- 18-Degree Blade Pitch
- 58" Lead Wire


MECHANICAL SPECS

- 125mm DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 12 Poles
- .39/27/18/12/08/05 AMPS on H/M/L for 52"
- 32/21/14/8/5/3 WATTS on H/M/L for 52"
- 157/134/114/93/72/50 RPMS on H/M/L for 52"
- .45/29/20/15/09/06 AMPS on H/M/L for 60"
- 32/20/13/9/6/4 WATTS on H/M/L for 60"
- 133/115/99/83/67/50 RPMS on H/M/L for 60"
- Wall Control Included
- Light Kit Uses (1) 50W GU10 (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5554 Cubic Feet/Minute for 52"
- Electricity Use: 32 Watts (Excludes Lights) for 52"
- Airflow Efficiency: 172 Cubic Feet/Minute/Watt for 52"
- Airflow: 6147 Cubic Feet/Minute for 60"
- Electricity Use: 32 Watts (Excludes Lights) for 60"
- Airflow Efficiency: 195 Cubic Feet/Minute/Watt for 60"

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



REMOTE CONTROL OPTIONS



7-9860-0

ALTA
p. 056

58524-XX



FAN HEIGHT

- Using 4.5" Downrod
- Distance of 15.5"
- Distance of 9.75"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4.5" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 22 Motor Size
- 4 Speeds-Reversible / Manual Reverse Switch
- 16 Poles
- .50/.38/.25/.21 AMPS on H/M/L
- 68/32/14/10 WATTS on H/M/L
- 167/109/69/59 RPMS on H/M/L
- 4 Speeds Wall Control Included
- Triple Capacitor
- Remote Control Adaptable w/ Manual Reverse
- Light Kit Uses (1) 75W T-3 78mm
- Halogen Bulb (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5568 Cubic Feet/Minute
- Electricity Use: 68 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



T-3 Halogen

REMOTE CONTROL OPTIONS



Included 7-3000 7-1305-0

ALTON 60
p. 086

42605-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.25"
- Distance of 12"

GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 60" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wirez
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 25 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .75/.48/.37 AMPS on H/M/L
- 90/38/23 WATTS on H/M/L
- 130/100/60 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/ Manual Reverse
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5955 Cubic Feet/Minute
- Electricity Use: 90 Watts (Excludes Lights)
- Airflow Efficiency: 86 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



Included 7-1305-0 8-1401

ALTON 70
p. 090

42705-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.25"
- Distance of 12"

GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 70" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 212 x 25 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 20 Poles
- .71/.59/.39 AMPS on H/M/L
- 74/50/25 WATTS on H/M/L
- 92/70/40 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5637 Cubic Feet/Minute
- Electricity Use: 74 Watts (Excludes Lights)
- Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



ALUMINA
p. 016

30603-XX



FAN HEIGHT

- Using 8" downrod
- Distance of 16.25"
- Distance of 21.75"

GENERAL SPECS

- Lifetime Motor Warranty
- Three Blades
- 60" Blade Sweep
- 13 Degree Blade Pitch
- 80" Lead Wire
- 8" Downrod Included


MECHANICAL SPECS

- 140 x 25mm GM Motor Size
- 3 Speeds-Reversible w/Manual Reverse
- 36 Poles
- .47/.46/.37 AMPS on H/M/L
- 55/38/21 WATTS on H/M/L
- 105/83/57 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/ Manual Reverse
- Light Kit Uses (1) 100W T-3 78mm Halogen Bulb (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5142 Cubic Feet/Minute
- Electricity Use: 55 Watts (Excludes Lights)
- Airflow Efficiency: 93 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



T-3 Halogen

REMOTE CONTROL OPTIONS



ANGEL
p. 018

26424-155

ASHFIELD
p. 094

72565-24



FAN HEIGHT

- Using 6" cable setup
- Distance of 22.5"
- Distance of 25.25"

GENERAL SPECS

- Lifetime Motor Warranty
- Four Blades
- 42" Blade Sweep
- 100" Lead Wire
- 8 Optional Length Cables Included: 6", 12", 18", 24", 36", 48", 60", and 72"


MECHANICAL SPECS

- 188 x 20 Motor Size
- 3 Speeds-Reversible w/Wall Control
- 16 Poles
- .53/48/.34 AMPS on H/M/L
- 71/38/17 WATTS on H/M/L
- 70/52/31 RPMS on H/M/L
- Remote Control Adaptable
- Not Light Kit Adaptable


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 3385 Cubic Feet/Minute
- Electricity Use: 71 Watts (Excludes Lights)
- Airflow Efficiency: 47 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



Included 8-1401

FAN HEIGHT

- Using 4" Downrod
- Distance of 14"
- Distance of 13.75"

GENERAL SPECS

- Lifetime Motor Warranty
- Five Blades
- 56" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 20 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .66/58/.43 AMPS on H/M/L
- 74/54/25 WATTS on H/M/L
- 140/103/60 RPMS on H/M/L
- Wall Control Included
- Skirted Blade Arms
- Remote Control Adaptable w/ Manual Reverse

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5356 Cubic Feet/Minute
- Electricity Use: 74 Watts (Excludes Lights)
- Airflow Efficiency: 72 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



Included 7-1305-0 8-1401

ASHLAR
p. 058

52525-9XX

ASTRA
p. 020

89524-16



FAN HEIGHT

- Using 4" Downrod
- Distance of 18.75"
- Distance of 13.25"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/45/18 AMPS on H/M/L
- 60/41/12 WATTS on H/M/L
- 165/111/53 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/ Manual Reverse
- Light Kit Uses (3) 40W C Bulbs (Included)

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5048 Cubic Feet/Minute
- Electricity Use: 60 Watts (Excludes Lights)
- Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

FAN HEIGHT

- Using 6" Downrod
- Distance of 16"
- Distance of 13.5"

GENERAL SPECS

- Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" of Lead Wire
- 6" Downrod Included


MECHANICAL SPECS

- 153 x 18 Motor Size
- 3 Speeds-Reversible / Manual Reverse Switch
- 16 Poles
- .60/42/27/22 AMPS on H/M/L
- 68/34/14/10 WATTS on H/M/L
- 230/155/95/79 RPMS on H/M/L
- 4-Speed Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (1) 100W T-3 78mm Halogen Bulb (Included)
- Up-Light Uses (4) 40W C Sockets

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5118 Cubic Feet/Minute
- Electricity Use: 68 Watts (Excludes Lights)
- Airflow Efficiency: 75 cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE




T-3 Halogen



Candelabra

REMOTE CONTROL OPTIONS



Included 7-1305-0 8-1402

AUBURN PATIO
p. 286

12525-995



FAN HEIGHT

Using 7" Downrod
● Distance of 19"
○ Distance of 14.25"

GENERAL SPECS

Powder Coated Finish
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
7" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
3 Speeds-Reversible
16 Poles
.64/.43/.23 AMPS on H/M/L
71/34/10 WATTS on H/M/L
187/122/60 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable w/ Manual Reverse
Light Kit Uses (3) 40W C Bulbs (Included)
Housing Light Uses (6) 7W C7 Bulbs (Included)
UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 5998 Cubic Feet/Minute
Electricity Use: 71 Watts (Excludes Lights)
Airflow Efficiency: 84 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



AXEL
p. 022

82524-XX



FAN HEIGHT

Using 6" downrod
⊘ Distance of 14.75"
⊘ Distance of 10.75"

GENERAL SPECS

2 Finish Combinations
Lifetime Motor Warranty
Four Blades
52" Blade Sweep
20 Degree Blade Pitch
80" Lead Wire
6" Downrod Included


MECHANICAL SPECS

153 x 18 Motor Size
4 Speeds-Reversible w/Manual Reverse
16 Poles
.61/.43/.27/.24 AMPS on H/M/L
74/36/15/10 WATTS on H/M/L
163/107/67/53 RPMS on H/M/L
Triple Capacitor
Wall Control Included
Remote Control Adaptable w/ Manual Reverse
Light Kit Uses (1) 75W T-3 78mm Halogen Bulb (Included)

ENERGY SPECS

Energy Information at High Speed
Airflow: 6356 Cubic Feet/Minute
Electricity Use: 74 Watts (Excludes Lights)
Airflow Efficiency: 86 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



T3 Halogen

REMOTE CONTROL OPTIONS



Included 7-3000

BAKERSFIELD
p. 096

71525-XX

BALTIC PATIO
p. 288

145525-86



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 11"

GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 18 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .51/36/20 AMPS on H/M/L
- 66/29/9 WATTS on H/M/L
- 159/110/61 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5620 Cubic Feet/Minute
- Electricity Use: 66 Watts (Excludes Lights)
- Airflow Efficiency: 85 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

FAN HEIGHT

- Using 4" Downrod
- Distance of 23.5"
- Distance of 10.75"

GENERAL SPECS

- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172x17 Motor Size
- 4 Speeds-Reversible /Manual Reverse Switch
- 16 Poles
- .59/40/22/18 AMPS on H/M/L
- 57/30/10/8 WATTS on H/M/L
- 165/110/90/50 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (3) 40W C Bulbs (Included)
- UL Wet Listed


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5685 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 99 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



BARCLAY
p. 100

76525-XX



FAN HEIGHT

Using 4" Downrod
 ● Distance of 14.5"
 ○ Distance of 11.25"

GENERAL SPECS

3 Finishes Available
 Lifetime Motor Warranty
 Five Blades
 52" Blade Sweep
 80" Lead Wire
 4" and 6" Downrods Included
 12-Degree Blade Pitch


MECHANICAL SPECS

153x17 Motor Size
 3 Speeds-Reversible
 14 Poles
 .43/35/25 AMPS on H/M/L
 57/29/13 WATTS on H/M/L
 155/105/55 RPMS on H/M/L
 Triple Capacitor
 Remote Control Adaptable
 Detachable Switch Cup
 Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
 Airflow: 4548 Cubic Feet/Minute
 Electricity Use: 57 Watts (Excludes Lights)
 Airflow Efficiency: 79 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

BELVEDERE PATIO
p. 290

14525-9XX



FAN HEIGHT

Using 4" Downrod
 ● Distance of 20.75"
 ○ Distance of 11.75"

GENERAL SPECS

3 Finishes Available (Powder Coated)
 Lifetime Motor Warranty
 Five ABS Blades
 52" Blade Sweep
 13.5-Degree Blade Pitch
 80" Lead Wire
 4" and 6" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
 3 Speeds-Reversible
 16 Poles
 .44/39/25 AMPS on H/M/L
 54/32/12 WATTS on H/M/L
 161/121/67 RPMS on H/M/L
 Light Kit Uses (3) 40W C Bulbs (Included)
 Remote Control Adaptable w/ Manual Reverse
 UL Wet Listed

ENERGY SPECS

Energy Information at High Speed
 Airflow: 4560 Cubic Feet/Minute
 Electricity Use: 54 Watts (Excludes Lights)
 Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



BREWSTER
p. 102

27603-XX



FAN HEIGHT

- Using 6" downrod
- Distance of 17.75"
- Distance of 10.25"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 60" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included


MECHANICAL SPECS

- 172 x 20 Motor Size
- 4 Speeds - Reversible
- 16 Poles
- .42/31/23/17 AMPS on H/M/M/L
- 51/28/16/7 WATTS on H/M/M/L
- 89/65/45/31 RPM on H/M/M/L
- Triple Capacitor
- 4 Speed Wall Control Included
- Remote Control Adaptable w/ Manual Reverse


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4812 Cubic Feet/Minute
- Electricity Used: 51 Watts (Excludes Lights)
- Airflow Efficiency: 94° Cubic Feet/Watt


HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BRISTOL
p. 060

54543-XX



FAN HEIGHT

- Using 6" Downrod
- Distance of 14"
- Distance of 11.5"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 54" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included


MECHANICAL SPECS

- 172 x 20 Motor Size
- 4 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .62/44/27/24 AMPS on H/M/L
- 75/36/14/11 WATTS on H/M/L
- 172/115/68/60 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Up-Light Uses (3) 40W C Bulbs (Included)

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6165 Cubic Feet/Minute
- Electricity Use: 75 Watts (Excludes Lights)
- Airflow Efficiency: 82 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



Included 7-1305-0 7-1401-0

BRONX
p. 024

42523-XX



FAN HEIGHT

Using 4.5" Downrod
● Distance of 15"
○ Distance of 12"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Three Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4.5" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
4 Speeds-Reversible/Manual Reverse Switch
16 Poles
.55/40/26/22 AMPS on H/M/L
66/33/15/11 WATTS on H/M/L
188/133/84/71 RPMS on H/M/L
4 Speed Wall Control Included
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (1) 75W JD-E11 Mini-Can
Halogen Bulb (Included)

ENERGY SPECS

Energy Information at High Speed
Airflow: 5795 Cubic Feet/Minute
Electricity Use: 66 Watts (Excludes Lights)
Airflow Efficiency: 87 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can

REMOTE CONTROL OPTIONS



Included 7-1305-0 7-3000 7-1401-0

BRONX PATIO
p. 260

142523-XX



FAN HEIGHT

Using 4.5" Downrod
● Distance of 15"
○ Distance of 12"

GENERAL SPECS

2 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Three ABS Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4.5" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
4 Speeds-Reversible/Manual Reverse Switch
16 Poles
.55/42/27/23 AMPS on H/M/L
66/37/16/12 WATTS on H/M/L
207/150/91/78 RPMS on H/M/L
4 Speed Wall Control Included
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (1) 75W JD-E11 Mini-Can
Halogen Bulb (Included)
UL Wet Listed

ENERGY SPECS

Energy Information at High Speed
Airflow: 6514 Cubic Feet/Minute
Electricity Use: 66 Watts (Excludes Lights)
Airflow Efficiency: 99 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can

REMOTE CONTROL OPTIONS



Included 7-1305-0 7-3000 7-1401-0

CAPRI I
p. 186

77425-XX
77525-XX



FAN HEIGHT

Using 3.5" Downrod (52"/42" models)

- Distance of 11.25"/11"
- Distance of 8.5"/9"

GENERAL SPECS

19 Finish Combinations Available for 52"
6 Finish Combinations Available for 42"
Lifetime Motor Warranty
Five Blades
11.5-Degree Blade Pitch (14-Degree for 42")
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size (153 x 12 Motor Size for 42")
3 Speeds-Reversible
14 Poles
.57/.39/.21 AMPS on H/M/L (.51/.36/.20 for 42")
70/30/9 WATTS on H/M/L (50/28/10 for 42")
180/120/63 RPMS on H/M/L (158/104/56 for 42")
Triple Capacitor
Remote Control Adaptable w/ Manual Reverse for 42" Model
Detachable Switch Cup


ENERGY SPECS

Energy Information at High Speed 52"/42"
Airflow: 5152/3818 Cubic Feet/Minute
Electricity Use: 69/50 Watts (Excludes Lights)
Airflow Efficiency: 75/76 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 1-42 - See page 392
Use indoor blade type 1-52 - See page 394

CAPRI III
p. 196

77525-9XXX



FAN HEIGHT

Using 3.5" Downrod

- Distance OF 17.25"
- Distance OF 10.5"

GENERAL SPECS

16 Finish Combinations Available
Lifetime Motor Warranty
Five Blades
11.5-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
3 Speeds-Reversible
14 Poles
.57/.39/.21 AMPS on H/M/L
67/30/9 WATTS on H/M/L
180/120/63 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable w/Manual Reverse
Detachable Switch Cup
Light Kit Uses (2) 60W C (Included)


ENERGY SPECS

Energy Information at High Speed
Airflow: 5116 Cubic Feet/Minute
Electricity Use: 67 Watts (Excludes Lights)
Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES




BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394

CAPRI IV
p. 204

77525-2XXX



FAN HEIGHT

Using 3.5" Downrod
● Distance of 20.5"
○ Distance of 12.75"

GENERAL SPECS

10 Finish Combinations Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
Blade Type 1-52" with Pointed Tip
11.5-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
3 Speeds-Reversible
14 Poles
.50/.37/.22 AMPS on H/M/L
59/30/10 WATTS on H/M/L
196/134/68 RPMS on H/M/L
Triple Capacitor
Light Kit Uses (2) 13W 2700k GU24
Fluorescent Lamps (Included)
Not Remote Control Adaptable
Light Kit Non-Dimmable

ENERGY SPECS

Energy Information at High Speed
Airflow: 5391 Cubic Feet/Minute
Electricity Use: 63 Watts (Excludes Lights)
Airflow Efficiency: 85 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-6	-8	-44
-65	-86	-95

BULB TYPE



13W 2700K GU24

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394

CAPRI V
p. 208

77525-8XXX



FAN HEIGHT

Using 3.5" Downrod
● Distance OF 19"
○ Distance OF 11.5"

GENERAL SPECS

14 Finish Combinations Available
Lifetime Motor Warranty
Five Blades
11.5-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
3 Speeds-Reversible
14 Poles
.51/.36/.20 AMPS on H/M/L
67/28/10 WATTS on H/M/L
158/104/56 RPMS on H/M/L
Triple Capacitor
Not Remote Control Adaptable
Detachable Switch Cup
Light Kit Uses (4) 13W M 2700k Spiral CFL
Bulbs (Included)
Light Kit Non-Dimmable

ENERGY SPECS

Energy Information at High Speed
Airflow: 5116 Cubic Feet/Minute
Electricity Use: 67 Watts (Excludes Lights)
Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES

-2	-6	-8	-22	-44
-58	-65	-67	-86	-95

BULB TYPE



Spiral CFL

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394

CAPRI VI
p. 216

77525-1XXX



FAN HEIGHT

- Using 3.5" Downrod
- Distance OF 19.75"
- Distance OF 12.5"

GENERAL SPECS

- 16 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 11.5-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 15 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .57/.39/.22 AMPS on H/M/L
- 67/28/7 WATTS on H/M/L
- 171/115/60 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/Manual Reverse
- Detachable Switch Cup
- Light Kit Uses (3) 60W C Bulbs (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5116 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394

CAPRI VII
p. 224

77525-8XXX



FAN HEIGHT

- Using 3.5" Downrod
- Distance OF 17.5"
- Distance OF 9.75"

GENERAL SPECS

- 5 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 15 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .52/.37/.21 AMPS on H/M/L
- 67/29/9 WATTS on H/M/L
- 190/133/69 RPMS on H/M/L
- Triple Capacitor
- Not Remote Control Adaptable
- Light Kit Uses (4) 13W 2700k GU24 Bulbs (Included)
- Light Kit Not Dimmable


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5607 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



13W 2700K GU24

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394

CHATEAUX
p. 106

78525-XX



FAN HEIGHT

Using 3.5" Downrod

- Distance of 11"
- Distance of 9.75"

GENERAL SPECS

13 Finish Combinations Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
14-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

188 x 15 Motor Size
3 Speeds-Reversible
16 Poles
.69/44/23 AMPS on H/M/L
80/33/9 WATTS on H/M/L
169/106/51 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
Airflow: 6323 Cubic Feet/Minute
Electricity Use: 80 Watts (Excludes Lights)
Airflow Efficiency: 79 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

BLADE ALTERNATIVES

Use indoor blade type 4-52 - See page 401

CIMARRON
p. 112

69525-XX



FAN HEIGHT

Using 4" Downrod

- Distance of 16.25"
- Distance of 12.25"

GENERAL SPECS

4 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
13.5-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
3 Speeds-Reversible / Manual Reverse Switch
16 Poles
.53/43/32 AMPS on H/M/L
69/29/15 WATTS on H/M/L
159/100/67 RPMS on H/M/L
Wall Control Included
Remote Control Adaptable w/Manual Reverse
Skirted Blade Arms
Up-light uses (6) 15W C7 Bulbs (Included)

ENERGY SPECS

Energy Information at High Speed
Airflow: 5427 Cubic Feet/Minute
Electricity Use: 69 Watts (Excludes Lights)
Airflow Efficiency: 78 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



C7 Candelabra

REMOTE CONTROL OPTIONS



Included

8-1402

BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

COLTON
p. 062

36525-9XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 14.75"
- Distance of 12.25"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 18 Motor Size
- 4 Speeds-Reversible/Manual Reverse
- 16 Poles
- .51/.35/.25/.13 AMPS on H/M/L
- 65/32/18/8 WATTS on H/M/L
- 162/109/80/45 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/ Manual Reverse
- Light Kit Uses (3) 40W C Bulbs (Included)

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4745 Cubic Feet/Minute
- Electricity Use: 65 Watts (Excludes Lights)
- Airflow Efficiency: 73 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



Included 7-1305-0 7-3000 7-1401-0

CUSTOM HUGGER
p. 228

11425-XX
11525-XX



FAN HEIGHT

- (52"/42" models)
- Distance of 7.75"/7.5"
- Distance of 6"/6"

GENERAL SPECS

- 4 Finishes Available (for 52")
- 3 Finishes Available (for 42")
- Lifetime Motor Warranty
- Five Blades
- 11.5-Degree Blade Pitch

MECHANICAL SPECS

- 153 x 12 Motor Size for 52"
- 153 x 10 Motor Size for 42"
- 3 Speeds-Reversible
- 14 Poles (14 Poles for 42")
- .40/.32/.19 AMPS on H/M/L (.38/.29/.21 for 42")
- 71/32/14 WATTS on H/M/L (48/27/15 for 42")
- 158/121/75 RPMS on H/M/L (220/175/120 for 42")
- Triple Capacitor (Single for 42")
- Not Remote Control Adaptable
- Detachable Switch Cup


ENERGY SPECS

- Energy Information at High Speed (52"/42")
- Airflow: 5307/3812 Cubic Feet/Minute
- Electricity Use: 71/48 WATTS (Excludes Lights)
- Airflow Efficiency: 74/79 cubic feet/min./watt

HEIGHT CHART



AVAILABLE FINISHES



BLADE ALTERNATIVES

- Use indoor blade type 1-42 - See page 392
- Use indoor blade type 1-52 - See page 394

DAVENPORT
p. 064



FAN HEIGHT

- Distance of 13"
- Distance of 8.75"

GENERAL SPECS

3 Finishes Available
Lifetime Motor Warranty
Four Blades
52" Blade Sweep
13.5-Degree Blade Pitch

MECHANICAL SPECS

172 x 14 Motor Size
4 Speeds-Reversible/Manual Reverse
16 Poles
.60/.32/.24/.14 AMPS on H/M/L
67/31/19/8 WATTS on H/M/L
160/107/82/46 RPMS on H/M/L
Light Kit houses (3) 40W C Sockets
Remote Control Adaptable w/Manual Reverse
4 Speed Wall Control Included


ENERGY SPECS

Energy Information at High Speed
Airflow: 5286 Cubic Feet/Minute
Electricity Use: 67 Watts (Excludes Lights)
Airflow Efficiency: 78 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



Included 7-3000 7-1401-0 7-1305-0

65524-XX

DAYSTAR
p. 026

88525-XX



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 18"
- Distance of 13.5"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
15-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

172 x 20 Motor Size
4 Speeds-Reversible / Manual Reverse Switch
16 Poles
.69/.44/.27/.23 AMPS on H/M/L
83/33/13/9 WATTS on H/M/LL
188/119/73/60 RPMS on H/M/L
Triple Capacitor
Wall Control Included
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (1) 100W T-3 78mm Halogen Bulb (Included)
Supplied w/Optional Hugger Adapter


ENERGY SPECS

Energy Information at High Speed
Airflow: 7488 Cubic Feet/Minute
Electricity Use: 83 Watts (Excludes Lights)
Airflow Efficiency: 89 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



T3 Halogen

REMOTE CONTROL OPTIONS



Included 7-1305-0 7-3000 7-1401-0

DRAGONFLY 60
p. 028

59605-XX



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 13.5"
- Distance of 10.25"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 60" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 28mm DC Motor
- 3 Speeds-Reversible
- 18 Poles
- .87/59/37 AMPS on H/M/L
- 101/46/18 WATTS on H/M/L
- 133/88/57 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4375 Cubic Feet/Minute
- Electricity Use: 101 Watts (Excludes Lights)
- Airflow Efficiency: 43 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



DRAGONFLY 60 PATIO
p. 262

159605-XX



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 13.5"
- Distance of 10.25"

GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five Water-Resistant Canvas Blades
- 60" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 28mm DC Motor
- 3 Speeds-Reversible
- 18 Poles
- .87/59/37 AMPS on H/M/L
- 101/46/18 WATTS on H/M/L
- 133/88/57 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- UL Damp Listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5630 Cubic Feet/Minute
- Electricity Use: 101 Watts (Excludes Lights)
- Airflow Efficiency: 55 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



DRAGONFLY 72
p. 030

59725-XX



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 13.5"
- Distance of 10.25"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 72" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 28mm DC Motor
- 3 Speeds-Reversible
- 18 Poles
- .86/59/37 AMPS on H/M/L
- 100/46/18 WATTS on H/M/L
- 88/56/37 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4860 Cubic Feet/Minute
- Electricity Use: 100 Watts (Excludes Lights)
- Airflow Efficiency: 48 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



DRAGONFLY 72 PATIO
p. 264

159725-XX



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 13.5"
- Distance of 10.25"

GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five Water-Resistant Canvas Blades
- 72" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 28mm DC Motor
- 3 Speeds-Reversible
- 18 Poles
- .86/59/37 AMPS on H/M/L
- 100/46/18 WATTS on H/M/L
- 88/56/37 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- UL Damp Listed


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4690 Cubic Feet/Minute
- Electricity Use: 100 Watts (Excludes Lights)
- Airflow Efficiency: 46 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



ELICA
p. 032

36524-XX

EMPRESS
p. 116

35525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 14.25"
- Distance of 13.5"

GENERAL SPECS

- Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 16-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188x20 Motor Size
- 3 Speeds-Reversible /Manual Reverse Switch
- 16 Poles
- .60/.38/.26 AMPS on H/M/L
- 62/40/18 WATTS on H/M/L
- 156/100/60 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (1) 50W GU-10 Halogen Lamp (Included)
- Up-Light Uses (6) 15W C7 Lamps (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4526 Cubic Feet/Minute
- Electricity Use: 62 Watts (Excludes Lights)
- Airflow Efficiency: 73 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



C7 Candelabra GU-10 Halogen

REMOTE CONTROL OPTIONS



Included



8-1402

FAN HEIGHT

- Using 4" Downrod
- Distance of 14.25"
- Distance of 13.25"

GENERAL SPECS

- 7 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .65/.44/.23 AMPS on H/M/L
- 75/33/9 WATTS on H/M/L
- 154/102/57 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6222 Cubic Feet/Minute
- Electricity Use: 75 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0



7-3000



7-1401-0

ESTATE 30
p. 232

43306-XX



FAN HEIGHT

Using 3.5" Downrod

- Distance of 12"
- Distance of 10.75"

GENERAL SPECS

5 Finishes Available
Lifetime Motor Warranty
Six Blades
30" Blade Sweep
25-Degree Blade Pitch
80" Lead Wire
3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 12 Motor Size
3 Speeds-Reversible
14 Poles
.30/.20/.09 AMPS on H/M/L
53/26/9 WATTS on H/M/L
240/182/100 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
Airflow: 3690 Cubic Feet/Minute
Electricity Use: 53 Watts (Excludes Lights)
Airflow Efficiency: 69 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

BLADE ALTERNATIVES

Use indoor blade type 1-30 - See page 391

ESTATE 30 PATIO
p. 314

143306-XX



FAN HEIGHT

Using 4" Downrod

- Distance of 12"
- Distance of 10.75"

GENERAL SPECS

2 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Six ABS Blades
30" Blade Sweep
Blade Type 1-30" with Semi-Square Tip
25-Degree Blade Pitch
3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 12 Motor Size
3 Speeds-Reversible
14 Poles
.29/.21/.09 AMPS on H/M/L
53/27/9 WATTS on H/M/L
245/185/103 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms/Sealed Vent Holes
UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 3690 Cubic Feet/Minute
Electricity Use: 53 Watts (Excludes Lights)
Airflow Efficiency: 69 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

BLADE ALTERNATIVES

Use outdoor blade type 1-30 - See page 412

ESTATE 42
p. 236

43425-XX



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 12"
- Distance of 10.75"

GENERAL SPECS

- 6 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 42" Blade Sweep
- 14-Degree Blade Pitch
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 13 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .47/.34/.20 AMPS on H/M/L
- 55/25/9 WATTS on H/M/L
- 195/138/75 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4595 Cubic Feet/Minute
- Electricity Use: 63 Watts (Excludes Lights)
- Airflow Efficiency: 73 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 1-42 - See page 392

ESTATE 42 PATIO
p. 316

143425-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 12"
- Distance of 10.75"

GENERAL SPECS

- 4 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 42" Blade Sweep
- 14-Degree Blade Pitch
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 13 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .42/.31/.18 AMPS on H/M/L
- 61/26/9 WATTS on H/M/L
- 214/156/52 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms/Sealed Vent Holes
- UL Wet Listed


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4583 Cubic Feet/Minute
- Electricity Use: 61 Watts (Excludes Lights)
- Airflow Efficiency: 75 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use outdoor blade type 1-42 - See page 413

ESTATE 52
p. 240

43525-XX



FAN HEIGHT

Using 3.5" Downrod

- Distance of 12"
- Distance of 10.5"

GENERAL SPECS

12 Finish Combinations Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
14-Degree Blade Pitch
3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
3 Speeds-Reversible
14 Poles
.58/.39/.21 AMPS on H/M/L
66/29/9 WATTS on H/M/L
175/104/58 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
Airflow: 5361 Cubic Feet/Minute
Electricity Use: 66 Watts (Excludes Lights)
Airflow Efficiency: 81 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394

ESTATE 52 PATIO
p. 318

143525-XX



FAN HEIGHT

Using 4" Downrod

- Distance of 12"
- Distance of 10.5"

GENERAL SPECS

10 Finish Combinations Available (Powder Coated)
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
14-Degree Blade Pitch
3.5" and 6" Downrod Included


MECHANICAL SPECS

153 x 15 Motor Size
3 Speeds-Reversible
14 Poles
.57/.38/.21 AMPS on H/M/L
65/29/8 WATTS on H/M/L
168/112/65 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms/Sealed Vent Holes
UL Wet Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 5443 Cubic Feet/Minute
Electricity Use: 65 Watts (Excludes Lights)
Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 414

ESTATE UNI-PACK PATIO 143525-9XX
p. 308



FAN HEIGHT

- Using 4" Downrod
- Distance of 19.25"
- Distance of 11.5"

GENERAL SPECS

- 8 Finish Combinations Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 15 Motor Size
- 3 Speeds - Reversible
- 14 Poles
- .57/.39/.21 AMPS on H/M/L
- 55/30/9 WATTS on H/M/L
- 154/105/52 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (2) 60W C Bulbs (Included)
- Skirted Blade Arms/Sealed Vent Holes
- UL Wet Listed


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4710 Cubic Feet/Minute
- Electricity Use: 55 Watts (Excludes Lights)
- Airflow Efficiency: 86 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 414

FLEX
p. 034

98604-XX



FAN HEIGHT

- Using 6" Downrod
- Distance of 15.75"
- Distance of 12.25"

GENERAL SPECS

- 2 Finishes Available
- Ltd Lifetime Motor Warranty
- Four ABS Blades
- 60" Blade Sweep
- 14-Degree Blade Pitch
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 125mm DC motor
- 6 Speeds-Reversible w/Wall Control
- 80" Lead Wire
- .44/.27/.19/.13/.09/.06 AMPS on H/M/L
- 31/18/13/8/6/4 WATTS on H/M/L
- 166/142/119/96/74/50 RPMS on H/M/L
- Wall Control Included
- Light Kit Uses (1) 18W Self-Ballasted GU24 Spiral Lamp (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5702 Cubic Feet/Minute
- Electricity Use: 31 Watts (Excludes Lights)
- Airflow Efficiency: 184 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Spiral GU24

WALL CONTROL



Included

GALLOWAY
p. 120

48525-9XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 19.25"
- Distance of 12.25"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- Blade Type 5-52" with Scalloped Tip
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible / Manual Reverse Switch
- 16 Poles
- .58/.50/.36 AMPS on H/M/L
- 68/38/12 WATTS on H/M/L
- 165/119/70 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (3) 40W C Bulbs (Included)

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5381 Cubic Feet/Minute
- Electricity Use: 68 Watts (Excludes Lights)
- Airflow Efficiency: 79 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



Included 7-1305-0 8-1401

BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

GALVESTON PATIO
p. 276

13525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 18.5"
- Distance of 10.75"

GENERAL SPECS

- 3 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 80" Lead Wire
- 13.5-Degree Blade Pitch
- 4" and 6" Downrods Included


MECHANICAL SPECS

- 172x17 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .57/38/20 AMPS on H/M/L
- 63/29/8 WATTS on H/M/L
- 175/127/59 RPMS on H/M/L
- Remote Control Adaptable w/ Manual Reverse
- Light Kit uses (1) 14W M CFL Bulb (Included)
- Light Kit Non-Dimmable
- UL Wet listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5126 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 90 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



14W M CFL Bulb

REMOTE CONTROL OPTIONS



Included 7-3000 7-1401-0 7-1305-0

GEORGIA PATIO
p. 292

174525-9XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 21.75"
- Distance of 10"

GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 4 Speeds-Reversible / Manual Reverse
- 16 Poles
- .54/.36/.26/.12 AMPS on H/M/L
- 60/35/19/8 WATTS on H/M/L
- 162/109/81/43 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/ Manual Reverse
- Skirted Blade Arms
- Light Kit Uses (3) 40W C Bulbs (Included)
- UL Wet Listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5135 Cubic Feet/Minute
- Electricity Use: 60 Watts (Excludes Lights)
- Airflow Efficiency: 85 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



Included 7-1305-0 7-3000 7-1401-0

GUSTO 32
p. 122

32323-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 16.5"
- Distance of 10"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 32" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 10 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .37/.32/.20 AMPS on H/M/L
- 44/33/13 WATTS on H/M/L
- 187/175/99 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Dual-Mount Canopy
- Detachable Switch Cup

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 1683 Cubic Feet/Minute
- Electricity Use: 44 Watts (Excludes Lights)
- Airflow Efficiency: 38 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

HANOVER
p. 124

29525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 15.5"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 20 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .54/43/23 AMPS on H/M/L
- 65/38/11 WATTS on H/M/L
- 165/115/60 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6456 Cubic Feet/Minute
- Electricity Use: 69 Watts (Excludes Lights)
- Airflow Efficiency: 94 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

HANOVER PATIO
p. 266

129525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 15.5"

GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 20 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .55/41/21 AMPS on H/M/L
- 67/36/11 WATTS on H/M/L
- 180/130/67 RPMS on H/M/L
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- UL Wet Listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6323 Cubic Feet/Minute
- Electricity Use: 68 Watts (Excludes Lights)
- Airflow Efficiency: 94 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use outdoor blade type 5-52 - See page 415

HOFFMAN
p. 066

83525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.25"
- Distance of 14.25"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 17 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .53/37/20 AMPS on H/M/L
- 65/30/9 WATTS on H/M/L
- 170/117/65 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5414 Cubic Feet/Minute
- Electricity Use: 65 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



HUDSON PATIO
p. 268

137525-XX



FAN HEIGHT

- Using 6" Downrod
- Distance of 16.5"
- Distance of 14.75"

GENERAL SPECS

- 3 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included


MECHANICAL SPECS

- 172 x 14 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .57/39/21 AMPS on H/M/L
- 68/30/9 WATTS on H/M/L
- 163/110/65 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- UL Wet Listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5647 Cubic Feet/Minute
- Electricity Use: 68 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



JELLYFISH
p. 036

14583-914



FAN HEIGHT

- Using 6" cable setup
- Distance of 20.5"
- Distance of 13"

GENERAL SPECS

- Lifetime Motor Warranty
- Three Blades
- 58" Blade Sweep
- 12-Degree Blade Pitch
- 100" Lead Wire
- 8 Optional Length Cables Included: 6", 12", 18", 24", 36", 48", 60", and 72"


MECHANICAL SPECS

- 188 x 18 Motor Size
- 3 Speeds-Reversible w/Wall Control
- 16 Poles
- .44/42/32 AMPS on H/M/L
- 54/27/14 WATTS on H/M/L
- 110/75/45 RPMS on H/M/L
- 7-1301-0 Wall Control Included
- Remote Control Adaptable
- Light Kit Uses (1) 50W GU-10 Halogen Bulb (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4193 Cubic Feet/Minute
- Electricity Use: 54 Watts (Excludes Lights)
- Airflow Efficiency: 77 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



GU-10 Halogen

REMOTE CONTROL OPTIONS



Included 8-1401

JUBILEE
p. 038

90524-XX



FAN HEIGHT

- Using 6" Downrod
- Distance of 15.75"
- Distance of 17"

GENERAL SPECS

- 2 Finishes Available
- Ltd Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 4.5" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 4 Speeds-Reversible w/Manual Reverse
- 80" Lead Wire
- 16 Poles
- .48/36/26/18 AMPS on H/M/L
- 57/32/17/8 WATTS on H/M/L
- 140/104/73/47 RPMS on H/M/L
- Wall Control Included
- Triple Capacitor
- Remote Control Adaptable w/Manual Reverse
- Not Light Kit Adaptable


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4713 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



Included 7-1305-0 7-3000

KAI
p. 068

50524-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 11.75"
- Distance of 10.5"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 18 Motor Size
- 4 Speeds-Reversible
- 14 Poles
- .48/35/17/09 AMPS on H/M/L
- 56/30/8/4 WATTS on H/M/L
- 180/136/65/41 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Not Light Kit Adaptable

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5521 Cubic Feet/Minute
- Electricity Use: 56 Watts (Excludes Lights)
- Airflow Efficiency: 99 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



Included 7-3000 7-1305-0

KINGSLEY 52
p. 126

38525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 13.5"
- Distance of 13"

GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/38/21 AMPS on H/M/L
- 71/30/10 WATTS on H/M/L
- 164/105/57 RPMS on H/M/L
- Remote Control Adaptable

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5627 Cubic Feet/Minute
- Electricity Use: 71 Watts (Excludes Lights)
- Airflow Efficiency: 79 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

KINGSLEY 60
p. 130

38605-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 15"

GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 60" Blade Sweep
- 14-Degree Blade Pitch
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 25 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .74/.57/.38 AMPS on H/M/L
- 90/48/20 WATTS on H/M/L
- 136/103/67 RPMS on H/M/L
- Remote Control Adaptable
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5765 Cubic Feet/Minute
- Electricity Use: 90 Watts (Excludes Lights)
- Airflow Efficiency: 64 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 5-60 - See page 409

LIBERTY
p. 134

49525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 14.25"
- Distance of 12.25"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/.38/.21 AMPS on H/M/L
- 67/29/9 WATTS on H/M/L
- 158/102/55 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5856 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 87 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

LONESTAR
p. 136

80525-44



FAN HEIGHT

- Using 4" Downrod
- Distance of 16.25"
- Distance of 12.5"

GENERAL SPECS

- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 20 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .56/.32/.25 AMPS on H/M/L
- 62/35/16 WATTS on H/M/L
- 155/112/60 RPMS on H/M/L
- Remote Control Adaptable w/Manual Reverse
- Up-Light Uses (4) 15W C7 Bulbs (Included)
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5234 Cubic Feet/Minute
- Electricity Use: 62 Watts (Excludes Lights)
- Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



C7 Candelabra

REMOTE CONTROL OPTIONS



Included



8-1402

BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

LOWELL
p. 140

56525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 12.5"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible / Manual Reverse Switch
- 16 Poles
- .58/.49/.35 AMPS on H/M/L
- 73/37/17 WATTS on H/M/L
- 164/119/72 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5232 Cubic Feet/Minute
- Electricity Use: 73 Watts (Excludes Lights)
- Airflow Efficiency: 71 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1401

BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

MARSDEN PATIO
p. 294

139525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 14.5"
- Distance of 13.25"

GENERAL SPECS

- 2 Finishes Available
- Powder Coated Finish
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/.43/.22 AMPS on H/M/L
- 68/39/12 WATTS on H/M/L
- 156/115/53 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- UL Wet Listed


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5850 Cubic Feet/Minute
- Electricity Use: 65 Watts (Excludes Lights)
- Airflow Efficiency: 90 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



MEDALLION 30
p. 144

51306-8



FAN HEIGHT

- Distance of 8"
- Distance of 7.75"

GENERAL SPECS

- Lifetime Motor Warranty
- Six Blades
- 30" Blade Sweep
- 25-Degree Blade Pitch

MECHANICAL SPECS

- 153 x 12 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .44/.32/.19 AMPS on H/M/L
- 53/26/9 WATTS on H/M/L
- 209/153/89 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 3350 Cubic Feet/Minute
- Electricity Use: 53 Watts (Excludes Lights)
- Airflow Efficiency: 63 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 1-30 - See page 391

MEDALLION 30 PATIO
p. 296

151306-8

MEDALLION 42
p. 146

51425-XX



FAN HEIGHT

- Distance of 8"
- Distance of 7.75"

GENERAL SPECS

Powder Coated Finish
Lifetime Motor Warranty
Six ABS Blades
30" Blade Sweep
25-Degree Blade Pitch

MECHANICAL SPECS

153 x 12 Motor Size
3 Speeds-Reversible
14 Poles
.44/.32/.19 AMPS on H/M/L
53/26/9 WATTS on H/M/L
203/146/84 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms
Sealed Vent Holes
UL Damp Listed

ENERGY SPECS

Energy Information at High Speed
Airflow: 3350 Cubic Feet/Minute
Electricity Use: 53 Watts (Excludes Lights)
Airflow Efficiency: 63 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0

7-3000

BLADE ALTERNATIVES

Use outdoor blade type 1-30 - See page 412

FAN HEIGHT

- Distance of 8"
- Distance of 7.25"

GENERAL SPECS

2 Finishes Available
Lifetime Motor Warranty
Five Blades
42" Blade Sweep
14-Degree Blade Pitch

MECHANICAL SPECS

153 x 13 Motor Size
3 Speeds-Reversible
14 Poles
.42/.31/.19 AMPS on H/M/L
54/25/10 WATTS on H/M/L
221/160/97 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms

ENERGY SPECS

Energy Information at High Speed
Airflow: 3860 Cubic Feet/Minute
Electricity Use: 54 Watts (Excludes Lights)
Airflow Efficiency: 71 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0

7-3000

BLADE ALTERNATIVES

Use indoor blade type 1-42 - See page 392

MEDALLION 42 PATIO
p. 298

151425-XX



FAN HEIGHT

- Distance of 8"
- Distance of 7.25"

GENERAL SPECS

2 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Five ABS Blades
42" Blade Sweep
14-Degree Blade Pitch

MECHANICAL SPECS

153 x 13 Motor Size
3 Speeds-Reversible
14 Poles
.42/.31/.19 AMPS on H/M/L
54/25/9 WATTS on H/M/L
240/179/102 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms
Sealed Vent Holes
UL Damp Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 3860 Cubic Feet/Minute
Electricity Use: 54 Watts (Excludes Lights)
Airflow Efficiency: 71 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000

BLADE ALTERNATIVES

Use outdoor blade type 1-42 - See page 413

MEDALLION 52
p. 148

51525-XX



FAN HEIGHT

- Distance of 7.5"
- Distance of 7.5"

GENERAL SPECS

5 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
14-Degree Blade Pitch

MECHANICAL SPECS

153 x 15 Motor Size
3 Speeds-Reversible
14 Poles
.55/.39/.21 AMPS on H/M/L
67/31/9 WATTS on H/M/L
158/104/54 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
Airflow: 4850 Cubic Feet/Minute
Electricity Use: 67 Watts (Excludes Lights)
Airflow Efficiency: 73 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394

MEDALLION 52 PATIO
p. 300

151525-XX



FAN HEIGHT

- Distance of 7.5"
- Distance of 7.5"

GENERAL SPECS

2 Finishes Available (Powder Coated)
Lifetime Motor Warranty
Five ABS Blades
52" Blade Sweep
14-Degree Blade Pitch

MECHANICAL SPECS

153 x 15 Motor Size
3 Speeds-Reversible
14 Poles
.55/.39/.21 AMPS on H/M/L
66/31/10 WATTS on H/M/L
167/116/62 RPMS on H/M/L
Triple Capacitor
Remote Control Adaptable
Detachable Switch Cup
Skirted Blade Arms
Sealed Vent Holes
UL Damp Listed


ENERGY SPECS

Energy Information at High Speed
Airflow: 4850 Cubic Feet/Minute
Electricity Use: 66 Watts (Excludes Lights)
Airflow Efficiency: 73 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use outdoor blade type 1-52 - See page 414

MENDOCINO
p. 070

61525-9XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 19.25"
- Distance of 14"

GENERAL SPECS

3 Finishes Available
Lifetime Motor Warranty
Five Blades
52" Blade Sweep
12-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

172 x 17 Motor Size
3 Speeds-Reversible / Manual Reverse Switch
16 Poles
.48/.40/.32 AMPS on H/M/L
65/21/14 WATTS on H/M/L
160/116/76 RPMS on H/M/L
Wall Control Included
Remote Control Adaptable w/Manual Reverse
Light Kit Uses (3) 40C Bulbs (Included)
Up-Light Uses (4) 15W C7 Bulbs (Included)


ENERGY SPECS

Energy Information at High Speed
Airflow: 5130 Cubic Feet/Minute
Electricity Use: 65 Watts (Excludes Lights)
Airflow Efficiency: 78 Cubic Feet/Minute/Watt


HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



REMOTE CONTROL OPTIONS



MERCER
p. 072

94525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15"
- Distance of 11.75"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .61/.48/.29 AMPS on H/M/L
- 71/42/15 WATTS on H/M/L
- 173/137/80 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/Manual Reverse
- Light Kit Adaptable
- Up-Light Uses (4) 25W C Bulbs (Included)

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5386 Cubic Feet/Minute
- Electricity Use: 71 Watts (Excludes Lights)
- Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



7-3000 7-1305-0 7-1401-0

METRO
p. 054

39525-XX



FAN HEIGHT

- Using 6" Downrod
- Distance of 15"
- Distance of 10.5"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 11.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrods Included


MECHANICAL SPECS

- 153x18 Motor Size
- 4 Speeds-Reversible/Manual Reverse Switch
- 14 Poles
- .51/.38/.29/18 AMPS on H/M/L
- 62/34/20/8 WATTS on H/M/L
- 190/130/101/55 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4122 Cubic Feet/Minute
- Electricity Use: 62 Watts (Excludes Lights)
- Airflow Efficiency: 66 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can

REMOTE CONTROL OPTIONS



Included 7-1401-0 7-1305-0

MISSION
p. 074

53524-86



FAN HEIGHT

- Using 6" Downrod
- Distance of 14.25"
- Distance of 7.5"

GENERAL SPECS

- Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included


MECHANICAL SPECS

- 153 x 22 Motor Size
- 4 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .57/40/26/22 AMPS on H/M/L
- 69/33/14/11 WATTS on H/M/L
- 165/116/74/63 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (3) 40W C Bulbs (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5574 Cubic Feet/Minute
- Electricity Use: 69 Watts (Excludes Lights)
- Airflow Efficiency: 81 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



Included 7-1305-0 7-3000

MONACO PATIO
p. 302

135525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 16.75"
- Distance of 13.5"

GENERAL SPECS

- 4 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds/Reversible
- 16 Poles
- .52/38/26 AMPS on H/M/L
- 67/38/18 WATTS on H/M/L
- 170/120/78 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- UL Wet Listed


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5055 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 75 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

MONTICELLO
p. 248

17525-XX



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 13.5"
- Distance of 11"

GENERAL SPECS

- 10 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 16 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/.37/.20 AMPS on H/M/L
- 63/28/8 WATTS on H/M/L
- 156/105/50 RPMS on H/M/L
- Dual Capacitor
- Remote Control Adaptable
- Detachable Switch Cup

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5711 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 85 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 394

MUSE
p. 040

21542-14



FAN HEIGHT

- Using 4" Downrod
- Distance of 17"
- Distance of 13.5"

GENERAL SPECS

- Lifetime Motor Warranty
- Two Blades
- 54" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 18 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 14 Poles
- .41/.38/.26 AMPS on H/M/L
- 49/28/9 WATTS on H/M/L
- 137/107/55 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (1) 100W JDE-11 Mini-Can
- Halogen
- Bulb (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4563 Cubic Feet/Minute
- Electricity Use: 49 Watts (Excludes Lights)
- Airflow Efficiency: 94 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can

REMOTE CONTROL OPTIONS



Included

7-3000

NIKKO 44
p. 042

70443-XX

NIKKO 52
p. 044

70523-XX



FAN HEIGHT

- Distance of 8.75"
- Distance of 7"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 44" Blade Sweep
- 13.5-Degree Blade Pitch
- 8" Lead Wire

MECHANICAL SPECS

- 153 x 12 Motor Size
- 3 Speeds-Reversible w/Wall Control
- 14 Poles
- .41/.38/.29 AMPS on H/M/L
- 46/28/14 WATTS on H/M/L
- 138/106/62 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable
- Light Kit Uses (1) 50W JDE-11 Mini-Can Halogen Bulb (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 3395 Cubic Feet/Minute
- Electricity Use: 46 Watts (Excludes Lights)
- Airflow Efficiency: 74 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE




JD-E11 Mini-Can

REMOTE CONTROL OPTIONS



Included



8-1401

FAN HEIGHT

- Distance of 8.75"
- Distance of 7.5"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 8" Lead Wire

MECHANICAL SPECS

- 153 x 18 Motor Size
- 3 Speeds-Reversible w/Wall Control
- 14 Poles
- .47/.42/.34 AMPS on H/M/L
- 54/33/17 WATTS on H/M/L
- 172/132/93 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable
- Light Kit Uses (1) 50W JDE-11 Mini-Can Halogen Bulb (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4971 Cubic Feet/Minute
- Electricity Use: 54 Watts (Excludes Lights)
- Airflow Efficiency: 92 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can

REMOTE CONTROL OPTIONS



Included



8-1401

NOVA
p. 076

24563-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.25"
- Distance of 12.5"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 56" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .57/.45/.24 AMPS on H/M/L
- 65/39/10 WATTS on H/M/L
- 157/124/59 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/ Manual Reverse
- Detachable Switch Cup
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4953 Cubic Feet/Minute
- Electricity Use: 65 Watts (Excludes Lights)
- Airflow Efficiency: 76 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



ORBIT PATIO
p. 270

18524-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.5"
- Distance of 9.75"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Four ABS Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .54/.47/.25 AMPS on H/M/L
- 59/46/12 WATTS on H/M/L
- 163/142/66 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/ manual reverse
- Light Kit Uses (3) 40C Bulbs (Included)
- UL Wet Listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5499 Cubic Feet/Minute
- Electricity Use: 59 Watts (Excludes Lights)
- Airflow Efficiency: 93 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



PINNACLE
p. 152

91525-XX



52" Model Only

FAN HEIGHT

- Using 4" Downrod
- Distance of 12.5"
- Distance of 11"

GENERAL SPECS

- 11 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 16-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 22 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .65/44/23 AMPS on H/M/L
- 83/36/10 WATTS on H/M/L
- 162/108/64 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 7093 Cubic Feet/Minute
- Electricity Use: 83 Watts (Excludes Lights)
- Airflow Efficiency: 85 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0


7-1401-0

BLADE ALTERNATIVES

- Use indoor blade type 5-52 - See page 402
- Use indoor blade type 5-56 - See page 406
- Use indoor blade type 5-60 - See page 409

PINNACLE PATIO
p. 304

191525-XX



52" Model Only

FAN HEIGHT

- Using 4" Downrod
- Distance of 13"
- Distance of 11.25"

GENERAL SPECS

- 4 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 16-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 22 Motor Size.
- 3 Speeds-Reversible
- 16 Poles
- .72/47/24 AMPS on H/M/L
- 83/37/10 WATTS on H/M/L
- 173/110/54 RPMS on H/M/L
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- Sealed Vent Holes
- UL Wet Listed


ENERGY SPECS

- Energy Information at High Speed w/52" Blades
- Airflow: 7415 Cubic Feet/Minute
- Electricity Use: 83 Watts (Excludes Lights)
- Airflow Efficiency: 89 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0

7-1401-0

BLADE ALTERNATIVES

- Use outdoor blade type 5-52 - See page 415
- Use outdoor blade type 5-56 - See page 416
- Use outdoor blade type 5-60 - See page 417

PINWHEEL
p. 184

33466-99



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 12.75"
- Distance of 11.75"

GENERAL SPECS

- Lifetime Motor Warranty
- Six Blades
- 46" Blade Sweep
- 20-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 16 Motor Size
- 14 Poles
- .57/.38/.23 AMPS on H/M/L
- 70/36/15 WATTS on H/M/L
- 163/110/67 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4555 Cubic Feet/Minute
- Electricity Use: 70 Watts (Excludes Lights)
- Airflow Efficiency: 65 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



PORTSIDE PATIO
p. 272

144525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 16.25"
- Distance of 14"

GENERAL SPECS

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .53/.38/.21 AMPS on H/M/L
- 64/31/9 WATTS on H/M/L
- 160/110/50 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Skirted Blade Arms
- UL Wet Listed


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5692 Cubic Feet/Minute
- Electricity Use: 64 Watts (Excludes Lights)
- Airflow Efficiency: 89 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use outdoor blade type 5-52 - See page 415

PRIZZM
p. 046

400525-14



FAN HEIGHT

- Using 6" Downrod
- Distance of 15.75"
- Distance of 13.25"

GENERAL SPECS

- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included


MECHANICAL SPECS

- 172 x 14 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .55/.35/.21 AMPS on H/M/L
- 63/40/26 WATTS on H/M/L
- 156/100/60 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5080 Cubic Feet/Minute
- Electricity Use: 63 Watts (Excludes Lights)
- Airflow Efficiency: 80 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



RETRO
p. 048

93524-14



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 23"
- Distance of 17.5"

GENERAL SPECS

- Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 20 Motor Size
- 4 Speeds-Reversible / Manual Reverse Swtich
- 16 Poles
- .49/.42/.32/.25 AMPS on H/M/L
- 63/42/26/15 WATTS on H/M/L
- 160/130/90/76 RPMS on H/M/L
- Triple Capacitor
- 4 Speed Wall Control Included
- Remote Control Adaptable w/Manual Reverse


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6065 Cubic Feet/Minute
- Electricity Use: 63 Watts (Excludes Lights)
- Airflow Efficiency: 95 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



JD-E11 Mini-Can

REMOTE CONTROL OPTIONS



ROCKWELL PATIO
p. 274

19525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 16.5"
- Distance of 10"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 18 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .44/.35/.21 AMPS on H/M/L
- 53/33/12 WATTS on H/M/L
- 194/148/81 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (2) 13W M Spiral CFL Bulbs (Included)
- UL Wet Listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4955 Cubic Feet/Minute
- Electricity Use: 53 Watts (Excludes Lights)
- Airflow Efficiency: 92 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Spiral CFL

REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

RODERICK
p. 158

63525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 13.75"
- Distance of 12.25"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- Blade Type 5-52" with Semi-Square Tip
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .48/.35/.20 AMPS on H/M/L
- 71/32/12 WATTS on H/M/L
- 160/120/60 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/Manual Reverse
- Skirted Blade Arms
- Up-Light Uses (4) 15W C7 Bulbs (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5269 Cubic Feet/Minute
- Electricity Use: 71 Watts (Excludes Lights)
- Airflow Efficiency: 74 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



C7 Candelabra

REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

ROTHMAN
p. 078

73525-9XX



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 17.5"
- Distance of 12"

GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 153 x 15 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 14 Poles
- .56/38/21 AMPS on H/M/L
- 57/20/9 WATTS on H/M/L
- 165/115/63 RPMS on H/M/L
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (2) 60W C Bulbs (Included)


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4718 Cubic Feet/Minute
- Electricity Use: 57 Watts (Excludes Lights)
- Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



7-1305-0



7-3000

SALON
p. 160

83565-XX



FAN HEIGHT

- Using 12" Downrod
- Distance of 22.5"
- Distance of 18.75"

GENERAL SPECS

- 6 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 56" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 12" Downrod Included


MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds-Reversible w/Wall Control
- 16 Poles
- .68/50/28 AMPS on H/M/L
- 66/31/9 WATTS on H/M/L
- 150/90/50 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable
- Up-Light Houses (3) 60W C Sockets
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5367 Cubic Feet/Minute
- Electricity Use: 66 Watts (Excludes Lights)
- Airflow Efficiency: 81 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1402

BLADE ALTERNATIVES

Use indoor blade type 5-56 - See page 406

SAXONY
p. 166

89525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 14.75"
- Distance of 12.25"

GENERAL SPECS

- 3 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- Blade Type 5-52" with Semi-Square Tip
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .61/.43/.22 AMPS on H/M/L
- 72/34/10 WATTS on H/M/L
- 170/116/67 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 7002 Cubic Feet/Minute
- Electricity Use: 72 Watts (Excludes Lights)
- Airflow Efficiency: 97 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 402

SOHO
p. 082

64525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 13.25"
- Distance of 11"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 14 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .51/.36/.20 AMPS on H/M/L
- 64/33/8 WATTS on H/M/L
- 160/110/62 RPMS on H/M/L
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4758 Cubic Feet/Minute
- Electricity Use: 64 Watts (Excludes Lights)
- Airflow Efficiency: 74 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



TELSTAR
p. 050

600525-16



FAN HEIGHT

- Using 6" Downrod
- Distance of 18.75"
- Distance of 12.5"

GENERAL SPECS

- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included


MECHANICAL SPECS

- 172 x 14 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .59/.46/.33 AMPS on H/M/L
- 64/47/24 WATTS on H/M/L
- 161/124/65 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (1) 50W GU-10 Halogen Bulb (Included)

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 4955 Cubic Feet/Minute
- Electricity Use: 64 Watts (Excludes Lights)
- Airflow Efficiency: 77 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



GU-10 Halogen

REMOTE CONTROL OPTIONS



7-1305-0



7-3000

TRIMARK
p. 052

20543-9XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 10.25"

GENERAL SPECS

- 4 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 54" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 145mm Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .58/.51/.33 AMPS on H/M/L
- 67/37/17 WATTS on H/M/L
- 138/106/62 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable w/Manual Reverse
- Light Kit Uses (2) 40W C Bulbs (Included)



ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5560 Cubic Feet/Minute
- Electricity Use: 67 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1401

TURINO
p. 168

63565-XX



FAN HEIGHT

Using 16" Downrod
● Distance of 29.5"
○ Distance of 24.75"

GENERAL SPECS

3 Finishes Available
Lifetime Motor Warranty
Five Blades
56" Blade Sweep
14-Degree Blade Pitch
80" Lead Wire
4" and 16" Downrod Included


MECHANICAL SPECS

188 x 25 Motor Size
3 Speeds-Reversible w/ Wall Control
16 Poles
.53/48/20 AMPS on H/M/L
69/48/20 WATTS on H/M/L
138/98/53 RPMS on H/M/L
Wall Control Included
Remote Control Adaptable
Up-Light Houses (4) 40W C Sockets
Skirted Blade Arms


ENERGY SPECS

Energy Information at High Speed
Airflow: 5482 Cubic Feet/Minute
Electricity Use: 69 Watts (Excludes Lights)
Airflow Efficiency: 79 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



Included 7-1305-0 8-1402

BLADE ALTERNATIVES

Use indoor blade type 5-56 - See page 406

TURNER
p. 172

28682-XX



FAN HEIGHT

Using 4" Downrod
● Distance of 17.5"
○ Distance of 13.25"

GENERAL SPECS

3 Finishes Available
Lifetime Motor Warranty
Two Blades
68" Blade Sweep
16-Degree Blade Pitch
80" Lead Wire
4" and 6" Downrod Included


MECHANICAL SPECS

153 x 20 Motor Size
4 Speeds - Reversible
14 Poles
.54/40/28/19 AMPS on H/M/M/L
63/36/17/8 WATTS on H/M/M/L
132/100/66/43 RPM on H/M/M/L
Triple Capacitor
4 Speed Wall Control Included
Remote Control Adaptable w/ Manual Reverse
Not Light Kit Adaptable


ENERGY SPECS

Energy Information at High Speed
Airflow: 5696 Cubic Feet/Minute
Electricity Used: 63 Watts (Excludes Lights)
Airflow Efficiency: 91 Cubic Feet/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



Included 7-1305-0 7-3000 7-1401-0

VALOR
p. 084

81524-XX

VANDERBILT UNI-PACK
p. 254

55605-XX



FAN HEIGHT

- Using 6" Downrod
- Distance of 13.25"
- Distance of 9"

GENERAL SPECS

- 2 Finishes Available
- Ltd Lifetime Motor Warranty
- Four Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 80" Lead Wire
- 16 Poles
- .63/48/29 AMPS on H/M/L
- 75/40/15 WATTS on H/M/L
- 171/126/71 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6002 Cubic Feet/Minute
- Electricity Use: 75 Watts (Excludes Lights)
- Airflow Efficiency: 80 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



FAN HEIGHT

- Using 4" Downrod
- Distance of 12.75"
- Distance of 19.75"

GENERAL SPECS

- 6 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 60" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 20 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .57/43/23 AMPS on H/M/L
- 65/38/10 WATTS on H/M/L
- 113/88/49 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Light Kit Uses (2) 13W 2700k GU 24 (Included)
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5460 Cubic Feet/Minute
- Electricity Use: 65 Watts (Excludes Lights)
- Airflow Efficiency: 84 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



13W 2700K M Spiral CFL

REMOTE CONTROL OPTIONS



7-1401-0

BLADE ALTERNATIVES

Use indoor blade type 5-56 - See page 406

VENTURE
p. 174

79525-XX



FAN HEIGHT

- Using 3.5" Downrod
- Distance of 11.5"
- Distance of 10.25"

GENERAL SPECS

- 8 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 14 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .57/39/21 AMPS on H/M/L
- 68/33/9 WATTS on H/M/L
- 156/105/56 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5566 Cubic Feet/Minute
- Electricity Use: 68 Watts (Excludes Lights)
- Airflow Efficiency: 82 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



BLADE ALTERNATIVES

Use indoor blade type 2-52 - See page 398

VERANDA PATIO
p. 278

92413-XX



FAN HEIGHT

- Extension of 18"
- Height of 23"

GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Four ABS Blades
- 13" Blade Sweep
- 12" Lead Wire
- On/Off Switch for Oscillating Function
- Oscillates 45 Degree


MECHANICAL SPECS

- 153x16 Motor Size
- 3 Speeds
- 14 Poles
- .49/50/48 AMPS on H/M/L
- 60/49/40 WATTS on H/M/L
- 1299/1107/899 RPMS on H/M/L
- Not Remote Control Adaptable
- UL Damp listed


ENERGY SPECS

- Energy Information at High Speed
- Airflow: 1411 Cubic Feet/Minute
- Electricity Use: 60 Watts (Excludes Lights)
- Airflow Efficiency: 24 Cubic Feet/Minute/Watt

WIDTH CHART



AVAILABLE FINISHES



7-1094-6
Included

WESTBROOK PATIO
p. 306

142525-945



FAN HEIGHT

- Using 4" Downrod
- Distance of 20.25"
- Distance of 10.5"

GENERAL SPECS

- Powder Coated Finish
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 13.5 Degree Blade Pitch
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 172 x 20 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .62/44/32 AMPS on H/M/L
- 64/42/16 WATTS on H/M/L
- 160/110/63 RPMS on H/M/L
- Wall Control Included
- Remote Control Adaptable/w Manual Reverse
- Light Kit Uses (3) 40W C Bulbs (Included)
- UL Wet Listed

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 5210 Cubic Feet/Minute
- Electricity Use: 64 Watts (Excludes Lights)
- Airflow Efficiency: 81 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



BULB TYPE



Candelabra

REMOTE CONTROL OPTIONS



Included 7-1305-0 8-1401

WINDSOR
p. 180

85525-XX



FAN HEIGHT

- Using 4" Downrod
- Distance of 15.75"
- Distance of 13.75"

GENERAL SPECS

- 5 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included


MECHANICAL SPECS

- 188 x 15 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .61/42/22 AMPS on H/M/L
- 83/34/9 WATTS on H/M/L
- 169/110/54 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

ENERGY SPECS

- Energy Information at High Speed
- Airflow: 6866 Cubic Feet/Minute
- Electricity Use: 83 Watts (Excludes Lights)
- Airflow Efficiency: 83 Cubic Feet/Minute/Watt

HEIGHT CHART



AVAILABLE FINISHES



REMOTE CONTROL OPTIONS



7-1305-0 7-3000 7-1401-0

6-002	417	6-609	416	6-1865	416
6-004	417	6-0613	416	6-1867	416
6-006	417	6-0614	416	6-1870	416
6-008	417	6-0615	416	6-1886	416
6-009	417	6-0631	416	6-1888	416
6-014	417	6-0633	416	6-1892	416
6-015	417	6-0644	416	6-1893	416
6-022	417	6-0659	416	6-1895	416
6-031	417	6-0665	416	6-2413	416
6-033	417	6-0667	416	6-2414	416
6-044	417	6-0692	416	6-2415	416
6-058	417	6-0693	416	6-2416	416
6-059	417	6-0695	416	6-2422	416
6-062	416	6-722	416	6-2424	416
6-064	416	6-724	416	6-2425	416
6-0065	417	6-726	416	6-2431	416
6-066	416	6-728	416	6-2433	416
6-0067	417	6-729	416	6-2444	416
6-069	416	6-1213	416	6-2445	416
6-086	417	6-1214	416	6-2458	416
6-088	417	6-1215	416	6-2459	416
6-092	417	6-1216	416	6-2465	416
6-093	417	6-1222	416	6-2467	416
6-095	417	6-1224	416	6-2470	416
6-122	416	6-1225	416	6-2486	416
6-124	416	6-1231	416	6-2488	416
6-126	416	6-1233	416	6-2492	416
6-128	416	6-1244	416	6-2493	416
6-129	416	6-1245	416	6-2495	416
6-182	416	6-1258	416	6-3613	416
6-184	416	6-1259	416	6-3614	416
6-186	416	6-1265	416	6-3615	416
6-188	416	6-1267	416	6-3616	416
6-189	416	6-1270	416	6-3622	416
6-242	416	6-1286	416	6-3624	416
6-244	416	6-1288	416	6-3625	416
6-246	416	6-1292	416	6-3631	416
6-248	416	6-1293	416	6-3633	416
6-362	416	6-1295	416	6-3644	416
6-364	416	6-1813	416	6-3645	416
6-366	416	6-1814	416	6-3658	416
6-368	416	6-1815	416	6-3659	416
6-369	416	6-1816	416	6-3665	416
6-482	416	6-1822	416	6-3667	416
6-484	416	6-1824	416	6-3670	416
6-486	416	6-1825	416	6-3686	416
6-488	416	6-1831	416	6-3688	416
6-489	416	6-1833	416	6-3692	416
6-602	416	6-1844	416	6-3693	416
6-604	416	6-1845	416	6-3695	416
6-606	416	6-1858	416	6-4813	416
6-0608	416	6-1859	416	6-4814	416

PRODUCT#	PAGE#	PRODUCT#	PAGE#	PRODUCT#	PAGE#
6-4815	416	6-7270	416	7-1600-22	418
6-4822	416	6-7286	416	7-1600-31	418
6-4824	416	6-7288	416	7-1600-33	418
6-4825	416	6-7292	416	7-1600-44	418
6-4831	416	6-7293	416	7-1600-58	418
6-4833	416	6-7295	416	7-1600-59	418
6-4844	416	6-12094	416	7-1600-65	418
6-4845	416	6-18094	416	7-1600-67	418
6-4858	416	6-24094	416	7-1600-70	418
6-4859	416	6-36094	416	7-1600-86	418
6-4865	416	6-48094	416	7-1600-88	418
6-4867	416	6-60094	416	7-1600-92	418
6-4870	416	6-72094	416	7-1600-93	418
6-4886	416	7-85-44	183	7-1600-94	418
6-4888	416	7-85-88	183	7-1600-95	418
6-4892	416	7-85-95	183	7-1745-2	418
6-4893	416	7-725-24	095	7-1745-4	418
6-4895	416	7-1100-02	419	7-1745-6	418
6-6013	416	7-1100-04	419	7-1745-8	418
6-6014	416	7-1100-06	419	7-1745-9	418
6-6015	416	7-1100-08	419	7-1745-13	418
6-6022	416	7-1100-022	419	7-1745-14	418
6-6024	416	7-1100-033	419	7-1745-15	418
6-6025	416	7-1100-044	419	7-1745-22	418
6-6031	416	7-1100-058	419	7-1745-31	418
6-6033	416	7-1100-059	419	7-1745-33	418
6-6044	416	7-1100-065	419	7-1745-44	418
6-6045	416	7-1100-067	419	7-1745-58	418
6-6058	416	7-1100-070	419	7-1745-59	418
6-6059	416	7-1100-086	419	7-1745-65	418
6-6065	416	7-1100-088	419	7-1745-67	418
6-6067	416	7-1100-092	419	7-1745-70	418
6-6070	416	7-1100-093	419	7-1745-86	418
6-6086	416	7-1100-094	419	7-1745-88	418
6-6088	416	7-1100-095	419	7-1745-92	418
6-6092	416	7-1190-6	421	7-1745-93	418
6-6093	416	7-1191-6	421	7-1745-94	418
6-6095	416	7-1191-10	421	7-1745-95	418
6-7213	416	7-1192-6	421	7-2642-55	019
6-7214	416	7-1192-10	421	7-3000	419
6-7215	416	7-1196-0	421	7-3001-6	420
6-7222	416	7-1197-0	421	7-7257-14	355, 419
6-7224	416	7-1199-6	421	8-78525-44	400
6-7225	416	7-1301-0]	420	8-78525-70	400
6-7231	416	7-1305-0	420	1032-8	348
6-7233	416	7-1401-0	419	1032-65	338
6-7244	416	7-1450-14	417	1032-95	326
6-7245	416	7-1600-2	418	1101-811	356
6-7258	416	7-1600-4	418	1120-801A	356
6-7259	416	7-1600-6	418	1120-801D	357
6-7265	416	7-1600-8	418	1120-801E	357
6-7267	416	7-1600-15	418	1120-801H	358

1120-801P	358	1901-895	326	2401-8086	334
1120-801U	359	2104	378	2401-8095	327
1120-811A1	356	2156	378	2409-806	352
1129-806	351	2288-9124	095	2409-814	047
1129-865	176, 338	2291	378	2409-859	342
1133-801	361	2292	378	2409-865	340
1141-806	146, 351	2303-902	354	2410-831	347
1147-801	360	2303-904	353	2444-802	354
1158-801	360	2303-906	351	2444-804	353
1166-801	361	2303-908	349	2444-806	352
1190-804	353	2303-9022	347	2444-808	350
1190-806	351	2303-9033	346	2444-8022	347
1190-808	348	2303-9044	344	2444-8033	346
1190-865082, 338	2303-9058	343	2444-8044	345
1190-867	336	2303-9059	342	2444-8058	343
1191-844	344	2303-9065	339	2444-8059240, 342
1191-892	331	2303-9067	336	2444-8065	340
1191-895	326	2303-9086	334	2444-8067	337
1228-801	362	2303-9088	166, 333	2444-8070	335
1230-888	333	2303-9092	331	2444-8086	334
1231-801	363	2303-9093	330	2444-8088	333
1232-801	363	2303-9095	326	2444-8092	132, 332
1374-806	375	2313-8044	371	2444-8094	329
1374-809	373	2326-865	339	2444-8095	327
1374-833	372	2326-895	326	2469G	379
1374-844	370	2360-070	105	2520	379
1374-859	369	2360-086	104	2520H	379
1374-886	367	2360-094	105	2530-804	354
1374-895	366	2371-8044	099, 344	2530-8044	345
1375-808	374	2371-8088	099, 333	2530-8065	341
1375-809	373	2371-8092	099, 331	2530-8067	337
1375-844	370	2371-8095	099, 327	2530-8070	335
1375-859	369	2383-9022	089, 093	2530-8086	334
1375-886	367	2383-9044	089, 093, 115, 139, 143, 171	2530-8088	333
1375-895	366	2383-9058	114	2530-8092	332
1376-844	371	2383-9086	089, 093, 143, 171	2530-8094	329
1376-895	366	2383-9088	171	2530-8095	328
1377-806	375	2383-9095	089, 093, 115	2531	379
1377-833	372	2386-9144	089, 093, 115, 139, 143, 171	2532	380
1377-844	370	2386-9158	115	2747	380
1377-859	369	2386-9188	170	2801	380
1377-867	368	2388-9144	089, 093, 115, 138, 171	2807	380
1377-886	367	2388-9186	089, 093, 143, 171	2812	381
1377-895	366	2388-9195	089, 093, 115	2812A	381
1378-806	375	2389-9122	088, 093	2812A1	381
1378-808	374	2389-9144	089, 092, 115, 139, 143, 171	2812E	381
1378-844	370	2389-9195	089, 093, 115	2812G	382
1395-808	295, 374	2401-804	353	2812P	382
1395-870	295	2401-806	351	2812U	382
1504-865	189, 339	2401-808	349	2813	382
1858-965	362	2401-8044	344	2814	383
1858-986	060, 362	2401-8065	340	2819	383

PRODUCT#	PAGE#	PRODUCT#	PAGE#	PRODUCT#	PAGE#
2831	383	18524-65.	270	42605-86	088
2833	383	18524-86.	271	42605-95	088
2840	384	19525-65.	274	42705-22091
2842	384	19525-86.	275	42705-44	092
2843	384	20543-908	052	42705-86	092
2847	384	20543-914.	053	42705-95	090
2915	385	20543-965.	053	43306-6	234
2915A	385	20543-986.	053	43306-44	234
2915E.	385	21542-14	040	43306-65232
2915U	386	24563-8076	43306-67	235
2943	386	24563-65	077	43306-95	233
2943A	386	24563-86	077	43425-4237
2943A3	386	26424-155018	43425-6	239
2943E	387	27603-70.	102	43425-44	238
2943H	387	27603-86	103	43425-65	236
2947	387	27603-94	104	43425-67	238
4100	387	28682-70	172	43425-95	239
4100-8161	156, 352	28682-86	173	43525-2247
4102-802.	355	28682-94	173	43525-4	246
4102-806.	352	29525-44	124	43525-6247
4102-808.	350	29525-95	125	43525-8245
4102-8033	346	30603-8017	43525-44	244
4102-8044.	345	30603-16.016	43525-59245
4102-8065.	341	32323-8	122	43525-65242
4102-8095.	328	32323-65	123	43525-67243
4106-806	375	32323-95	123	43525-86241
4106-8013	372	33466-99	184	43525-92243
4106-8033.	372	35525-4	119	43525-95242
4106-8044.	371	35525-8	119	43525-6522.	244
4106-8095.	366	35525-44	118	48525-958	121
11525-2.	229	35525-86	118	48525-995.	120
11525-4.	231	35525-88	118	49525-44	135
11525-6.	230	35525-92	116	49525-95	134
11525-65	228	35525-95	117	50524-8	068
12525-995	286	36524-14.	032	50524-65	069
13525-8	277	36525-986.	063	50524-86	069
13525-44.	277	36525-992.	062	51306-8	144
13525-86.	276	38525-44	129	51425-6	147
14525-906.	290	38525-58	128	51425-8	147
14525-944.	291	38525-92	126	51525-4	151
14525-986	291	38525-95	127	51525-6	150
14583-914	036	38605-44	133	51525-8	149
17525-6	253	38605-58	131	51525-67.	150
17525-8	253	38605-92	130	51525-6522	148
17525-44.	252	38605-95	133	52525-992.	059
17525-65.	251	39525-8	054	52525-995.	058
17525-67.	251	39525-65	055	53524-86074
17525-86.	250	39525-86	055	54543-65061
17525-88.	248	42523-65	024	54543-86061
17525-92.	250	42523-86	025	55605-6	254
17525-95.	249	42605-22	086	55605-8257
17525-6522	251	42605-44	087	55605-44	256

55605-65	256	77525-26	194	77525-9444	200
55605-67	257	77525-33	193	77525-9458	199
55605-86	255	77525-44	193	77525-9486	200
56525-44	140	77525-58	192	77525-9495	197
56525-86	142	77525-59	191	77525-9506	203
58524-65	056	77525-65	189	77525-9508	203
58524-86	057	77525-67	190	77525-9544	201
59605-8	028	77525-86	188	77525-9565	199
59605-65	029	77525-88	188	77525-9595	198
59725-8	031	77525-92	188	78525-8	111
59725-65	030	77525-95	187	78525-22	107
61525-944	071	77525-656	191	78525-44	111
61525-986	071	77525-1665	216	78525-58	110
61525-995	070	77525-1667	218	78525-65	110
63525-44	159	77525-1758	219	78525-67	109
63525-86	158	77525-1795	217	78525-70	109
63565-44	168	77525-1886	218	78525-86	108
63565-86	170	77525-2444	207	78525-88	109
63565-88	169	77525-2486	206	78525-92	106
64525-65	083	77525-2495	204	78525-93	108
64525-86	083	77525-2506	207	78525-94	109
65524-8	065	77525-2508	207	78525-95	108
65524-92	065	77525-2544	207	78525-6522	108
65524-95	064	77525-2565	206	79525-6	179
69525-44	114	77525-2586	206	79525-8	179
69525-58	112	77525-2595	205	79525-44	178
69525-86	114	77525-2686	206	79525-65	174
69525-95	113	77525-6522	190	79525-67	177
70443-8	043	77525-8102	215	79525-86	176
70443-14	042	77525-8106	215	79525-95	175
70443-65	043	77525-8108	214	79525-6522	177
70523-8	045	77525-8144	212	80525-44	136
70523-14	045	77525-8165	210	81524-65	084
70523-65	044	77525-8167	210	81524-86	085
71525-44	098	77525-8195	209	82524-65	023
71525-88	096	77525-8286	208	82524-86	022
71525-92	097	77525-8322	213	83525-65	066
71525-95	098	77525-8344	212	83525-86	067
72565-24	094	77525-8358	211	83525-95	067
73525-908	081	77525-8395	213	83565-88	160
73525-944	079	77525-8706	226	83565-95	161
73525-965	080	77525-8708	226	85525-44	181
73525-986	078	77525-8744	227	85525-67	182
76525-44	101	77525-8844	224	85525-88	180
76525-65	100	77525-8986	225	85525-92	183
76525-86	101	77525-9206	203	85525-95	182
77525-2	195	77525-9208	202	88525-8	026
77525-4	195	77525-9244	200	88525-16	027
77525-6	195	77525-9265	198	89524-16	020
77525-8	195	77525-9267	198	89525-44	167
77525-15	194	77525-9295	196	89525-86	167
77525-22	186	77525-9422	201	89525-88	167

PRODUCT#	PAGE#	PRODUCT#	PAGE#	PRODUCT#	PAGE#
90524-65	038	143525-59	321	4251515321	411
90524-86	039	143525-67	318	4252222121	392
91525-2	157	143525-86	322	4252424321	411
91525-4	157	143525-95	319	4254545111	392
91525-6	156	143525-599	321	4254545121	392
91525-8	157	143525-906	310	4254608111	392
91525-44	154	143525-909	313	4254608121	392
91525-58	155	143525-944	309	4254747321	411
91525-65	152	143525-959	310	4255050321	411
91525-86	153	143525-986	312	4255524111	392
91525-92	155	143525-995	312	4255524121	392
91525-95	155	144525-44	273	4255555321	411
91525-6522	154	144525-86	272	4255650111	392
92413-65	278	145525-86	288	4255650121	393
92413-86	279	146525-6	285	4255655121	393
93524-14	048	146525-44	285	4256524111	393
94525-65	072	146525-86	284	4256524121	393
94525-86	073	151306-8	296	4256565121	393
97003-08	013	151425-8	298	4256767111	393
97003-14	013	151425-95	299	4256767121	393
97003-65	013	151525-8	300	4258383121	393
97003-86	013	151525-95	301	5202222181	394
98604-65	035	159605-8	262	5202424181	394
98604-86	034	159605-65	263	5202424185	401
129525-44	266	159725-8	264	5202525181	394
129525-95	267	159725-65	265	5202525185	401
135525-8	302	174525-944	293	5205555181	394
135525-44	303	174525-995	292	5205555185	401
135525-65	303	191525-8	305	5230000124	013
135525-95	303	191525-44	305	5230808124	013
136525-6	282	191525-86	304	5232424134	013
137525-9	269	191525-95	305	5236565124	013
137525-44	269	400525-14	046	5250606111	395
137525-95	268	600525-16	050	5250606121	395
138525-44	280	1435255959	311	5250606122	398
138525-95	281	1435259395	308	5250606321	412
139525-8	295	3060606121	391	5250808111	395
139525-70	294	3060606321	410	5250808121	395
142523-65	260	3060808121	391	5250808125	401
142523-86	261	3061515321	410	5250808164	400
142525-945	306	3062222121	391	5250808325	413
143306-6	314	3062424321	410	5251313321	412
143306-95	315	3064608121	391	5251515111	395
143425-6	317	3064747321	410	5251515314	269
143425-9	316	3065524121	391	5251515321	412
143425-44	317	3066524121	391	5251515325	413
143425-95	317	3066565121	391	5252020125	402
143525-6	322	3066767121	391	5252020721	395
143525-9	323	3068383121	391	5252020725	402
143525-13	323	4250606111	392	5252020821	395
143525-33	320	4250606121	392	5252020825	402
143525-44	320	4250606321	411	5252020961	395

PRODUCT#	PAGE#	PRODUCT#	PAGE#	PRODUCT#	PAGE#
5252020964	400	5255650111	396	5259525165	404
5252020965	402	5255650121	396	5402424182	399
5252222111	395	5255650122	398	5402525182	399
5252222121	395	5255655111	396	5405555182	399
5252222122	398	5255655121	397	5650808125	405
5252222125	402	5255655122	398	5650808325	414
5252225111	395	5255655125	403	5651515325	414
5252225121	395	5255655164	400	5652222125	405
5252225122	398	5255656321	412	5652225125	405
5252225125	402	5255656325	413	5652424325	414
5252225155	402	5255858621	397	5654424125	405
5252225164	400	5255858622	398	5654608125	405
5252424321	412	5256524111	397	5654747125	405
5252424325	413	5256524121	397	5654747325	414
5252525125	402	5256524122	399	5655055125	405
5252544125	402	5256524125	403	5655206125	405
5253345111	395	5256524164	400	5655524125	405
5254424111	395	5256565121	397	5655524165	405
5254424125	402	5256565122	399	565555325	414
5254424155	402	5256565125	403	5655624125	406
5254424164	400	5256752121	397	5655624165	406
5254424165	402	5256752122	399	5655650125	406
5254545111	395	5256752164	400	5655655125	406
5254545121	395	5256767111	397	5656524125	406
5254545122	398	5256767121	397	5656565125	406
5254608111	396	5256767321	412	5656767165	406
5254608121	396	5258383111	397	5658383125	406
5254608122	398	5258383121	397	5658524125	406
5254608125	402	5258383122	399	5658524165	406
5254747125	402	5258383125	403	5658624125	406
5254747321	412	5258524111	397	5658624165	406
5254747325	413	5258524125	403	5659224125	406
5255024111	396	5258524164	400	6030000124	013
5255024121	396	5258524165	403	6030808124	013
5255024122	398	5258525155	403	6032424134	013
5255024164	400	5258525165	403	6036565124	013
5255050221	396	5258624111	397	6050606125	407
5255050321	412	5258624121	397	6050808125	407
5255055111	396	5258624122	399	6050808325	415
5255055125	403	5258624125	404	6051515325	415
5255206125	403	5258624164	400	6052222125	407
5255455121	396	5258624165	404	6052225125	407
5255524111	396	5258824125	404	6052225155	407
5255524121	396	5258824165	404	6052424325	415
5255524122	398	5259224125	404	6052525125	407
5255524125	403	5259224155	404	6054424125	407
525555321	412	5259224165	404	6054424155	407
525555325	413	5259524111	397	6054608125	407
5255624111	396	5259524125	404	6054747125	407
5255624121	396	5259524155	404	6054747325	415
5255624125	403	5259524165	404	6055055125	408
5255624164	400	5259525125	404	6055206125	408

6055524125	408
605555325	415
6055650125	408
6055655125	408
6056524125	408
6056565125	408
6056767125	408
6058383125	409
6058524125	409
6058525155	409
6058624125	409
6059224125	409
6059224155	409
6059524155	409
7752516656	219
7752581652	211
7752581656	211

BE SURE TO PICK UP THE NEW 2014-2015 QUORUM LIGHTING CATALOG!

You'll find hundreds of fresh new designs for both indoor and outdoor lighting fixtures.

With Quorum's enormous selection of styles ranging from traditional to contemporary, you're sure to find your perfect fixture in the pages of our new catalog. You can also view all of our lighting and ceiling fans online at: QuorumInternational.com



Quorum International

201 Railhead Road
Fort Worth, Texas 76106
817.626.5483 ph
800.934.8176 fx
www.QuorumInternational.com

JANUARY 2014 QUORUM INTERNATIONAL
ALL RIGHTS RESERVED. CATFANQ14