



THE  
FAN CATALOG  
2019



QUORUM INTERNATIONAL






# THE FAN CATALOG

Welcome to the 2019 Quorum Fan Catalog. With Quorum's range of fans, from classic designs to modern classics, we have a ceiling fan for every need. Whether you are revamping a room, updating your home, designing your dream house, or simply cooling the patio, we have you covered.

**THE RIGHT DESIGN FOR ANY IDEA.**



# FIND YOUR DISTINCTIVE STYLE.

---

With an enormous selection of designs and finishes to choose from, you'll find the perfect ceiling fan that allows you to express your own personal taste and create the mood of comfort and style that only a beautiful ceiling fan can achieve. If you want to set your home apart – then you are holding the right catalog! If you prefer to shop online, you're invited to browse our entire collection of lighting and ceiling fans at [QuorumInternational.com](http://QuorumInternational.com)

CEILING FAN VISUAL TABLE OF CONTENTS .....	008
INDOOR CEILING FANS.....	012
Contemporary .....	012
Soft Contemporary.....	038
Traditional.....	086
Home Collection Selections.....	170
INDOOR FAN LIGHT KITS .....	206
PATIO FANS .....	216
Contemporary .....	216
Soft Contemporary.....	224
Traditional.....	250
PATIO FAN LIGHT KITS .....	306
GLASS (FOR LIGHT KITS) .....	312
ACCESSORIES .....	318
Blade Alternatives .....	320
Optional Downrods, Couplers & Adapters .....	348
Remote & Wall Controls .....	351
INDEX.....	354

---



# HOW THE BOOK WORKS

---

Ceiling fans are grouped into "families" that follow a common design theme to help you shop according to the style of the fan that you want. Fans that are intended for outdoor use are also grouped into a special patio section. Each fan family has a name and is often shown with one of our optional light kits that compliments the style and finish of the fan family. Note that many of Quorum's ceiling fan finishes are also applied to our decorative lighting fixture families that are found in our separate 2019 Quorum Lighting catalog or online at [QuorumInternational.com](http://QuorumInternational.com)



# HOW TO READ THE SPECIFICATIONS

On each product page, you will find basic specifications for each ceiling fan or light kit. The basic fan specifications include item number, fan finish, and blade finish.

finish code

**42605-95**


Old World - *metal finish*

Old World | Walnut Blades - *blade finish: side A | side B blade finish*

## DETAILED MECHANICAL & ENERGY SPECS

To help you learn more information about dimensions and energy usage, a detailed reference chart is provided for every fan family (see sample below). This information is available on each family section or visit us online at: [QuorumInternational.com](http://QuorumInternational.com)

### Detailed Mechanical Specifications Chart Sample:



## ICON KEY



Product with an upward facing light.



Product has blade options available.



Product can be placed in a damp location.



Product can be placed in a wet location.

# DIFFERENT BY DESIGN

---

Exceptional design is impossible to ignore. When perfectly executed, it breaks through the mundane and captivates the senses. It's something we take very seriously at Quorum International.

That's why our products are designed in-house by our award-winning industrial design team. And once our products are designed and manufactured, we offer them to our Authorized Quorum Distributors who, in turn, provide them to customers who appreciate the innovation, value and workmanship that go into each fan.

Headquartered in Fort Worth, Texas, Quorum leads the industry in service, quality and style, and we are honored that our distributors and customers continue to rely on us for those very things.

Please enjoy our catalog and we look forward to providing you with beautifully functional and inspiring products.



Be sure to look for the upcoming Quorum Summer Supplement that will be available in June 2019 introducing all new designs!

---






# INDOOR FANS

## VISUAL TABLE OF CONTENTS


---




Alto 60"  
**040**



Alton 60"  
**088**




Alton 70"  
**092**



Apex 56"  
**042**



Barclay 52"  
**096**



Barclay  
Hugger 44" **098**



Breeze 52"  
**172**




Breeze 52"  
2 Light Uni-Pack  
**174**



Breeze 52"  
3 Light Uni-Pack  
**176**



Breeze 52"  
4 Light Uni-Pack  
**178**




Brewster 60"  
**100**



Bronx 52"  
**014**




Capri 42"  
**180**




Capri 52"  
**182**




Capri 52"  
2 Light Uni-Pack  
**198**




Capri 52"  
3 Light Uni-Pack  
**186**




Capri 52"  
4 Light Uni-Pack  
**192**



Chateaux 52"  
**102**




Chateaux 60"  
**108**



Chateaux  
Uni-Pack 52"  
**106**



Cimarron 52"  
**110**



Colton 52"  
**044**



Custom Hugger  
42"  
**114**



Custom  
Hugger 52"  
**116**




Davenport  
Hugger 52"  
**046**




Dragonfly 60"  
**016**



Dragonfly 72"  
**018**



Elica 52"  
**020**



Empress 52"  
**118**



Estate 30"  
**120**



Estate 42"  
**122**



Estate 52"  
**124**




Galloway 52"  
**126**



Galveston 52"  
**128**



Gusto 32"  
**130**



Holt 56"  
**022**




Kress 60"  
**024**




Liberty 52"  
**132**



Mariana  
**048**



Medallion 30"  
**134**



Medallion 42"  
**136**



Medallion 52"  
**138**



Mercer 52"  
**050**



Metro 52"  
**052**



Mission 52"  
**054**



Monticello 52"  
**140**



Muse 54"  
**026**




Mykonos 52"  
**056**



Mykonos 60"  
**060**




Mykonos 72"  
**064**



Mykonos 92"  
**068**




Nikko Hugger  
44"  
**028**



Pinnacle 52"  
**142**



Premier 52"  
Uni-Pack  
**204**



Prizzm 52"  
**030**



Proxima 60"  
**032**




Proxima 72"  
**034**



Quest 52"  
**072**



Rothman 52"  
**074**



Salon 56"  
**146**

# INDOOR FANS

## VISUAL TABLE OF CONTENTS

---



Soho 52"  
**076**



Trimark 54"  
**036**



Triumph  
**078**




Turner 68"  
**148**




Valor 52"  
**080**



Vector 72"  
**082**



Venture 52"  
**150**



Villa 52"  
**084**



Windmill 44"  
**152**




Windmill 52"  
**156**



Windmill 60"  
**160**



Windmill 72"  
**164**



Windsor 52"  
**168**

# PATIO FANS

## VISUAL TABLE OF CONTENTS

---



Allure  
All-Weather 52"  
**252**



Baltic 52"  
**254**



Bronx 52"  
**218**



Eden 52"  
Uni-Pack  
**256**



Eden 60"  
Uni-Pack  
**258**



Estate 30"  
**264**



Estate 42"  
**266**




Estate 52"  
**268**




Estate  
Uni-Pack 52"  
**260**



Galveston 52"  
**270**




Georgia 52"  
**272**



Hudson 52"  
**226**




Mariana Damp  
**228**




Medallion 30"  
**274**



Medallion 42"  
**276**



Medallion 52"  
**278**




Monaco 52"  
**280**




Mykonos 52"  
Damp  
**230**



Mykonos 60"  
Damp  
**234**



Mykonos 72"  
Damp  
**238**



Mykonos 92"  
Damp  
**242**



Piazza  
**282**



Pinnacle 52"  
**284**




Portico 60"  
**286**




Proxima 60"  
**220**



Proxima 72"  
**222**




Triumph Damp  
**246**



Veranda  
**288**



Westland 60"  
**248**




Windmill 44"  
Damp  
**290**



Windmill 52"  
Damp  
**294**



Windmill 60"  
Damp  
**298**



Windmill 72"  
Damp  
**302**

# CONTEMPORARY SELECTIONS

---

Clean lines and polished metals are the hallmarks of our Contemporary designs. Engineered with the utmost precision, Quorum fans are designed to elevate your space and bring unmatched style to your décor.



# BRONX 52"

---





## AVAILABLE FINISHES




### 42523-65

Satin Nickel | Satin Opal Glass

Maple | Walnut Blades

Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4.5" Downrod

- Distance of 15"
- Distance of 12"

#### GENERAL SPECS

Lifetime Motor Warranty  
Three Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4.5" Downrod Included

#### MECHANICAL SPECS

172 x 17 Motor Size  
4 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.55/.40/.26/.22 AMPS on H/M/L  
66/33/15/11 WATTS on H/M/L  
188/133/84/71 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (1) 75W JD-E11 Mini-Can  
Halogen Bulb (Included)

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3293 Cubic Feet/Minute  
Electricity Use: 41 Watts (Excludes Lights)  
Airflow Efficiency: 81 Cubic Feet/Minute/Watt

#### BULB TYPE



JD-E11 Mini-Can

#### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-1401-0

# DRAGONFLY 60"

---



## AVAILABLE FINISHES




**59605-65**  
Satin Nickel  
Gray Mylar® Blades



**59605-8**  
Studio White  
White Mylar® Blades

### HEIGHT CHART



### FAN HEIGHT

- Using 3.5" Downrod
- Distance of 13.5"
- Distance of 10.25"

### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 60" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

### MECHANICAL SPECS

- 28mm GE Style Motor
- 3 Speeds-Reversible
- 18 Poles
- .87/.59/.37 AMPS on H/M/L
- 101/46/18 WATTS on H/M/L
- 133/88/57 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable

### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 3248 Cubic Feet/Minute
- Electricity Use: 63 Watts (Excludes Lights)
- Airflow Efficiency: 52 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1401-0

# DRAGONFLY 72"

---




**AVAILABLE FINISHES**



**59725-65**  
Satin Nickel  
Gray Mylar® Blades

**59725-8**  
Studio White  
White Mylar® Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 3.5" Downrod
- Distance of 13.5"
- Distance of 10.25"

**GENERAL SPECS**

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 72" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

- 28mm GE Style Motor
- 3 Speeds-Reversible
- 18 Poles
- .86/.59/.37 AMPS on H/M/L
- 100/46/18 WATTS on H/M/L
- 88/56/37 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 2971 Cubic Feet/Minute
- Electricity Use: 62 Watts (Excludes Lights)
- Airflow Efficiency: 48 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1401-0

# ELICA 52"

---



## AVAILABLE FINISH



### 36524-14


Chrome

Walnut Blades

Light Kit uses (1) 50W GU-10 Halogen Lamp (Included)

Up-light uses (6) 15W C7 Lamps (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod

● Distance of 14.25"

○ Distance of 13.5"

#### GENERAL SPECS

Lifetime Motor Warranty

Four Blades

52" Blade Sweep

16-Degree Blade Pitch

80" Lead Wire

4" and 6" Downrod Included

#### MECHANICAL SPECS

188 x 20 Motor Size

3 Speeds-Reversible /Manual Reverse Switch

16 Poles

.54/.41/.26 AMPS on H/M/L

62/34/14 WATTS on H/M/L

156/100/60 RPMS on H/M/L

Wall Control Included

Remote Control Adaptable w/Manual Reverse

Light Kit Uses (1) 50W GU-10 Halogen Lamp (Included)

Up-Light Uses (6) 15W C7 Lamps (Included)

#### ENERGY SPECS


Energy Information at High Speed

Airflow: 3081 Cubic Feet/Minute

Electricity Use: 41 Watts (Excludes Lights)

Airflow Efficiency: 75 Cubic Feet/Minute/Watt

#### BULB TYPE



C7 Candelabra

GU-10 Halogen

#### REMOTE CONTROL OPTIONS



Included



8-1402

# HOLT 56" LED





**AVAILABLE FINISHES**



**66565-8**

Studio White | White Acrylic Diffuser  
 Studio White Blades  
 Integral 15W, 3000K, 986 Lumens, 90CRI LED kit (dimnable)

**66565-65**


Satin Nickel | White Acrylic Diffuser  
 Satin Nickel Blades  
 Integral 15W, 3000K, 986 Lumens, 90CRI LED kit (dimnable)



**66565-86**

Oiled Bronze | White Acrylic Diffuser  
 Oiled Bronze Blades  
 Integral 15W, 3000K, 986 Lumens, 90CRI LED kit (dimnable)

**HEIGHT CHART**



**FAN HEIGHT**

Using 4.5" Downrod  
 ● Distance of 13.5"  
 ○ Distance of 10.75"

**GENERAL SPECS**

3 Finishes Available  
 Lifetime Motor Warranty  
 Five Blades  
 56" Blade Sweep  
 16-Degree Blade Pitch  
 80" Lead Wire  
 4.5" Downrod Included

**MECHANICAL SPECS**

25mm DC Motor  
 6 Speeds-Reversible w/ Wall Control  
 8 Poles  
 .25/.23/.20/15/10/.07 AMPS on H/M/L  
 24/19/12/9/6/4 WATTS on H/M/L  
 178/164/141/121/100/83 RPMS on H/M/L  
 6 Speed Wall Control Included  
 LED Light Kit is 15W, 3000K, 986 Lumens, 90CRI (dimnable)

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 4186 Cubic Feet/Minute  
 Electricity Use: 21 Watts (Excludes Lights)  
 Airflow Efficiency: 202 Cubic Feet/Minute/Watt

**LIGHT SOURCE**



LED

**WALL CONTROL**



Included

# KRESS 60"



**AVAILABLE FINISHES**



**74603-8**  
Studio White  
Studio White Blades



**74603-65**  
Satin Nickel  
Satin Nickel Blades



**74603-86**  
Oiled Bronze  
Oiled Bronze Blades



**Optional LED Light Kit  
180-1**  
15W, 3000K, 986 Lumens,  
90CRI LED kit  
w/ White Acrylic Diffuser  
Light Kit shown on 74603-8 ceiling fan




**Optional LED Light Kit  
180-1**  
15W, 3000K, 986 Lumens,  
90CRI LED kit  
w/ White Acrylic Diffuser  
Light Kit shown on 74603-65 ceiling fan



**Optional LED Light Kit  
180-1**  
15W, 3000K, 986 Lumens,  
90CRI LED kit  
w/ White Acrylic Diffuser  
Light Kit shown on 74603-86 ceiling fan

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4.5" Downrod
- Distance of 12.5"
- Distance of 9.75"

**GENERAL SPECS**

- 3 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 60" Blade Sweep
- 16-Degree Blade Pitch
- 80" Lead Wire
- 4.5 Downrod Included

**MECHANICAL SPECS**

- 25mm DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 8 Poles
- .28/.20/.15/.10/.07/.05 AMPS on H/M/L
- 19/13/9/6/4/2 WATTS on H/M/L
- 200/173/151/123/100/77 RPMS on H/M/L
- 6 Speed Wall Control Included
- Optional LED Light Kit is 15W, 3000K, 986 Lumens, 90CRI (dimmable)

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 4065 Cubic Feet/Minute
- Electricity Use : 15 Watts (Excludes Lights)
- Airflow Efficiency: 274 Cubic Feet/Minute/Watt

**LIGHT SOURCE**



LED for 180-1 option

**WALL CONTROL**



Included

# MUSE 54"

---



## AVAILABLE FINISH




### 21542-14

Chrome I Satin Opal Glass

Dark Teak Blades

Light Kit uses (1) 100W JDE11 Mini-Can Halogen Lamp (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod

● Distance of 17"

○ Distance of 13.5"

#### GENERAL SPECS

Lifetime Motor Warranty

Two Blades

54" Blade Sweep

18-Degree Blade Pitch

80" Lead Wire

4" and 6" Downrod Included

#### MECHANICAL SPECS

153 x 18 Motor Size

3 Speeds-Reversible/Manual Reverse Switch

14 Poles

.41/.38/.26 AMPS on H/M/L

49/28/9 WATTS on H/M/L

137/107/55 RPMS on H/M/L

Wall Control Included

Remote Control Adaptable w/Manual Reverse

Light Kit Uses (1) 100W JDE-11 Mini-Can Halogen Bulb (Included)

#### ENERGY SPECS

Energy Information at High Speed

Airflow: 3066 Cubic Feet/Minute

Electricity Use: 31 Watts (Excludes Lights)

Airflow Efficiency: 98 Cubic Feet/Minute/Watt

#### BULB TYPE



JD-E11 Mini-Can

#### REMOTE CONTROL OPTIONS



Included



8-1401

# NIKKO HUGGER 44"

---



## AVAILABLE FINISH



### 70443-65

Satin Nickel | Satin Opal Glass

Satin Nickel Blades

Light Kit uses (1) 50W JDE11 Mini-Can Halogen Lamp (Included)

#### HEIGHT CHART



#### FAN HEIGHT

- Distance of 8.75"
- Distance of 7"

#### GENERAL SPECS

Lifetime Motor Warranty  
Three Blades  
44" Blade Sweep  
13.5-Degree Blade Pitch  
8" Lead Wire

#### MECHANICAL SPECS

153 x 12 Motor Size  
3 Speeds-Reversible w/Wall Control  
14 Poles  
.41/.38/.29 AMPS on H/M/L  
46/28/14 WATTS on H/M/L  
138/106/62 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable  
Light Kit Uses (1) 50W JDE-11 Mini-Can Halogen Bulb (Included)

#### ENERGY SPECS

Energy Information at High Speed  
Air flow: 1963 Cubic Feet/Minute  
Electricity Use: 33 Watts (Excludes Lights)  
Airflow Efficiency: 59 Cubic Feet/Minute/Watt

#### BULB TYPE



JD-E11 Mini-Can

#### REMOTE CONTROL OPTIONS



Included



8-1401

# PRIZZM 52"

---





## AVAILABLE FINISH



### 400525-14


Chrome | Clear Acrylic  
Chrome | Clear Acrylic Blades



### Optional Light Kit 2409-814

10" (w) x 6" (h) - (4) M Energy Saving Bulbs (included)  
Chrome  
Light Kit is shown on 400525-14 ceiling fan

### HEIGHT CHART



### FAN HEIGHT

Using 6" Downrod  
● Distance of 15.75"  
○ Distance of 13.25"

### GENERAL SPECS

Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
13-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included

### MECHANICAL SPECS

172 x 14 Motor Size  
3 Speeds-Reversible  
16 Poles  
.55/.35/.21 AMPS on H/M/L  
63/40/26 WATTS on H/M/L  
156/100/60 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3413 Cubic Feet/Minute  
Electricity Use: 39 Watts (Excludes Lights)  
Airflow Efficiency: 86 Cubic Feet/Minute/Watt

### REMOTE CONTROL OPTIONS



7-1305-0



7-1401-0

# PROXIMA 60"

---



## AVAILABLE FINISHES



### 96608-86


Oiled Bronze  
Oiled Bronze Blades



### 96608-65

Satin Nickel  
Satin Nickel Blades

### HEIGHT CHART



### FAN HEIGHT

Using 4" downrod  
● Distance of 17.5"  
○ Distance of 14.5"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Eight Blades  
60" Blade Sweep  
14 Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrods Included

### MECHANICAL SPECS

DC-165M Motor  
6 Speeds-Reversible w/Wall Control  
6 Poles  
.44/.29/.20/.14/.09/.06 AMPS on H/M/L  
31/20/13/9/6/4 WATTS on H/M/L  
153/128/110/91/72/53 RPMS on H/M/L  
Not Able to be Wired in Series

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5399 Cubic Feet/Minute  
Electricity Use: 20 Watts (Excludes Lights)  
Airflow Efficiency: 270 Cubic Feet/Minute/Watt

### WALL CONTROL



Included

# PROXIMA 72"



## AVAILABLE FINISHES




**96728-86**  
Oiled Bronze  
Oiled Bronze Blades



**96728-65**  
Satin Nickel  
Satin Nickel Blades

### HEIGHT CHART



### FAN HEIGHT

Using 4" downrod

- Distance of 25.75"
- Distance of 28.5"

### GENERAL SPECS

2 Finishes Available  
Lifetime Motor Warranty  
Eight Blades  
72" Blade Sweep  
14 Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrods Included

### MECHANICAL SPECS

DC-165L Motor  
6 Speeds-Reversible w/Wall Control  
6 Poles  
.20/.14/.11/.09/.07/.05 AMPS on H/M/L  
33/19/12/7/4/3 WATTS on H/M/L  
84/73/63/53/43/33 RPMS on H/M/L  
Not Able to be Wired in Series

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5959 Cubic Feet/Minute  
Electricity Use: 22 Watts (Excludes Lights)  
Airflow Efficiency: 277 Cubic Feet/Minute/Watt

### WALL CONTROL



Included

# TRIMARK 54" LED

---



**AVAILABLE FINISHES**



**20543-965**


Satin Nickel | Satin Opal Glass  
 Satin Nickel Blades  
 Integral 18W, 3000K, 1508 Lumens, 90CRI LED kit (dimnable)



**20543-914**

Chrome | Satin Opal Glass  
 Dark Teak Blades  
 Integral 18W, 3000K, 1508 Lumens, 90CRI LED kit (dimnable)

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
 ● Distance of 15.75"  
 ○ Distance of 10.25"

**GENERAL SPECS**

2 Finishes Available  
 Lifetime Motor Warranty  
 Three Blades  
 54" Blade Sweep  
 18-Degree Blade Pitch  
 80" Lead Wire  
 4" and 6" Downrod Included

**MECHANICAL SPECS**

145mm Motor Size  
 3 Speeds-Reversible/Manual Reverse Switch  
 16 Poles  
 .58/.51/.33 AMPS on H/M/L  
 67/37/17 WATTS on H/M/L  
 138/106/62 RPMS on H/M/L  
 Wall Control Included  
 Remote Control Adaptable w/Manual Reverse  
 LED Light Kit is 18W, 3000K, 1508 Lumens, 90CRI (dimnable)

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 4134 Cubic Feet/Minute  
 Electricity Use: 44 Watts (Excludes Lights)  
 Airflow Efficiency: 93 Cubic Feet/Minute/Watt

**LIGHT SOURCE**



LED

**REMOTE CONTROL OPTIONS**



Included



7-501-0

# SOFT CONTEMPORARY SELECTIONS

---

Comfortably walking the line between modern and traditional, our Soft Contemporary Designs offer the best of both worlds. Fans in this collection will compliment virtually any interior design.





# ALTO 62"



**AVAILABLE FINISHES**



**40625-86**  
Oiled Bronze  
Dark Oak | Walnut Blades



**40625-80**  
Aged Brass  
Matte Black | Walnut Blades



**40625-69**  
Noir  
Matte Black | Walnut Blades




**40625-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**40625-8**  
Studio White  
Studio White

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
● Distance of 14"  
○ Distance of 12"

**GENERAL SPECS**

5 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
62" Blade Sweep  
12-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

212x25 Motor Size  
3 Speeds-Reversible/Manual Reverse Switch  
20 Poles  
.67/.58/.38 AMPS on H/M/L  
76/51/22 WATTS on H/M/L  
149/117/73 RPMS on H/M/L  
Detachable Switch Cup  
Triple Capacitor  
Light Kit Adaptable  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 5719 Cubic Feet/Minute  
Electricity Use: 55 Watts (Excludes Lights)  
Airflow Efficiency: 104 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-501-0

# APEX 56"

---



The Apex fan can be converted to a 60" sweep by simply purchasing a set of optional blades. See page 338 for optional blade selection.

---

**AVAILABLE FINISHES**



**90565-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**90565-80**  
Aged Brass  
Dark Oak | Walnut Blades




**90565-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**90565-8**  
Studio White  
Studio White Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 12.5"
- Distance of 10.5"

**GENERAL SPECS**

- 4 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 56" Blade Sweep
- 14-Degree Blade Pitch
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 188 x 22 Motor Size
- 3 Speeds-Reversible
- 80" Lead Wire
- 16 Poles
- .68/.46/.27 AMPS on H/M/L
- 80/39/14 WATTS on H/M/L
- 157/106/62 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 4487 Cubic Feet/Minute
- Electricity Use: 49 Watts (Excludes Lights)
- Airflow Efficiency: 93 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0      7-1401-0

**BLADE ALTERNATIVES**

- Use indoor blade type 3-56 - See page 335
- Use indoor blade type 3-60 - See page 338

# COLTON 52"



**AVAILABLE FINISHES**



**36525-986**  
 Oiled Bronze | Amber Scavo Glass  
 Oiled Bronze | Walnut Blades  
 Light Kit uses (3) 40W C Bulbs (Included)




**36525-9186**  
 Oiled Bronze | Satin Opal Glass  
 Walnut | Weathered Oak Blades  
 Light Kit uses (3) 40W C Bulbs (Included)



**36525-992**  
 Antique Silver | Satin Opal Glass  
 Antique Silver | Walnut Blades  
 Light Kit uses (3) 40W C Bulbs (Included)

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 14.75"
- Distance of 12.25"

**GENERAL SPECS**

- 3 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 172 x 18 Motor Size
- 4 Speeds-Reversible/Manual Reverse
- 16 Poles
- .51/.35/.25/.13 AMPS on H/M/L
- 65/32/18/8 WATTS on H/M/L
- 162/109/80/45 RPMS on H/M/L
- 4 Speed Wall Control Included
- Remote Control Adaptable w/ Manual Reverse
- Light Kit Uses (3) 40W C Bulbs (Included)

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3370 Cubic Feet/Minute
- Electricity Use: 38 Watts (Excludes Lights)
- Airflow Efficiency: 89 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



Included



7-1305-0



7-1401-0

# DAVENPORT HUGGER 52"

---





**AVAILABLE FINISHES**



**65524-95**  
 Old World | Amber Scavo Glass  
 Old World | Walnut Blades  
 Light Kit uses (3) 40W C Bulbs



**65524-92**  
 Antique Silver | Satin Opal Glass  
 Antique Silver | Walnut Blades  
 Light Kit uses (3) 40W C Bulbs



**65524-86**  
 Oiled Bronze | Satin Opal Glass  
 Walnut | Weathered Oak Blades  
 Light Kit uses (3) 40W C Bulbs



**65524-8**  
 Studio White | Satin Opal Glass  
 Studio White Blades  
 Light Kit uses (3) 40W C Bulbs

**HEIGHT CHART**



**FAN HEIGHT**

- Distance of 13"
- Distance of 8.75"

**GENERAL SPECS**

4 Finishes Available  
 Lifetime Motor Warranty  
 Four Blades  
 52" Blade Sweep  
 13.5-Degree Blade Pitch

**MECHANICAL SPECS**

172 x 14 Motor Size  
 4 Speeds-Reversible/Manual Reverse  
 16 Poles  
 .60/.32/.24/.14 AMPS on H/M/L  
 67/31/19/8 WATTS on H/M/L  
 160/107/82/46 RPMS on H/M/L  
 Light Kit houses (3) 40W C Sockets  
 Remote Control Adaptable w/Manual Reverse  
 4 Speed Wall Control Included

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 3740 Cubic Feet/Minute  
 Electricity Use: 42 Watts (Excludes Lights)  
 Airflow Efficiency: 90 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



Included



7-1401-0




7-1305-0

# MARIANA

---



**AVAILABLE FINISHES**




**35154-86**  
18"(w) x 67.5"(h)  
Oiled Bronze



**35154-65**  
18"(w) x 67.5"(h)  
Satin Nickel

**DIMENSIONS CHART**



**FAN DIMENSIONS**

- Distance of 40"
- Distance of 63.5"
- \* Distance of 18"

**GENERAL SPECS**

- 2 Finishes Available
- Lifetime Motor Warranty
- Four Blades
- 15" Blade Sweep
- Solid Wood Tripod

**MECHANICAL SPECS**

- 13' Power Cord
- On/Off Oscillation Feature
- Oscillates 45 Degrees
- Tilt Forward/Back 20 Degrees

# MERCER 52"



**AVAILABLE FINISHES**



**94525-86**  
Oiled Bronze  
Vintage Walnut Blades  
Up-light uses (4) 25W C Bulbs (Included)




**94525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades  
Up-light uses (4) 25W C Bulbs (Included)



**94525-62**  
Polished Nickel  
Dark Teak Blades  
Up-light uses (4) 25W C Bulbs (Included)

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
● Distance of 15"  
○ Distance of 11.75"

**GENERAL SPECS**

3 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

172 x 17 Motor Size  
3 Speeds-Reversible  
16 Poles  
.61/.48/.29 AMPS on H/M/L  
71/42/15 WATTS on H/M/L  
173/137/80 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable w/Manual Reverse  
Light Kit Adaptable  
Up-Light Uses (4) 25W C Bulbs (Included)

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3740 Cubic Feet/Minute  
Electricity Use: 44 Watts (Excludes Lights)  
Airflow Efficiency: 86 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

# METRO 52" LED



**AVAILABLE FINISHES**




**39525-86**  
 Oiled Bronze | Satin Opal Glass  
 Walnut Blades  
 Integral 18W, 3000K, 1413 Lumens, 90CRI LED kit (dimnable)



**39525-65**  
 Satin Nickel | Satin Opal Glass  
 Walnut Blades  
 Integral 18W, 3000K, 1413 Lumens, 90CRI LED kit (dimnable)

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" Downrod  
 ● Distance of 15"  
 ○ Distance of 10.5"

**GENERAL SPECS**

2 Finishes Available  
 Lifetime Motor Warranty  
 Five Blades  
 52" Blade Sweep  
 11.5-Degree Blade Pitch  
 80" Lead Wire  
 4" and 6" Downrods Included

**MECHANICAL SPECS**

153x18 Motor Size  
 4 Speeds-Reversible/Manual Reverse Switch  
 14 Poles  
 .51/.38/.29/.18 AMPS on H/M/L  
 62/34/20/8 WATTS on H/M/L  
 190/130/101/55 RPMS on H/M/L  
 4 Speed Wall Control Included  
 Remote Control Adaptable w/Manual Reverse  
 LED Light Kit is 18W, 3000K, 1413 Lumens, 90CRI (dimnable)

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 2847 Cubic Feet/Minute  
 Electricity Use: 33 Watts (Excludes Lights)  
 Airflow Efficiency: 85 Cubic Feet/Minute/Watt

**LIGHT SOURCE**



LED

**REMOTE CONTROL OPTIONS**



Included



7-501-0

# MISSION 52"

---






## AVAILABLE FINISH



### 53524-86

Oiled Bronze | Satin Opal Glass  
Walnut Blades  
Light Kit uses (3) 40W C Bulbs (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 6" Downrod

- Distance of 14.25"
- Distance of 7.5"

#### GENERAL SPECS

Lifetime Motor Warranty  
Four Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included

#### MECHANICAL SPECS

153 x 22 Motor Size  
4 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.57/.40/.26/.22 AMPS on H/M/L  
69/33/14/11 WATTS on H/M/L  
165/116/74/63 RPMS on H/M/L  
4 Speed Wall Control Included  
Light Kit Uses (3) 40W C Bulbs (Included)

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3365 Cubic Feet/Minute  
Electricity Use: 42 Watts (Excludes Lights)  
Airflow Efficiency: 80 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra

#### REMOTE CONTROL OPTIONS



Included



7-1305-0

# MYKONOS 52"

---

NEW



**AVAILABLE FINISHES**



**65210-86**  
Oiled Bronze  
Khaki Canvas Blades




**65210-69**  
Noir  
White Canvas Blades



**65210-65**  
Satin Nickel  
Gray Canvas Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 8" Downrod
- Distance of 19"
- Distance of 12.75"

**GENERAL SPECS**

- 3 Finishes Available
- Lifetime Motor Warranty
- Ten Blades
- 52" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 8" Downrod Included

**MECHANICAL SPECS**

- DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 6 Poles
- .44/.32/.20/.14/.08/.05 AMPS on H/M/L
- 31/21/13/9/5/3 WATTS on H/M/L
- 125/110/95/80/65/50 RPMS on H/M/L
- Wall Control Included
- Light Kit Adaptable
- Not Hugger Adaptable
- Remote Control Adaptable
- Maximum 25° Slope w/Minimum 18" Downrod
- Maximum Length Optional Downrod 48"

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 1833 Cubic Feet/Minute
- Electricity Use: 19 Watts (Excludes Lights)
- Airflow Efficiency: 97 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included      8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.

## MYKONOS 52" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>satin nickel - NEW</b>			
1902-65	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-65	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-65	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-65	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-65	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-65	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>noir - NEW</b>			
1902-69	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-69	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-69	Satin Opal	11 "(w) x 6."(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-69	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-69	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-69	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**1904-9**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Galvanized | Satin Opal  
 UL Damp



**1903-86**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI M, Dimming LED (Included)  
 Oiled Bronze | Satin Opal Glass  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Seeded Glass  
 UL Damp



**1905-69**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Noir  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze | Clear hammered Glass  
 UL Damp



**1975-65**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Satin Nickel | Clear hammered Glass  
 UL Damp

# MYKONOS 60"

---

NEW



**AVAILABLE FINISHES**



**66010-86**  
Oiled Bronze  
Khaki Canvas Blades




**66010-69**  
Noir  
White Canvas Blades



**66010-65**  
Satin Nickel  
Gray Canvas Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 10" Downrod

- Distance of 21"
- Distance of 14.75"

**GENERAL SPECS**

- 3 Finishes Available
- Lifetime Motor Warranty
- Ten Blades
- 60" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 10" Downrod Included

**MECHANICAL SPECS**

- DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 6 Poles
- .41/.31/.24/.19/.14/.11 AMPS on H/M/L
- 28/21/15/12/8/5 WATTS on H/M/L
- 86/77/70/64/57/50 RPMs on H/M/L
- Wall Control Included
- Light Kit Adaptable
- Not Hugger Adaptable
- Remote Control Adaptable
- Maximum 25° Slope w/Minimum 18" Downrod
- Maximum Length Optional Downrod 48"

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 2531 Cubic Feet/Minute
- Electricity Use: 18 Watts (Excludes Lights)
- Airflow Efficiency: 77 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included



8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.

## MYKONOS 60" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>satin nickel - NEW</b>			
1902-65	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-65	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-65	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-65	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-65	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-65	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>noir - NEW</b>			
1902-69	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-69	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-69	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-69	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-69	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-69	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.



OPTIONAL LIGHT KITS



**1904-69**  
11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
Noir | Satin Opal  
UL Damp



**1903-9**  
9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
Galvanized | Satin Opal  
UL Damp



**1902-65**  
11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
Satin Nickel | Clear Seeded Glass  
UL Damp



**1905-86**  
14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
Oiled bronze  
UL Damp



**1974-86**  
9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
Oiled Bronze | Clear hammered Glass  
UL Damp



**1975-9**  
12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
Galvanized | Clear hammered Glass  
UL Damp

# MYKONOS 72"

NEW



**AVAILABLE FINISHES**



**67210-86**  
Oiled Bronze  
Khaki Canvas Blades




**67210-69**  
Noir  
White Canvas Blades



**67210-65**  
Satin Nickel  
Gray Canvas Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 10" Downrod

- Distance of 21.25"
- Distance of 15"

**GENERAL SPECS**

- 3 Finishes Available
- Lifetime Motor Warranty
- Ten Blades
- 72" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 10" Downrod Included

**MECHANICAL SPECS**

- DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 8 Poles
- .37/.26/.18/.13/.10/.06 AMPS on H/M/L
- 25/18/12/8/6/4 WATTS on H/M/L
- 61/54/48/42/35/30 RPMS on H/M/L
- Wall Control Included
- Light Kit Adaptable
- Not Hugger Adaptable
- Remote Control Adaptable
- Maximum 19° Slope w/Minimum 18" Downrod
- Maximum Length Optional Downrod 48"

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 1836 Cubic Feet/Minute
- Electricity Use: 18 Watts (Excludes Lights)
- Airflow Efficiency: 104 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included

8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.

## MYKONOS 72" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>satin nickel - NEW</b>			
1902-65	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-65	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-65	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-65	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-65	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-65	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>noir - NEW</b>			
1902-69	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-69	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-69	Satin Opal	11 "(w) x 6."(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-69	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-69	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-69	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**1904-65**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Satin Nickel | Satin Opal  
 UL Damp



**1903-9**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Galvanized | Satin Opal Glass  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Seeded Glass  
 UL Damp



**1905-69**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Noir  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze | Clear Hammered Glass  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Hammered Glass  
 UL Damp

# MYKONOS 92"

NEW



**AVAILABLE FINISHES**



**69210-86**  
Oiled Bronze  
Khaki Canvas Blades




**69210-69**  
Noir  
White Canvas Blades



**69210-65**  
Satin Nickel  
Gray Canvas Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 10" Downrod

- Distance of 21.25"
- Distance of 15"

**GENERAL SPECS**

- 3 Finishes Available
- Lifetime Motor Warranty
- Ten Blades
- 92" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 10" Downrod Included

**MECHANICAL SPECS**

- DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 8 Poles
- .60/.36/.24/.17/.10/.06 AMPS on H/M/L
- 43/26/16/10/7/4 WATTS on H/M/L
- 45/40/35/30/25/20 RPMS on H/M/L
- Wall Control Included
- Light Kit Adaptable
- Not Hugger Adaptable
- Remote Control Adaptable
- Maximum 19° Slope w/Minimum 18" Downrod
- Maximum Length Optional Downrod 48"

**REMOTE CONTROL OPTIONS**



Included      8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.

## MYKONOS 92" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>satin nickel - NEW</b>			
1902-65	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-65	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-65	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-65	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-65	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-65	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>noir - NEW</b>			
1902-69	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-69	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-69	Satin Opal	11 "(w) x 6."(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-69	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-69	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-69	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.



**OPTIONAL LIGHT KITS**



**1904-86**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Oiled Bronze | Satin Opal  
 UL Damp



**1903-65**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Satin Nickel | Satin Opal  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Seeded Glass  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled bronze  
 UL Damp



**1974-69**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Noir | Clear hammered Glass  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear hammered Glass  
 UL Damp

# QUEST<sub>LED</sub>

---



**AVAILABLE FINISHES**



**68524-86**  
Oiled Bronze | Satin Opal Glass  
Walnut Blades  
Integral 18W, 3000K, 90CRI LED kit (dimmable)



**68524-80**  
Aged Brass | Satin Opal Glass  
Walnut Blades  
Integral 18W, 3000K, 90CRI LED kit (dimmable)




**68524-65**  
Satin Nickel | Satin Opal Glass  
Satin Nickel Blades  
Integral 18W, 3000K, 90CRI LED kit (dimmable)



**68524-62**  
Polished Nickel | Satin Opal Glass  
Walnut Blades  
Integral 18W, 3000K, 90CRI LED kit (dimmable)

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod

- Distance of 14.25"
- Distance of 10.25"

**GENERAL SPECS**

4 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

172 x 17 Motor Size  
3 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.54/.50/.35 AMPS on H/M/L  
64/43/17 WATTS on H/M/L  
168/140/79 RPMS on H/M/L  
Dimmable Light Kit  
LED Light Kit is 18W, 3000K, 90CRI  
Lumen Output: 1353lms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3885 Cubic Feet/Minute  
Electricity Use: 43 Watts (Excludes Lights)  
Airflow Efficiency: 91 Cubic Feet/Minute/Watt

**LIGHT SOURCE**



LED

**WALL CONTROL**



Included

# ROTHMAN 52"

---



**AVAILABLE FINISHES**



**73525-9186**  
Oiled Bronze | Satin Opal Glass  
Walnut | Weathered Oak Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**73525-944**  
Toasted Sienna | Amber Scavo Glass  
Toasted Sienna | Walnut Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**73525-965**  
Satin Nickel | Satin Opal Glass  
Dark Oak | Rosewood Blades  
Light Kit uses (2) 60W C Bulbs (Included)




**73525-9165**  
Satin Nickel | Satin Opal Glass  
Walnut | Weathered Oak Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**73525-908**  
Studio White | Satin Opal Glass  
Studio White Blades  
Light Kit uses (2) 60W C Bulbs (Included)

**HEIGHT CHART**



**FAN HEIGHT**

- Using 3.5" Downrod
- Distance of 17.5"
- Distance of 12"

**GENERAL SPECS**

- 5 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 15 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 14 Poles
- .56/.38/.21 AMPS on H/M/L
- 57/20/9 WATTS on H/M/L
- 165/115/63 RPMS on H/M/L
- Light Kit Uses (2) 60W C Bulbs (Included)

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3220 Cubic Feet/Minute
- Electricity Use: 36 Watts (Excludes Lights)
- Airflow Efficiency: 90 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



7-1305-0

# SOHO 52"

---



**AVAILABLE FINISHES**



**64525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**64525-8641**  
Oiled Bronze  
Weathered Oak Blades



**64525-80**  
Aged Brass  
Walnut | Weathered Oak Blades




**64525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**64525-62**  
Polished Nickel  
Dark Teak Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod

- Distance of 13.25"
- Distance of 11"

**GENERAL SPECS**

- 5 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 172 x 14 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .51/.36/.20 AMPS on H/M/L
- 64/33/8 WATTS on H/M/L
- 160/110/62 RPMS on H/M/L
- Detachable Switch Cup
- Skirted Blade Arms

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3289 Cubic Feet/Minute
- Electricity Use: 41 Watts (Excludes Lights)
- Airflow Efficiency: 81 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

# TRIUMPH





## AVAILABLE FINISHES




**30154-86**  
19.75"(w) x 70"(h)  
Oiled Bronze



**30154-65**  
19.75"(w) x 70"(h)  
Satin Nickel

### DIMENSIONS CHART



### FAN DIMENSIONS

- Distance of 40.5"
- Distance of 67"
- \* Distance of 19.75"

### GENERAL SPECS

- 2 Finishes Available
- Lifetime Motor Warranty
- Four Blades
- 15" Blade Sweep
- Solid Wood Tripod

### MECHANICAL SPECS

- 13' Power Cord
- On/Off Oscillation Feature
- Oscillates 45 Degrees
- Tilt Forward/Back 20 Degrees

# VALOR 52"

---



**AVAILABLE FINISHES**



**81524-8641**  
Oiled Bronze  
Weathered Oak Blades




**81524-65**  
Satin Nickel  
Distressed Vintage Walnut Blades



**81524-86**  
Oiled Bronze  
Distressed Vintage Walnut Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
● Distance of 13.25"  
○ Distance of 9"

**GENERAL SPECS**

3 Finish Combinations Available  
Lifetime Motor Warranty  
Four Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
4" and 6" Downrod Included

**MECHANICAL SPECS**

172 x 17 Motor Size  
3 Speeds-Reversible  
80" Lead Wire  
16 Poles  
.63/.48/.29 AMPS on H/M/L  
75/40/15 WATTS on H/M/L  
171/126/71 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 4176 Cubic Feet/Minute  
Electricity Use: 46 Watts (Excludes Lights)  
Airflow Efficiency: 91 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

# VECTOR 72"



**AVAILABLE FINISHES**



**81725-86**  
 Oiled Bronze | Satin Opal Glass  
 Oiled Bronze Blades  
 Integral 18W, 3000K, 1508 Lumens, 90CRI LED kit (dimnable)




**81725-65**  
 Satin Nickel | Satin Opal Glass  
 Satin Nickel Blades  
 Integral 18W, 3000K, 1508 Lumens, 90CRI LED kit (dimnable)



**Optional Walnut Blades**  
**8-81725-24**  
 Shown on 81725-65 Ceiling Fan

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 16.25"
- Distance of 10.5"

**GENERAL SPECS**

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 72" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- DC-165M Motor
- 6 Speeds-Reversible w/ Wall Control
- 6 Poles
- .46/.29/.20/.14/.10/.07 AMPS on H/M/L
- 32/19/13/9/6/4 WATTS on H/M/L
- 126/110/94/80/65/50 RPMS on H/M/L
- Wall Control Included
- LED Light Kit is 18W, 3000K, 1508 Lumens, 90CRI (dimnable)

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 6861 Cubic Feet/Minute
- Electricity Use: 19 Watts (Excludes Lights)
- Airflow Efficiency: 352 Cubic Feet/Minute/Watt

**LIGHT SOURCE**



LED

**WALL CONTROL**



Included

# VILLA 52"

---



**AVAILABLE FINISHES**



**42525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**42525-80**  
Aged Brass  
Dark Oak | Walnut




**42525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**42525-8**  
Studio White  
Studio White Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
● Distance of 14.5"  
○ Distance of 12.25"

**GENERAL SPECS**

4 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
12-Degree Blade Pitch  
3.5" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 15 Motor Size  
3 Speeds-Reversible  
80" Lead Wire  
16 Poles  
.52/.39/.25 AMPS on H/M/L  
63/32/13 WATTS on H/M/L  
162/114/70 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3519 Cubic Feet/Minute  
Electricity Use: 39 Watts (Excludes Lights)  
Airflow Efficiency: 90 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

# TRADITIONAL SELECTIONS

---

Intricate detailing and rich walnut blades are the foundation on which our Traditional designs are built. Always appropriate, this collection will no doubt add an element of refined sophistication to your traditional home.





# ALTON 60"

---



**AVAILABLE FINISHES**



**42605-95**  
Old World  
Old World | Walnut Blades



**42605-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**42605-65**  
Satin Nickel  
Satin Nickel | Walnut Blades




**42605-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades



**42605-22**  
Antique Flemish  
Antique Flemish | Pecan Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
● Distance of 15.25"  
○ Distance of 12"

**GENERAL SPECS**

5 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
60" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

188 x 25 Motor Size  
3 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.75/.48/.37 AMPS on H/M/L  
90/38/23 WATTS on H/M/L  
130/100/60 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable w/ Manual Reverse  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 4398 Cubic Feet/Minute  
Electricity Use: 52 Watts (Excludes Lights)  
Airflow Efficiency: 85 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included



7-1305-0



8-1401



## ALTON 60" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>antique flemish</b>			
2383-9022	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2389-9122	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>toasted sienna</b>			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>satin nickel</b>			
2389-9165	Satin Opal	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>oiled bronze</b>			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2384-9186	Satin Opal	11.75"(w) x 7.75"(h)	(2) 60W C (Included))
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
<b>old world</b>			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**Optional Light Kit  
2389-9122**

11"(w) x 6.5"(h) - (3) 40W C (Included)  
Antique Flemish | Amber Scavo Glass  
Light Kit shown on 42605-22 ceiling fan



**2389-9165**

11"(w) x 6.5"(h) - (3) 40W C (Included)  
Satin Nickel | Satin Opal Glass



**2383-9095**

8"(w) x 4.75"(h) - (3) 40W C (Included)  
Old World



**2388-9186**

11.5"(w) x 7.5"(h) - (2) 60W C (Included)  
Oiled Bronze | Amber Scavo



**2386-9144**

11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
Toasted Sienna | Indian Scavo



**2384-9186**

11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
Oiled Bronze | Satin Opal

# ALTON 70"

---



**AVAILABLE FINISHES**



**42705-95**  
Old World  
Old World | Walnut Blades



**42705-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades




**42705-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**42705-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
● Distance of 15.25"  
○ Distance of 12"

**GENERAL SPECS**

4 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
70" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

212 x 25 Motor Size  
3 Speeds-Reversible/Manual Reverse Switch  
20 Poles  
.71/.59/.39 AMPS on H/M/L  
74/50/25 WATTS on H/M/L  
92/70/40 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3830 Cubic Feet/Minute  
Electricity Use: 49 Watts (Excludes Lights)  
Airflow Efficiency: 78 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included



7-1305-0



8-1401



## ALTON 70" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>toasted sienna</b>			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>satin nickel</b>			
2389-9165	Satin Opal	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>oiled bronze</b>			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2384-9186	Satin Opal	11.75"(w) x 7.75"(h)	(2) 60W C (Included))
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
<b>old world</b>			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

*\*All light kits comply with 2005 Energy Policy Act.*



**OPTIONAL LIGHT KITS**



**Optional Light Kit**  
**2389-9144**  
 11" (w) x 6.5" (h) - (3) 40W C (Included)  
 Toasted Sienna | Amber Scavo Glass  
 Light Kit shown on 42705-44 ceiling fan



**2389-9165**  
 11" (w) x 6.5" (h) - (3) 40W C (Included)  
 Satin Nickel | Satin Opal Glass



**2383-9095**  
 8" (w) x 4.75" (h) - (3) 40W C (Included)  
 Old World



**2388-9186**  
 11.5" (w) x 7.5" (h) - (2) 60W C (Included)  
 Oiled Bronze | Amber Scavo



**2386-9144**  
 11.75" (w) x 7.75" (h) - (2) 60W C (Included)  
 Toasted Sienna | Indian Scavo



**2384-9186**  
 11.75" (w) x 7.75" (h) - (2) 60W C (Included)  
 Oiled Bronze | Satin Opal

# BARCLAY 52"



**AVAILABLE FINISHES**



**76525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades




**76525-70**  
Persian White  
Distressed Weathered Pine Blades



**76525-65**  
Satin Nickel  
Vintage Walnut Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 14.5"
- Distance of 11.25"

**GENERAL SPECS**

- 3 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 80" Lead Wire
- 4" and 6" Downrods Included
- 12-Degree Blade Pitch

**MECHANICAL SPECS**

- 153x17 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .43/.35/.25 AMPS on H/M/L
- 57/29/13 WATTS on H/M/L
- 155/105/55 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

**ENERGY SPECS**

- Energy Information at High Speed
- Air flow: 3181 Cubic Feet/Minute
- Electricity Use: 36 Watts (Excludes Lights)
- Airflow Efficiency: 88 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use indoor blade type 5-52 - See page 331

# BARCLAY HUGGER 44"

---



**AVAILABLE FINISHES**



**75445-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**75445-70**  
Persian White  
Distressed Weathered Pine Blades



**75445-65**  
Satin Nickel  
Satin Nickel | Walnut Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Distance of 7.75"
- Distance of 7"

**GENERAL SPECS**

3 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
44" Blade Sweep  
8" Lead Wire  
12-Degree Blade Pitch

**MECHANICAL SPECS**

153x13 Motor Size  
3 Speeds-Reversible  
14 Poles  
.38/.36/.23 AMPS on H/M/L  
46/30/12 WATTS on H/M/L  
190/146/86 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 2719 Cubic Feet/Minute  
Electricity Use: 30 Watts (Excludes Lights)  
Airflow Efficiency: 91 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

# BREWSTER 60"



**AVAILABLE FINISHES**



**27603-86**  
Oiled Bronze Finish  
Distressed Vintage Walnut Blades



**27603-70**  
Persian White Finish  
Distressed Weathered Pine Blades




**Optional Light Kit**  
**2360-086**  
12.75"(w) x 6"(h) - (3) 60W C (included)  
Oiled Bronze | Optional 2819 Glass  
Light Kit shown on 27603-86 ceiling fan



**Optional Light Kit**  
**2360-070**  
12.75"(w) x 6"(h) - (3) 60W C (included)  
Persian White | Optional 2801 Glass  
Light Kit shown on 27603-70 ceiling fan

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" downrod  
● Distance of 17.75"  
○ Distance of 10.25"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Three Blades  
60" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included


**MECHANICAL SPECS**

172 x 20 Motor Size  
4 Speeds - Reversible  
16 Poles  
.42/.31/.23/.17 AMPS on H/M/M/L  
51/28/16/7 WATTS on H/M/M/L  
89/65/45/31 RPM on H/M/M/L  
Triple Capacitor  
4 Speed Wall Control Included  
Remote Control Adaptable w/ Manual Reverse

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3648 Cubic Feet/Minute  
Electricity Used: 39 Watts (Excludes Lights)  
Airflow Efficiency: 93 Cubic Feet/Watt

**REMOTE CONTROL OPTIONS**



# CHATEAUX 52"

---





**AVAILABLE FINISHES**



**78525-95**  
Old World  
Rosewood | Walnut Blades



**78525-92**  
Antique Silver  
Rosewood | Walnut Blades



**78525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades

**AVAILABLE FINISHES**



**78525-70**  
Persian White  
Distressed Weathered Pine Blades



**78525-67**  
Antique White  
Antique White Blades



**78525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades




**78525-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades



**78525-8**  
Studio White  
Studio White Blades

#### HEIGHT CHART



#### FAN HEIGHT

Using 3.5" Downrod

- Distance of 11"
- Distance of 9.75"

#### GENERAL SPECS

8 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

#### MECHANICAL SPECS

188 x 15 Motor Size  
3 Speeds-Reversible  
16 Poles  
.58/.38/.24 AMPS on H/M/L  
68/29/12 WATTS on H/M/L  
179/115/68 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3534 Cubic Feet/Minute  
Electricity Use: 46 Watts (Excludes Lights)  
Airflow Efficiency: 78 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1305-0

7-1401-0

#### BLADE ALTERNATIVES

Use indoor blade type 4-52 - See page 330

# CHATEAUX 52" UNI-PACK



**AVAILABLE FINISHES**



**78525-1786**

Oiled Bronze | Amber Scavo Glass  
 Oiled Bronze | Walnut Blades  
 Light Kit uses (3) 60W C (Included)



**78525-1686**


Oiled Bronze | Faux Alabaster  
 Oiled Bronze | Walnut Blades  
 Light Kit uses (3) 60W C (Included)



**78525-1970**

Persian White | Clear Seeded Glass  
 Distressed Weathered Pine Blades  
 Light Kit uses (3) 60W C (Included)

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
 ● Distance of 18.75"  
 ○ Distance of 10"

**GENERAL SPECS**

3 Finish Combinations Available  
 Lifetime Motor Warranty  
 Five Blades  
 52" Blade Sweep  
 14-Degree Blade Pitch  
 80" Lead Wire  
 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

188 x 15 Motor Size  
 3 Speeds-Reversible  
 16 Poles  
 .65/.42/.22 AMPS on H/M/L  
 78/33/9 WATTS on H/M/L  
 190/120/59 RPMS on H/M/L  
 Triple Capacitor  
 Remote Control Adaptable  
 Light Kit uses (3) 60W C Bulbs (Included)  
 Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
 Air flow: 3450 Cubic Feet/Minute  
 Electricity Use: 47 Watts (Excludes Lights)  
 Airflow Efficiency: 74 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 4-52 - See page 330

# CHATEAUX 60"

---




**AVAILABLE FINISHES**



**78605-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades

**78605-70**  
Persian White  
Distressed Weathered Pine Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
● Distance of 13.5"  
○ Distance of 10.25"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
60" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

**MECHANICAL SPECS**

188 x 25 Motor Size  
3 Speeds-Reversible  
16 Poles  
.59/.43/.26 AMPS on H/M/L  
70/37/14 WATTS on H/M/L  
117/82/45 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3563 Cubic Feet/Minute  
Electricity Use: 44 Watts (Excludes Lights)  
Airflow Efficiency: 81 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0      7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 4-60 - See page 339

# CIMARRON 52"

---





**AVAILABLE FINISHES**



**69525-95**  
 Old World | Amber Scavo Glass  
 Old World | Walnut Blades  
 Up-light uses (6) 15W C7 Bulbs (Included)



**69525-86**  
 Oiled Bronze | Amber Scavo Glass  
 Oiled Bronze | Walnut Blades  
 Up-light uses (6) 15W C7 Bulbs (Included)




**69525-58**  
 Mystic Silver | Amber Scavo Glass  
 Mystic Silver | Walnut Blades  
 Up-light uses (6) 15W C7 Bulbs (Included)



**69525-44**  
 Toasted Sienna | Amber Scavo Glass  
 Toasted Sienna | Walnut Blades  
 Up-light uses (6) 15W C7 Bulbs (Included)

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
 ● Distance of 16.25"  
 ○ Distance of 12.25"

**GENERAL SPECS**

4 Finishes Available  
 Lifetime Motor Warranty  
 Five Blades  
 52" Blade Sweep  
 13.5-Degree Blade Pitch  
 80" Lead Wire  
 4" and 6" Downrod Included

**MECHANICAL SPECS**

172 x 20 Motor Size  
 3 Speeds-Reversible / Manual Reverse Switch  
 16 Poles  
 .53/.43/.32 AMPS on H/M/L  
 69/29/15WATTson H/M/L  
 159/100/67 RPMS on H/M/L  
 Wall Control Included  
 Remote Control Adaptable w/Manual Reverse  
 Skirted Blade Arms  
 Up-light uses (6) 15W C7 Bulbs (Included)

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 3696 Cubic Feet/Minute  
 Electricity Use: 46 Watts (Excludes Lights)  
 Airflow Efficiency: 81 Cubic Feet/Minute/Watt

**BULB TYPE**



C7 Candelabra

**REMOTE CONTROL OPTIONS**



Included



8-1402

**BLADE ALTERNATIVES**

Use indoor blade type 5-52 - See page 331



## CIMARRON LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>mystic silver</b>			
2386-9158	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
<b>toasted sienna</b>			
2383-9044	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2386-9144	Indian Scavo	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9144	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9144	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)
<b>oiled bronze</b>			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2384-9186	Satin Opal	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
<b>old world</b>			
2383-9095	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2388-9195	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)
2389-9195	Amber Scavo	11"(w) x 6.5"(h)	(3) 40W C (Included)

*\*All light kits comply with 2005 Energy Policy Act.*

**OPTIONAL LIGHT KITS**



**2389-9144**  
11"(w) x 6.5"(h) - (3) 40W C (Included)  
Toasted Sienna | Amber Scavo



**2388-9144**  
11.5"(w) x 7.5"(h) - (2) 60W C (Included)  
Toasted Sienna | Amber Scavo



**2386-9158**  
11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
Mystic Silver | Indian Scavo



**2388-9186**  
11.5"(w) x 7.75"(h) - (2) 60W C (Included)  
Oiled Bronze | Amber Scavo Glass



**2383-9095**  
8"(w) x 4.75"(h) - (3) 40W C (Included)  
Old World

# CUSTOM HUGGER 42"

---



## AVAILABLE FINISH



### 11425-6

Gloss White  
White Blades

#### HEIGHT CHART



#### FAN HEIGHT

- Distance of 7.5"
- Distance of 6"

#### GENERAL SPECS

Lifetime Motor Warranty  
Five Blades  
11.5-Degree Blade Pitch

#### MECHANICAL SPECS

153 x 10 Motor Size  
3 Speeds-Reversible  
14 Poles  
.38/.29/.21 AMPS on H/M/L  
48/27/15 WATTS on H/M/L  
220/175/120 RPMS on H/M/L  
Single Capacitor  
Not Remote Control Adaptable  
Detachable Switch Cup

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 1904 Cubic Feet/Minute  
Electricity Use: 32 Watts (Excludes Lights)  
Airflow Efficiency: 59 cubic feet/min./watt

#### BLADE ALTERNATIVES

Use indoor blade type 1-42 - See page 322

# CUSTOM HUGGER 52"

---



**AVAILABLE FINISHES**



**11525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**11525-6**  
Gloss White  
White Blades



**11525-4**  
Antique Brass  
Dark Oak | Medium Oak Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Distance of 7.75"
- Distance of 6"

**GENERAL SPECS**

3 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
11.5-Degree Blade Pitch

**MECHANICAL SPECS**

153 x 12 Motor Size  
3 Speeds-Reversible  
14 Poles  
.40/.32/.19 AMPS on H/M/L  
71/32/14 WATTS on H/M/L  
158/121/75 RPMS on H/M/L  
Triple Capacitor  
Not Remote Control Adaptable  
Detachable Switch Cup

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 2626 Cubic Feet/Minute  
Electricity Use: 31 Watts (Excludes Lights)  
Airflow Efficiency: 85 cubic feet./min./watt

**BLADE ALTERNATIVES**

Use indoor blade type 1-52 - See page 324

# EMPRESS 52"

---





**AVAILABLE FINISHES**




**35525-8**  
Studio White  
Studio White Blades



**35525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
● Distance of 14.25"  
○ Distance of 13.25"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

188 x 15 Motor Size  
3 Speeds-Reversible  
16 Poles  
.65/.44/.23 AMPS on H/M/L  
75/33/9 WATTS on H/M/L  
154/102/57 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3475 Cubic Feet/Minute  
Electricity Use: 42 Watts (Excludes Lights)  
Airflow Efficiency: 83 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

# ESTATE 30"

---



**AVAILABLE FINISHES**




**43306-95**  
Old World  
Rosewood | Walnut Blades



**43306-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades




**43306-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**43306-6**  
Gloss White  
White Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 3.5" Downrod
- Distance of 12"
- Distance of 10.75"

**GENERAL SPECS**

- 4 Finishes Available
- Lifetime Motor Warranty
- Six Blades
- 30" Blade Sweep
- 25-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 12 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .30/.20/.09 AMPS on H/M/L
- 53/26/9 WATTS on H/M/L
- 240/182/100 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

**ENERGY SPECS**

- Energy Information at High Speed
- Air flow: 1918 Cubic Feet/Minute
- Electricity Use: 31 Watts (Excludes Lights)
- Airflow Efficiency: 62 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use indoor blade type 1-30 - See page 321

# ESTATE 42"

---



**AVAILABLE FINISHES**



**43425-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**43425-65**  
Satin Nickel  
Satin Nickel | Walnut Blades




**43425-44**  
Tosted Sienna  
Rosewood | Walnut Blades



**43425-6**  
Gloss White  
White Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 3.5" Downrod
- Distance of 12"
- Distance of 10.75"

**GENERAL SPECS**

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 42" Blade Sweep
- 14-Degree Blade Pitch
- 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 13 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .47/.34/.20 AMPS on H/M/L
- 55/25/9 WATTS on H/M/L
- 195/138/75 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

**ENERGY SPECS**

- Energy Information at High Speed
- Air flow: 2569 Cubic Feet/Minute
- Electricity Use: 32 Watts (Excludes Lights)
- Airflow Efficiency: 80 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use indoor blade type 1-42 - See page 322

# ESTATE 52"

---



**43525-86**

Oiled Bronze

Oiled Bronze | Walnut Blades

---



**43525-95**  
Old World  
Rosewood | Walnut Blades



**43525-67**  
Antique White  
Antique White Blades



**43525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**43525-44**  
Toasted Sienna  
Rosewood | Walnut Blades




**43525-8**  
Studio White  
Studio White Blades



**43525-6**  
Gloss White  
White Blades

#### HEIGHT CHART



#### FAN HEIGHT

- Using 3.5" Downrod
- Distance of 12"
- Distance of 10.5"

#### GENERAL SPECS

- 7 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 3.5" and 6" Downrod Included

#### MECHANICAL SPECS

- 153 x 15 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .58/.39/.21 AMPS on H/M/L
- 66/29/9 WATTS on H/M/L
- 175/104/58 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

#### ENERGY SPECS

- Energy Information at High Speed
- Airflow: 3230 Cubic Feet/Minute
- Electricity Use: 41 Watts (Excludes Lights)
- Airflow Efficiency: 79 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



#### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 324

# GALLOWAY 52"

---






## AVAILABLE FINISH



### 48525-995

Old World | Antique Flemish | Cream Mottled Scavo Glass  
Old World | Pecan Blades  
Light Kit uses (3) 40W C Bulbs (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod  
● Distance of 19.25"  
○ Distance of 12.25"

#### GENERAL SPECS

Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
Blade Type 5-52" with Scalloped Tip  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

#### MECHANICAL SPECS

172 x 17 Motor Size  
3 Speeds-Reversible / Manual Reverse Switch  
16 Poles  
.58/50/36 AMPS on H/M/L  
68/38/12 WATTS on H/M/L  
165/119/70 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (3) 40W C Bulbs (Included)

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3713 Cubic Feet/Minute  
Electricity Use: 46 Watts (Excludes Lights)  
Airflow Efficiency: 80 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra

#### REMOTE CONTROL OPTIONS



Included



7-1305-0



8-1401

#### BLADE ALTERNATIVES

Use indoor blade type 5-52 - See page 331

# GALVESTON 52"

---



**AVAILABLE FINISHES**




**3525-86**

Oiled Bronze  
Weathered Oak Blades  
Light Kit Uses (1) 14W M CFL Bulb (Included)

**3525-65**

Satin Nickel  
Weathered Oak Blades  
Light Kit Uses (1) 14W M CFL Bulb (Included)

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
● Distance of 18.25"  
○ Distance of 10.5"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
80" Lead Wire  
13.5-Degree Blade Pitch  
4" and 6" Downrods Included

**MECHANICAL SPECS**

172x17 Motor Size  
3 Speeds-Reversible  
16 Poles  
.56/.41/.32 AMPS on H/M/L  
67/35/21 WATTS on H/M/L  
169/120/92 RPMS on H/M/L  
Remote Control Adaptable w/ Manual Reverse  
Light Kit uses (1) 14W M CFL Bulb (Included)  
Bulb Provided is Non-Dimming

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3827 Cubic Feet/Minute  
Electricity Use: 48 Watts (Excludes Lights)  
Airflow Efficiency: 80 Cubic Feet/Minute/Watt

**BULB TYPE**



14W M CFL Bulb

**REMOTE CONTROL OPTIONS**



Included



7-1401-0



7-1305-0

# GUSTO 32"

---



**AVAILABLE FINISHES**




**32323-8**  
Studio White  
Studio White Blades



**32323-65**  
Satin Nickel  
Satin Nickel Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 16.5"
- Distance of 10"

**GENERAL SPECS**

- 2 Finishes Available
- Lifetime Motor Warranty
- Three Blades
- 32" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 10 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .37/.32/.20 AMPS on H/M/L
- 44/33/13 WATTS on H/M/L
- 187/175/99 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Dual-Mount Canopy
- Detachable Switch Cup

**ENERGY SPECS**

- Energy Information at High Speed
- Air flow: 1234 Cubic Feet/Minute
- Electricity Use: 6 Watts (Excludes Lights)
- Airflow Efficiency: 219 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

# LIBERTY 52"

---



**AVAILABLE FINISHES**




**49525-95**  
Old World  
Old World | Walnut Blades



**49525-44**  
Toasted Sienna  
Toasted Sienna | Walnut Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 14.25"
- Distance of 12.25"

**GENERAL SPECS**

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 172 x 17 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .56/.38/.21 AMPS on H/M/L
- 67/29/9 WATTS on H/M/L
- 158/102/55 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3755 Cubic Feet/Minute
- Electricity Use: 36 Watts (Excludes Lights)
- Airflow Efficiency: 103 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**




**BLADE ALTERNATIVES**

Use indoor blade type 5-52 - See page 331


# MEDALLION 30"

---





## AVAILABLE FINISH



### 51306-8

Studio White  
Studio White Blades

#### HEIGHT CHART



#### FAN HEIGHT

- Distance of 8"
- Distance of 7.75"

#### GENERAL SPECS

Lifetime Motor Warranty  
Six Blades  
30" Blade Sweep  
25-Degree Blade Pitch

#### MECHANICAL SPECS

153 x 12 Motor Size  
3 Speeds-Reversible  
14 Poles  
.44/.32/.19 AMPS on H/M/L  
53/26/9 WATTS on H/M/L  
209/153/89 RPMs on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

#### ENERGY SPECS

Energy Information at High Speed  
Air flow: 1142 Cubic Feet/Minute  
Electricity Use: 32 Watts (Excludes Lights)  
Airflow Efficiency: 36 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1305-0



7-1401-0

#### BLADE ALTERNATIVES

Use indoor blade type 1-30 - See page 321

# MEDALLION 42"

---



**AVAILABLE FINISHES**



**51425-8**  
Studio White  
Studio White Blades



**51425-6**  
Gloss White  
White Blades



**Optional Light Kit**  
**1141-806**

10" (w) x 3.5" (h) - (1) 9W, 3000K, 80CRI LED (Included)  
White | Satin Opal Glass  
Light Kit shown on 51425-6 ceiling fan

**HEIGHT CHART**



**FAN HEIGHT**

- Distance of 8"
- Distance of 7.25"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
42" Blade Sweep  
14-Degree Blade Pitch

**MECHANICAL SPECS**

153 x 13 Motor Size  
3 Speeds-Reversible  
14 Poles  
.42/.31/.19 AMPS on H/M/L  
54/25/10 WATTS on H/M/L  
221/160/97 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 2308 Cubic Feet/Minute  
Electricity Use: 32 Watts (Excludes Lights)  
Airflow Efficiency: 73 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0

7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 1-30 - See page 321

# MEDALLION 52"

---



**AVAILABLE FINISHES**



**51525-6522**  
Satin Nickel  
Dark Oak | Rosewood Blades



**51525-8**  
Studio White  
Studio White Blades



**51525-6**  
Gloss White  
White Blades



**51525-4**  
Antique Brass  
Dark Oak | Medium Oak Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Distance of 7.5"
- Distance of 7.5"

**GENERAL SPECS**

4 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
14-Degree Blade Pitch

**MECHANICAL SPECS**

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.55/.39/.21 AMPS on H/M/L  
67/31/9 WATTS on H/M/L  
158/104/54 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 2836 Cubic Feet/Minute  
Electricity Use: 38 Watts (Excludes Lights)  
Airflow Efficiency: 74 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use indoor blade type 1-52 - See page 324

# MONTICELLO 52"





**17525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**17525-70**  
Persian White  
Distressed Weathered Pine Blades



**17525-65**  
Satin Nickel  
Maple | Studio White Blades



**17525-6522**  
Satin Nickel  
Dark Oak | Rosewood Blades




**17525-44**  
Toasted Sienna  
Rosewood | Walnut Blades



**Optional Light Kit**  
**2444-8070**  
10" (w) x 3" (h) - (4) 13W M Spiral CFL  
(Included)  
Persian White | Optional 2819 Linen Glass  
Light Kit shown on 17525-70 ceiling fan

#### HEIGHT CHART



#### FAN HEIGHT

Using 3.5" Downrod  
● Distance of 13.5"  
○ Distance of 11"

#### GENERAL SPECS

5 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
12-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

#### MECHANICAL SPECS

153 x 16 Motor Size  
3 Speeds-Reversible  
16 Poles  
.56/.37/.20 AMPS on H/M/L  
63/28/8 WATTS on H/M/L  
156/105/50 RPMS on H/M/L  
Dual Capacitor  
Remote Control Adaptable  
Detachable Switch Cup

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3325 Cubic Feet/Minute  
Electricity Use: 40 Watts (Excludes Lights)  
Airflow Efficiency: 84 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1401-0 7-1305-0

#### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 324

# PINNACLE 52"

---



The Pinnacle fan can be converted to a 56" or 60" sweep by simply purchasing a set of optional blades. See page 336 & 340 for optional blade selection.

---



**AVAILABLE FINISHES**



**91525-95**  
Old World  
Rosewood | Walnut Blades



**91525-92**  
Antique Silver  
Rosewood | Walnut Blades



**91525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**91525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**91525-60**  
Aged Silver Leaf  
Walnut | Weathered Oak Blades



**91525-44**  
Toasted Sienna  
Rosewood | Walnut Blades

**AVAILABLE FINISHES**



**91525-8**  
Studio White  
Studio White Blades




**91525-6**  
Gloss White  
Washed Oak | White Blades



**91525-4**

Antique Brass  
Medium Oak | Rosewood Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
● Distance of 12.5"  
○ Distance of 11"

**GENERAL SPECS**

9 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
16-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

188 x 22 Motor Size  
3 Speeds-Reversible  
16 Poles  
.65/.44/.23 AMPS on H/M/L  
83/36/10 WATTS on H/M/L  
162/108/64 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 4028 Cubic Feet/Minute  
Electricity Use: 49 Watts (Excludes Lights)  
Airflow Efficiency: 82 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use indoor blade type 5-52 - See page 331  
Use indoor blade type 5-56 - See page 336  
Use indoor blade type 5-60 - See page 340

# SALON 56"

---



**83565-86**

Oiled Bronze

Oiled Bronze | Walnut Blades

Up-light uses (3) 60W C Bulbs

---

**OPTIONAL LIGHT KITS**



**2388-9186**  
11.5"(w) x 7.5"(h) - (2) 60W C (Included)  
Oiled Bronze | Amber Scavo



**2384-9186**  
11.75"(w) x 7.75"(h) - (2) 60W C (Included)  
Oiled Bronze | Satin Opal




**2383-9086**  
8"(w) x 4.75"(h) - (3) 40W C (Included)  
Oiled Bronze

**SALON 56" LIGHT KIT OPTIONS**

item #	glass	dimensions	lights
<b>oiled bronze</b>			
2383-9086	NA	8"(w) x 4.75"(h)	(3) 40W C (Included)
2384-9186	Satin Opal	11.75"(w) x 7.75"(h)	(2) 60W C (Included)
2388-9186	Amber Scavo	11.5"(w) x 7.5"(h)	(2) 60W C (Included)

*\*All light kits comply with 2005 Energy Policy Act.*

**HEIGHT CHART**



**FAN HEIGHT**

Using 12" Downrod  
● Distance of 22.5"  
○ Distance of 18.75"

**GENERAL SPECS**

Lifetime Motor Warranty  
Five Blades  
56" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 12" Downrod Included

**MECHANICAL SPECS**

188 x 15 Motor Size  
3 Speeds-Reversible w/Wall Control  
16 Poles  
.68/.50/.28 AMPS on H/M/L  
66/31/9 WATTS on H/M/L  
150/90/50 RPMS on H/M/L  
Wall Control Included  
Remote Control Adaptable  
Up-Light Houses (3) 60W C Sockets  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3715 Cubic Feet/Minute  
Electricity Use: 45 Watts (Excludes Lights)  
Airflow Efficiency: 83 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



Included



7-1305-0



8-1402

**BLADE ALTERNATIVES**

Use indoor blade type 5-56 - See page 336

# TURNER 68"

---



**AVAILABLE FINISHES**




**28682-70**  
 Persian White Finish  
 Distressed Weathered Pine Blades



**28682-86**  
 Oiled Bronze Finish  
 Distressed Vintage Walnut Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
 ● Distance of 17.5"  
 ○ Distance of 13.25"

**GENERAL SPECS**

2 Finishes Available  
 Lifetime Motor Warranty  
 Two Blades  
 68" Blade Sweep  
 16-Degree Blade Pitch  
 80" Lead Wire  
 4" and 6" Downrod Included


**MECHANICAL SPECS**

153 x 20 Motor Size  
 4 Speeds - Reversible  
 14 Poles  
 .54/.40/.28/.19 AMPS on H/M/M/L  
 63/36/17/8 WATTS on H/M/M/L  
 132/100/66/43 RPM on H/M/M/L  
 Triple Capacitor  
 4 Speed Wall Control Included  
 Remote Control Adaptable w/ Manual Reverse  
 Not Light Kit Adaptable

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 3203 Cubic Feet/Minute  
 Electricity Used: 33 Watts (Excludes Lights)  
 Airflow Efficiency: 97 Cubic Feet/Watt

**REMOTE CONTROL OPTIONS**



# VENTURE 52"

---





**AVAILABLE FINISHES**



**79525-95**  
Old World  
Rosewood | Walnut Blades




**79525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**79525-62**  
Polished Nickel  
Dark Teak Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod  
● Distance of 11.5"  
○ Distance of 10.25"

**GENERAL SPECS**

3 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

**MECHANICAL SPECS**

172 x 14 Motor Size  
3 Speeds-Reversible  
16 Poles  
.57/.39/.21 AMPS on H/M/L  
68/33/9 WATTS on H/M/L  
156/105/56 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3388 Cubic Feet/Minute  
Electricity Use: 42 Watts (Excludes Lights)  
Airflow Efficiency: 82 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use indoor blade type 2-52 - See page 328

# WINDMILL 44"

---




**AVAILABLE FINISHES**



**94410-86**  
Oiled Bronze  
Weathered Oak Blades

**94410-9**  
Galvanized  
Weathered Oak Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" Downrod  
● Distance of 16.5"  
○ Distance of 11.5"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Ten Blades  
44" Blade Sweep  
30-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included

**MECHANICAL SPECS**

DC-125NS Motor  
6 Speeds-Reversible w/ Wall Control  
6 Poles  
.39/.29/.20/.13/.11/.05 AMPS on H/M/L  
32/22/15/10/7/3 WATTS on H/M/L  
100/90/80/70/60/50 RPMs on H/M/L  
Wall Control Included  
Light Kit Adaptable  
Remote Control Adaptable  
Not Hugger Adaptable  
Not Slope Ceiling Kit Adaptable  
Maximum 25° Slope with Minimum 18" Downrod  
Maximum Length Optional Downrod 48"

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 1941 Cubic Feet/Minute  
Electricity Use: 17 Watts (Excludes Lights)  
Airflow Efficiency: 113 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included 8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.



## WINDMILL 44" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**1904-86**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Oiled Bronze | Satin Opal  
 UL Damp



**1903-9**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Galvanized | Satin Opal  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Seeded Glass  
 Light Kit shown on 94410-9 ceiling fan  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled bronze  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze | Clear hammered Glass  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear hammered Glass  
 Light Kit shown on 94410-9 ceiling fan  
 UL Damp

# WINDMILL 52"

---



**AVAILABLE FINISHES**




**95210-86**  
Oiled Bronze  
Weathered Oak Blades



**95210-9**  
Galvanized  
Weathered Oak Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" Downrod  
● Distance of 16.5"  
○ Distance of 11.5"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Ten Blades  
52" Blade Sweep  
30-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included

**MECHANICAL SPECS**

DC-165NM Motor  
6 Speeds-Reversible w/ Wall Control  
6 Poles  
.39/.26/.17/.12/.07/.04 AMPS on H/M/L  
32/20/12/9/5/3 WATTS on H/M/L  
84/74/64/51/41/31 RPMS on H/M/L  
Wall Control Included  
Light Kit Adaptable  
Remote Control Adaptable  
Not Hugger Adaptable  
Not Slope Ceiling Kit Adaptable  
Maximum 25° Slope with Minimum 18" Downrod  
Maximum Length Optional Downrod 48"

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 1966 Cubic Feet/Minute  
Electricity Use: 17 Watts (Excludes Lights)  
Airflow Efficiency: 115 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included 8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.



## WINDMILL 52" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

*\*All light kits comply with 2005 Energy Policy Act.*



**OPTIONAL LIGHT KITS**



**1904-9**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Galvanized I Satin Opal  
 UL Damp



**1903-86**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI M, Dimming LED (Included)  
 Oiled Bronze I Satin Opal Glass  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized I Clear Seeded Glass  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze I Clear hammered Glass  
 Light Kit shown on 95210-86 ceiling fan  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized I Clear hammered Glass  
 UL Damp

# WINDMILL 60"



**AVAILABLE FINISHES**




**96015-86**  
Oiled Bronze  
Weathered Oak Blades



**96015-9**  
Galvanized  
Weathered Oak Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" Downrod  
● Distance of 16.5"  
○ Distance of 11.5"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Fifteen Blades  
60" Blade Sweep  
30-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included

**MECHANICAL SPECS**

DC-165L Motor  
6 Speeds-Reversible w/ Wall Control  
6 Poles  
.42/.27/.21/.17/.11/.08 AMPS on H/M/L  
30/19/14/11/7/5 WATTS on H/M/L  
65/53/47/41/37/33 RPMS on H/M/L  
Wall Control Included  
Light Kit Adaptable  
Remote Control Adaptable  
Not Hugger Adaptable  
Not Slope Ceiling Kit Adaptable  
Maximum 25° Slope with Minimum 18" Downrod  
Maximum Length Optional Downrod 48"

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 2497 Cubic Feet/Minute  
Electricity Use: 23 Watts (Excludes Lights)  
Airflow Efficiency: 106 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included 8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.



## WINDMILL 60" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**1904-86**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Oiled Bronze | Satin Opal  
 UL Damp



**1903-9**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Galvanized | Satin Opal  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Seeded Glass  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled bronze  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze | Clear hammered Glass  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear hammered Glass  
 UL Damp

# WINDMILL 72"



**AVAILABLE FINISHES**




**97215-86**  
Oiled Bronze  
Weathered Oak Blades



**97215-9**  
Galvanized  
Weathered Oak Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" Downrod  
● Distance of 16.5"  
○ Distance of 11.5"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Fifteen Blades  
72" Blade Sweep  
30-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included

**MECHANICAL SPECS**

DC-165L Motor  
6 Speeds-Reversible w/ Wall Control  
6 Poles  
.47/.33/.24/.17/.11/.07 AMPS on H/M/L  
34/25/16/12/8/5 WATTS on H/M/L  
43/38/35/31/27/23 RPMS on H/M/L  
Wall Control Included  
Light Kit Adaptable  
Remote Control Adaptable  
Not Hugger Adaptable  
Not Slope Ceiling Kit Adaptable  
Maximum 25° Slope with Minimum 18" Downrod  
Maximum Length Optional Downrod 48"

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 2008 Cubic Feet/Minute  
Electricity Use: 23 Watts (Excludes Lights)  
Airflow Efficiency: 88 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.



## WINDMILL 72" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

*\*All light kits comply with 2005 Energy Policy Act.*



**OPTIONAL LIGHT KITS**



**1904-9**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Galvanized I Satin Opal  
 UL Damp



**1903-9**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Galvanized I Satin Opal Glass  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized I Clear Seeded Glass  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze I Clear Hammered Glass  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized I Clear Hammered Glass  
 UL Damp

# WINDSOR 52"

---



**AVAILABLE FINISHES**



**85525-67**  
Antique White  
Antique White Blades




**85525-44**  
Toasted Sienna  
Rosewood | Walnut Blades



**Optional Scroll Kit**  
**7-85-44** 11.5" (w) x 9.25" (h)  
Toasted Sienna  
Scroll Kit shown on 85525-44 ceiling fan  
\*Must use 12" downrod or longer with 7-85-44 scroll kit

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 15.75"
- Distance of 13.75"

**GENERAL SPECS**

- 2 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 188 x 15 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .61/.42/.22 AMPS on H/M/L
- 83/34/9 WATTS on H/M/L
- 169/110/54 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms

**ENERGY SPECS**

- Energy Information at High Speed
- Air flow: 4124 Cubic Feet/Minute
- Electricity Use: 42 Watts (Excludes Lights)
- Airflow Efficiency: 99 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

# HOME COLLECTION SELECTIONS

---

You don't need to spend a fortune making your space look like a million bucks. Our Home Collection Designs combine high-quality craftsmanship with affordable pricing, making this collection one of our most popular.



# BREEZE 52"



**AVAILABLE FINISHES**



**7052-86**  
Oiled Bronze  
Dark Oak | Walnut Blades



**7052-80**  
Aged Brass  
Dark Oak | Walnut Blades



**7052-69**  
Noir  
Matte Black | Walnut Blades




**7052-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**7052-8**  
Studio White  
Studio White Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 3.5" Downrod
- Distance of 12"
- Distance of 9.75"

**GENERAL SPECS**

- 5 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 15 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 14 Poles
- .55/.39/.22 AMPS on H/M/L
- 66/33/10 WATTS on H/M/L
- 173/122/64 RPMS on H/M/L
- Detachable Switch Cup
- Triple Capacitor
- Light Kit Adaptable
- Remote Control Adaptable
- Skirted Blade Arms

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3144 Cubic Feet/Minute
- Electricity Use: 36 Watts (Excludes Lights)
- Airflow Efficiency: 87 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

# BREEZE 52"

## 2 LIGHT UNI-PACK

---





**AVAILABLE FINISHES**



**70525-86**  
 Oiled Bronze | Satin Opal Glass  
 Dark Oak | Walnut Blades  
 Light Kit uses (2) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)



**70525-80**  
 Aged Brass | Satin Opal Glass  
 Dark Oak | Walnut Blades  
 Light Kit uses (2) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)




**70525-65**  
 Satin Nickel | Satin Opal Glass  
 Dark Oak | Walnut Blades  
 Light Kit uses (2) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)



**70525-8**  
 Studio White | Satin Opal Glass  
 Studio White Blades  
 Light Kit uses (2) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)

**HEIGHT CHART**



**FAN HEIGHT**

- Using 3.5" Downrod
- Distance of 16.5"
- Distance of 9.75"

**GENERAL SPECS**

- 4 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 15 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 14 Poles
- .47/.36/.21 AMPS on H/M/L
- 57/33/11 WATTS on H/M/L
- 158/116/63 RPMS on H/M/L
- Detachable Switch Cup
- Triple Capacitor
- Not Remote Control Adaptable
- Skirted Blade Arms
- Bulbs Provided are Non-Dimming

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3228 Cubic Feet/Minute
- Electricity Use: 39 Watts (Excludes Lights)
- Airflow Efficiency: 82 Cubic Feet/Minute/Watt

**BULB TYPE**



Medium LED

# BREEZE 52" 3 LIGHT UNI-PACK

---



**AVAILABLE FINISHES**



**70525-386**  
 Oiled Bronze | Satin Opal Glass  
 Dark Oak | Walnut Blades  
 Light Kit uses (3) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)



**70525-380**  
 Aged Brass | Satin Opal Glass  
 Dark Oak | Walnut Blades  
 Light Kit uses (3) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)



**70525-369**  
 Noir | Clear Seeded Glass  
 Matte Black | Walnut Blades  
 Light Kit uses (3) 6W, 3000K, 80CRI, Non-Dimming LED M (Included)




**70525-365**  
 Satin Nickel | Satin Opal Glass  
 Satin Nickel | Walnut Blades  
 Light Kit uses (3) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)



**70525-308**  
 Studio White | Satin Opal Glass  
 Studio White Blades  
 Light Kit uses (3) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)

**HEIGHT CHART**



**FAN HEIGHT**

- Using 3.5" Downrod
- Distance of 16.5"
- Distance of 9.75"

**GENERAL SPECS**

- 5 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 15 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 14 Poles
- .47/.36/.21 AMPS on H/M/L
- 57/33/11 WATTS on H/M/L
- 158/116/63 RPMS on H/M/L
- Detachable Switch Cup
- Triple Capacitor
- Not Remote Control Adaptable
- Skirted Blade Arms
- Bulbs Provided are Non-Dimming

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3127 Cubic Feet/Minute
- Electricity Use: 36 Watts (Excludes Lights)
- Airflow Efficiency: 86 Cubic Feet/Minute/Watt

**BULB TYPE**



Medium LED

# BREEZE 52" 4 LIGHT UNI-PACK

---



**AVAILABLE FINISHES**



**70525-486**  
 Oiled Bronze | Satin Opal Glass  
 Dark Oak | Walnut Blades  
 Light Kit uses (4) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)



**70525-480**  
 Aged Brass | Satin Opal Glass  
 Dark Oak | Walnut Blades  
 Light Kit uses (4) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)



**70525-469**  
 Noir | Clear Seeded Glass  
 Matte Black Walnut Blades  
 Light Kit uses (4) 6W, 3000K, 80CRI, Non-Dimming LED M (Included)




**70525-465**  
 Satin Nickel | Satin Opal Glass  
 Satin Nickel | Walnut Blades  
 Light Kit uses (4) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)



**70525-408**  
 Studio White | Satin Opal Glass  
 Studio White Blades  
 Light Kit uses (4) 9W, 3000K, 80CRI, Non-Dimming LED M (Included)

**HEIGHT CHART**



**FAN HEIGHT**

- Using 3.5" Downrod
- Distance of 16.5"
- Distance of 9.75"

**GENERAL SPECS**

- 5 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 15 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 14 Poles
- .47/.36/.21 AMPS on H/M/L
- 57/33/11 WATTS on H/M/L
- 158/116/63 RPMS on H/M/L
- Detachable Switch Cup
- Triple Capacitor
- Not Remote Control Adaptable
- Skirted Blade Arms
- Bulbs Provided are Non-Dimming

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3104 Cubic Feet/Minute
- Electricity Use: 36 Watts (Excludes Lights)
- Airflow Efficiency: 86 Cubic Feet/Minute/Watt

**BULB TYPE**



Medium LED

# CAPRI 42"

---



**AVAILABLE FINISHES**



**77425-95**  
Old World  
Rosewood | Walnut Blades



**77425-65**  
Satin Nickel  
Satin Nickel | Walnut Blades




**77425-8**  
Studio White  
Studio White Blades



**77425-6**  
Gloss White  
White Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 3.5" Downrod

- Distance of 11"
- Distance of 9"

**GENERAL SPECS**

4 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
14-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 12 Motor Size  
3 Speeds-Reversible  
14 Poles  
.51/.36/.20 AMPS on H/M/L  
50/28/10 WATTS on H/M/L  
158/104/56 RPMS on H/M/L  
Triple Capacitor  
Detachable Switch Cup

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 2573 Cubic Feet/Minute  
Electricity Use: 32 Watts (Excludes Lights)  
Airflow Efficiency: 79 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0

**BLADE ALTERNATIVES**

Use indoor blade type I-42 - See page 322

# CAPRI 52"

---





**AVAILABLE FINISHES**



**77525-95**  
Old World  
Rosewood | Walnut Blades



**77525-86**  
Oiled Bronze  
Oiled Bronze | Walnut Blades



**77525-67**  
Antique White  
Antique White Blades



**77525-656**  
Satin Nickel  
Maple | White Blades



**77525-6522**  
Satin Nickel  
Dark Oak | Rosewood Blades

**AVAILABLE FINISHES**



**77525-65**  
Satin Nickel  
Satin Nickel | Walnut Blades



**77525-59**  
Matte Black  
Medium Oak | Walnut Blades



**77525-44**  
Toasted Sienna  
Rosewood | Walnut Blades



**77525-8**  
Studio White  
Studio White Blades



**77525-6**  
Gloss White  
White Blades



**77525-4**  
Antique Brass  
Dark Oak | Medium Oak Blades




**77525-2**  
Polished Brass  
Dark Oak | Medium Oak Blades



**Optional Light Kit**  
**1504-865**  
10" (w) x 4.5" (h) - (2) 9W, 3000K, 80CRI LED (Included)  
Satin Nickel | Satin Opal Glass  
Light Kit is shown on 77525-6522 ceiling fan

**HEIGHT CHART**



**FAN HEIGHT**

- Using 3.5" Downrod
- Distance of 11.25"
- Distance of 8.5"

**GENERAL SPECS**

- 12 Finish Combinations Available
- Lifetime Motor Warranty
- Five Blades
- 11.5-Degree Blade Pitch
- 80" Lead Wire
- 3.5" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 15 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .52/.37/.21 AMPS on H/M/L
- 67/29/10 WATTS on H/M/L
- 173/117/60 RPMS on H/M/L
- Triple Capacitor
- Detachable Switch Cup

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3086 Cubic Feet/Minute
- Electricity Use: 38 Watts (Excludes Lights)
- Airflow Efficiency: 81 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1401-0

**BLADE ALTERNATIVES**

Use indoor blade type 1-52 - See page 324

# CAPRI 52"

## 3 LIGHT UNI-PACK

---



AVAILABLE FINISHES



**77525-1795**  
Old World | Amber Scavo  
Old World | Walnut Blades  
Light Kit uses (3) 60W C (Included)



**77525-1695**  
Old World | Faux Alabaster  
Old World | Walnut Blades  
Light Kit uses (3) 60W C (Included)



**77525-1886**  
Oiled Bronze | Linen  
Oiled Bronze | Walnut Blades  
Light Kit uses (3) 60W C (Included)



**77525-1786**  
Oiled Bronze | Amber Scavo  
Oiled Bronze | Walnut Blades  
Light Kit uses (3) 60W C (Included)

## AVAILABLE FINISHES



### 77525-1686

Oiled Bronze | Faux Alabaster  
Oiled Bronze | Walnut Blades  
Light Kit uses (3) 60W C (Included)



### 77525-1086

Oiled Bronze | Satin Opal  
Oiled Bronze | Walnut Blades  
Light Kit uses (3) 60W C (Included)

### 7525-3086

Oiled Bronze | Satin Opal  
Oiled Bronze | Walnut Blades  
Light Kit uses (3) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)



### 77525-1665

Satin Nickel | Faux Alabaster  
Satin Nickel | Walnut Blades  
Light Kit uses (3) 60W C (Included)



### 77525-1065

Satin Nickel | Satin Opal  
Satin Nickel | Walnut Blades  
Light Kit uses (3) 60W C (Included)

### 7525-3165

Satin Nickel | Faux Alabaster  
Satin Nickel | Walnut Blades  
Light Kit uses (3) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)

### 7525-3065

Satin Nickel | Satin Opal  
Satin Nickel | Walnut Blades  
Light Kit uses (3) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)



**7752516652**

Satin Nickel | Faux Alabaster  
Dark Oak | Rosewood Blades  
Light Kit uses (3) 60W C (Included)



**77525-1744**

Toasted Sienna | Amber Scavo  
Toasted Sienna | Walnut Blades  
Light Kit uses (3) 60W C (Included)

**7525-3344**

Toasted Sienna | Amber Scavo  
Toasted Sienna | Walnut Blades  
Light Kit uses (3) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)



**77525-1644**

Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit uses (3) 60W C (Included)



**77525-1044**

Toasted Sienna | Satin Opal  
Toasted Sienna | Walnut Blades  
Light Kit uses (3) 60W C (Included)

**7525-3144**

Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit uses (3) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)

**AVAILABLE FINISHES**



**77525-1608**

Studio White | Faux Alabaster  
Studio White Blades  
Light Kit uses (3) 60W C (Included)

**77525-1606**

Gloss White | Faux Alabaster  
White Blades  
Light Kit uses (3) 60W C (Included)




**7525-3008**

Studio White | Satin Opal  
Studio White Blades  
Light Kit uses (3) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)



### 3 LIGHT CANDLEABRA UNI-PACK

#### HEIGHT CHART



#### FAN HEIGHT

- Using 3.5" Downrod
- Distance OF 19.75"
- Distance OF 9.25"

#### GENERAL SPECS

14 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
11.5-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

#### MECHANICAL SPECS

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.52/.37/.21 AMPS on H/M/L  
67/29/10 WATTS on H/M/L  
173/117/60 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable w/Manual Reverse  
Detachable Switch Cup  
Light Kit uses (3) 60W C Bulbs (Included)

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3194 Cubic Feet/Minute  
Electricity Use: 39 Watts (Excludes Lights)  
Airflow Efficiency: 82 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra

#### REMOTE CONTROL OPTIONS



7-1305-0




7-1401-0

#### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 324

### 3 LIGHT LED UNI-PACK

#### HEIGHT CHART



#### FAN HEIGHT

- Using 3.5" Downrod
- Distance OF 19.75"
- Distance OF 9.25"

#### GENERAL SPECS

6 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
11.5-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

#### MECHANICAL SPECS

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.52/.37/.21 AMPS on H/M/L  
67/29/10 WATTS on H/M/L  
173/117/60 RPMS on H/M/L  
Triple Capacitor  
Detachable Switch Cup  
Light Kit Uses (4) 10W M 3000K 90CRI LED  
Frosted LED Lamps Included  
Bulbs Provided are Non-Dimmable

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3194 Cubic Feet/Minute  
Electricity Use: 39 Watts (Excludes Lights)  
Airflow Efficiency: 82 Cubic Feet/Minute/Watt

#### BULB TYPE



LED, 3000K, 90CRI (Non-Dimming)

#### REMOTE CONTROL OPTIONS



7-1305-0

#### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 324

# CAPRI 52"

## 4 LIGHT UNI-PACK

---



**7525-186**

Oiled Bronze | Faux Alabaster

Oiled Bronze | Walnut Blades

Light Kit uses (4) 10W 3000K 3000 Lumens

90CRI Non-Dimming LED M (Included)

---



**77525-8395**

Old World | Amber Scavo  
Old World | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)



**77525-8195**

Old World | Faux Alabaster  
Old World | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)



**77525-8086**

Oiled Bronze | Satin Opal  
Oiled Bronze | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)



**77525-8286**

Oiled Bronze | Linen  
Oiled Bronze | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)

**7525-086**

Oiled Bronze | Satin Opal  
Oiled Bronze | Walnut Blades  
Light Kit uses (4) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)

## AVAILABLE FINISHES



### **77525-8167**

Antique White | Faux Alabaster  
Antique White Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)



### **77525-8165**

Satin Nickel | Faux Alabaster  
Satin Nickel | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)

### **7525-165**

Satin Nickel | Faux Alabaster  
Satin Nickel | Walnut Blades  
Light Kit uses (4) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)



### **77525-8065**

Satin Nickel | Satin Opal  
Satin Nickel | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)



### **7752581656**

Satin Nickel | Faux Alabaster  
Maple | White Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)

### **7525-065**

Satin Nickel | Satin Opal  
Satin Nickel | Walnut Blades  
Light Kit uses (4) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)



**7752581652**

Satin Nickel | Faux Alabaster  
Dark Oak | Rosewood Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)



**77525-8344**

Toasted Sienna | Amber Scavo  
Toasted Sienna | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)

**7525-344**

Toasted Sienna | Amber Scavo  
Toasted Sienna | Walnut Blades  
Light Kit uses (4) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)



**77525-8144**

Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)



**77525-8108**

Studio White | Faux Alabaster  
Studio White Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)

**7525-144**

Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit uses (4) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)

## AVAILABLE FINISHES



### **77525-8106**

Gloss White | Faux Alabaster  
White Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)



### **7525-008**

Studio White | Satin Opal  
Studio White  
Light Kit uses (4) 10W 3000K 3000 Lumens  
90CRI Non-Dimming LED M (Included)




### **77525-8102**

Polished Brass | Faux Alabaster  
Medium Oak | Rosewood Blades  
Light Kit uses (4) 13W M Spiral CFL (Included)

## 4 LIGHT SPIRAL CFL UNI-PACK

### HEIGHT CHART



### FAN HEIGHT

- Using 3.5" Downrod
- Distance OF 18"
  - Distance OF 9.25"

### GENERAL SPECS

14 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
11.5-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

### MECHANICAL SPECS

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.52/.37/.21 AMPS on H/M/L  
67/29/10 WATTS on H/M/L  
173/117/60 RPMS on H/M/L  
Triple Capacitor  
Not Remote Control Adaptable  
Detachable Switch Cup  
Light Kit Uses (4) 13W M 2700K Spiral CFL Bulbs (Included)  
Bulbs Provided are Non-Dimming

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3242 Cubic Feet/Minute  
Electricity Use: 39 Watts (Excludes Lights)  
Airflow Efficiency: 84 Cubic Feet/Minute/Watt

### BULB TYPE




Spiral CFL

### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 324

## 4 LIGHT LED M UNI-PACK

### HEIGHT CHART



### FAN HEIGHT

- Using 3.5" Downrod
- Distance of 16.5"
  - Distance of 9.25"

### GENERAL SPECS

7 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
Blade Type 1-52" with Pointed Tip  
11.5-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

### MECHANICAL SPECS

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.50/.37/.22 AMPS on H/M/L  
59/30/10 WATTS on H/M/L  
222/158/83 RPMS on H/M/L  
Triple Capacitor  
Light Kit Uses (4) 10W M 3000K 90CRI LED  
Frosted LED Lamps Included  
Bulbs Provided are Non-Dimmable

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5071 Cubic Feet/Minute  
Electricity Use: 62 Watts (Excludes Lights)  
Airflow Efficiency: 82 Cubic Feet/Minute/Watt

### BULB TYPE



LED, 3000K, 90CRI (Non-Dimming)

### REMOTE CONTROL OPTIONS



7-1305-0

### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 324

# CAPRI 52"

## 2 LIGHT UNI-PACK

---







**77525-9595**

Old World | Faux Alabaster  
Old World | Walnut Blades  
Light Kit Uses (2) 60W C (Included)



**77525-9495**

Old World | Amber Scavo  
Old World | Walnut Blades  
Light Kit Uses (2) 60W C (Included)



**77525-9295**

Old World | Faux Alabaster  
Old World | Walnut Blades  
Light Kit Uses (2) 60W C (Included)



**77525-9486**

Oiled Bronze | Amber Scavo  
Oiled Bronze | Walnut Blades  
Light Kit Uses (2) 60W C (Included)



**7525-9286**

Oiled Bronze | Faux Alabaster  
Oiled Bronze | Walnut Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Non-Dimming LED (Included)



**77525-9086**

Oiled Bronze | Satin Opal  
Oiled Bronze | Walnut Blades  
Light Kit Uses (2) 60W C (Included)

**AVAILABLE FINISHES**



**7525-9086**

Oiled Bronze | Satin Opal  
Oiled Bronze | Walnut Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Dimming LED (Included)



**77525-9565**

Satin Nickel | Faux Alabaster  
Dark Oak | Rosewood Blades  
Light Kit Uses (2) 60W C (Included)



**77525-9265**

Satin Nickel | Faux Alabaster  
Dark Oak | Rosewood Blades  
Light Kit Uses (2) 60W C (Included)



**7525-9265**

Satin Nickel | Faux Alabaster  
Satin Nickel | Walnut Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Non-Dimming LED (Included)



**77525-9065**

Satin Nickel | Satin Opal  
Satin Nickel | Walnut Blades  
Light Kit Uses (2) 60W C (Included)

**7525-9065**

Satin Nickel | Satin Opal  
Satin Nickel | Walnut Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Non-Dimming LED (Included)



**77525-9544**

Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit Uses (2) 60W C (Included)



**7525-9644**

Toasted Sienna | Amber Scavo  
Toasted Sienna | Walnut Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Non-Dimming LED (Included)



**77525-9444**

Toasted Sienna | Amber Scavo  
Toasted Sienna | Walnut Blades  
Light Kit Uses (2) 60W C (Included)



**77525-9244**

Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit Uses (2) 60W C (Included)

**7525-9244**

Toasted Sienna | Faux Alabaster  
Toasted Sienna | Walnut Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Non-Dimming LED (Included)



**77525-9044**

Toasted Sienna | Satin Opal  
Toasted Sienna | Walnut Blades  
Light Kit Uses (2) 60W C (Included)



**77525-9508**

Studio White | Faux Alabaster  
Studio White Blades  
Light Kit Uses (2) 60W C (Included)

**AVAILABLE FINISHES**



**77525-9208**

Studio White | Faux Alabaster  
Studio White Blades  
Light Kit Uses (2) 60W C (Included)



**7525-9008**

Studio White | Satin Opal  
Studio White Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Non-Dimming LED (Included)



**77525-9506**

Gloss White | Faux Alabaster  
White Blades  
Light Kit Uses (2) 60W C (Included)




**77525-9206**

Gloss White | Faux Alabaster  
White Blades  
Light Kit Uses (2) 60W C (Included)

## 2 LIGHT CANDELABRA UNI-PACK 77525-9XXX

### HEIGHT CHART



### FAN HEIGHT

- Using 3.5" Downrod
- Distance OF 20.5"
  - Distance OF 9.25"

### GENERAL SPECS

16 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
11.5-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

### MECHANICAL SPECS

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.52/.37/.21 AMPS on H/M/L  
67/30/9 WATTS on H/M/L  
173/117/60 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable w/Manual Reverse  
Detachable Switch Cup  
Light Kit Uses (2) 60W C (Included)

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3184 Cubic Feet/Minute  
Electricity Use: 39 Watts (Excludes Lights)  
Airflow Efficiency: 81 Cubic Feet/Minute/Watt

### BULB TYPE



Candelabra

### REMOTE CONTROL OPTIONS



7-1305-0




7-1401-0

### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 324

## 2 LIGHT LED M UNI-PACK 7525-9XXX

### HEIGHT CHART



### FAN HEIGHT

- Using 3.5" Downrod
- Distance of 16.5"
  - Distance of 9.25"

### GENERAL SPECS

7 Finish Combinations Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
Blade Type 1-52" with Pointed Tip  
11.5-Degree Blade Pitch  
80" Lead Wire  
3.5" and 6" Downrod Included

### MECHANICAL SPECS

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.50/.37/.22 AMPS on H/M/L  
59/30/10 WATTS on H/M/L  
222/158/83 RPMS on H/M/L  
Triple Capacitor  
Light Kit Uses (2) 10W M 3000K 90CRI LED  
Frosted LED Lamps Included  
Bulbs Provided are Non-Dimmable

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3363 Cubic Feet/Minute  
Electricity Use: 37 Watts (Excludes Lights)  
Airflow Efficiency: 90 Cubic Feet/Minute/Watt

### BULB TYPE



LED, 3000K, 90CRI (Non-Dimming)

### REMOTE CONTROL OPTIONS



7-1305-0

### BLADE ALTERNATIVES

Use indoor blade type 1-52 - See page 324

# PREMIER 52"

## UNI-PACK LED

NEW



**AVAILABLE FINISHES**



**54525-86**  
Oiled Bronze | Satin Opal Glass  
Walnut | Weathered Oak Blades  
Light Kit uses (1) 28W, 3000K, 80CRI,  
Dimmable LED (Included)



**54525-80**  
Aged Brass | Satin Opal Glass  
Matte Black | Walnut Blades  
Light Kit uses (1) 28W, 3000K, 80CRI,  
Dimmable LED (Included)



**54525-69**  
Noir | Satin Opal Glass  
Matte Black | Weathered Oak Blades  
Light Kit uses (1) 28W, 3000K, 80CRI,  
Dimmable LED (Included)




**54525-65**  
Satin Nickel | Satin Opal Glass  
Satin Nickel | Walnut Blades  
Light Kit uses (1) 28W, 3000K, 80CRI, Dimmable LED (Included)



**54525-8**  
Studio White | Satin Opal Glass  
Studio White Blades  
Light Kit uses (1) 28W, 3000K, 80CRI, Dimmable LED (Included)

**HEIGHT CHART**



**FAN HEIGHT**

- Using 6" Downrod
- Distance of 19.5"
- Distance of 13.25"

**GENERAL SPECS**

- 5 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 52" Blade Sweep
- 12-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included

**MECHANICAL SPECS**

- 172 x 14 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .49/.32/.21 AMPS on H/M/L
- 59/26/11 WATTS on H/M/L
- 179/114/69 RPMS on H/M/L
- Detachable Switch Cup
- Triple Capacitor
- Remote Control Adaptable w/ Manual Reverse
- LED Kit Included
- Skirted Blade Arms

**ENERGY SPECS**


- Energy Information at High Speed
- Airflow: 3439 Cubic Feet/Minute
- Electricity Use: 36 Watts (Excludes Lights)
- Airflow Efficiency: 72 Cubic Feet/Minute/Watt

**LIGHT SOURCE**



LED

**REMOTE CONTROL OPTION**



7-501-0

# INDOOR FAN LIGHT KITS

---

Nothing elevates your fan like a beautiful light kit. Whether your style is contemporary, traditional, or somewhere in between, dozens of light kit styles make it easy to find the perfect illuminating accent for your Quorum fan.











**1032-95** (shown)  
10" (w) x 4" (h) - (2) 60W C (Included)  
Old World | Amber Scavo Glass

**1141-862\*** (shown)  
10" (w) x 3.5" (h) - (1) 9W, 3000K, 80CRI LED  
Polished Nickel | Satin Opal Glass  
Bulb Provided is Non-Dimming

**Additional Finishes:**

**Additional Finishes:**


	<b>1032-65</b> Satin Nickel Satin Opal Glass		<b>1032-8</b> Studio White Satin Opal Glass
---	--	--	---

	<b>1141-869*</b> Noir Satin Opal Glass		<b>1141-806*</b> Gloss White Satin Opal Glass
--	--	--	---



**1129-865\*** (shown)  
12" (w) x 5" (h) - (2) 9W, 3000K, 80CRI LED  
Satin Nickel | Faux Alabaster Glass  
Bulbs Provided are Non-Dimming

**Additional Finish:**

	<b>1129-806*</b> Gloss White Faux Alabaster Glass
--	---

\* Bulbs included. All items comply with 2005 Energy Policy Act.



**1504-865\*** (shown)  
 10" (w) x 4.5" (h) - (2) 9W, 3000K, 80CRI LED (included)  
 Satin Nickel | Satin Opal Glass  
 Light Kit is shown on 77525-6522 ceiling fan  
 Bulbs Provided are Non-Dimming

**Additional Finish:**



**1504-886\***  
 Oiled Bronze  
 Satin Opal Glass



**1504-869\***  
 Noir  
 Satin Opal Glass




**1504-862\***  
 Polished Nickel  
 Satin Opal Glass




**1180-862\*** (shown)  
 11.5" (w) x 4" (h) - (2) 9W, 3000K, 80CRI LED  
 Polished Nickel | Satin Opal Glass  
 Bulbs Provided are Non-Dimming

**Additional Finishes:**



**1180-886\***  
 Oiled Bronze  
 Satin Opal Glass



**1180-880\***  
 Aged Brass  
 Satin Opal Glass



**1180-869\***  
 Noir  
 Satin Opal Glass



**1180-865\***  
 Satin Nickel  
 Satin Opal Glass




**1180-808\***  
 Studio White  
 Satin Opal Glass

\* Bulbs included. All items comply with 2005 Energy Policy Act.




**2401-8044\*** (shown)  
 7"(w) x 2.75"(h) - (4) M Energy Saving Bulbs  
 Toasted Sienna  
 Bulbs Provided are Non-Dimming

**Additional Finishes:**



**2303-9062** (shown)  
 5.5"(w) x 3"(h) - (3) 60W C (Included)  
 Polished Nickel

**Additional Finishes:**






\* Bulbs included. All items comply with 2005 Energy Policy Act.



**2444-8080\*** (shown)  
 10" (w) x 3" (h) - (4) M Energy Saving Bulbs  
 Aged Brass | Optional 2520H Glass  
 Light Kit is shown on 40625-80 ceiling fan  
 Bulbs Provided are Non-Dimming

**Additional Finishes:**

	<b>2444-8095*</b> Old World		<b>2444-8092*</b> Antique Silver		<b>2444-8086*</b> Oiled Bronze		<b>2444-8070*</b> Persian White
	<b>2444-8069*</b> Noir		<b>2444-8067*</b> Antique White		<b>2444-8065*</b> Satin Nickel		<b>2444-8062*</b> Polished Nickel
	<b>2444-8060*</b> Aged Silver Leaf		<b>2444-8059*</b> Matte Black		<b>2444-8058*</b> Mystic Silver		<b>2444-8044*</b> Toasted Sienna
	<b>2444-808*</b> Studio White		<b>2444-806*</b> Gloss White		<b>2444-804*</b> Antique Brass		<b>2444-802*</b> Polished Brass

\* Bulbs included. All items comply with 2005 Energy Policy Act.




**2530-8086\*** (shown)  
14" (w) x 5.5" (h) - (5) M Energy Saving Bulbs  
Oiled Bronze  
Bulbs Provided are Non-Dimming

**Additional Finishes:**




**2530-8095\***  
Old World



**2530-8070\***  
Persian White



**2530-8065\***  
Satin Nickel



**2530-8044\***  
Toasted Sienna

\* Bulbs included. All items comply with 2005 Energy Policy Act.



**2326-865\***

17" (w) x 6" (h) - (3) 9W, 3000K, 80CRI LED  
Satin Nickel | Faux Alabaster Glass  
Bulbs Provided are Non-Dimming

---



**2409-865\*** (shown)

10" (w) x 6" (h) - (4) 13W M Spiral CFL  
Satin Nickel  
Bulbs Provided are Non-Dimming

**Additional Finishes:**



**2409-859\***  
Matte Black



**2409-814\***  
Chrome



**2409-806\***  
Gloss White

---

\* Bulbs included. All items comply with 2005 Energy Policy Act.

## CUSTOM LIGHT KITS

Quorum International offers a variety of Light Kits that come with an optional end cap that can be customized to fit your fan configuration. Whether you have a fan with an Old World or Toasted Sienna finish the Custom Light Kits allows you to choose your style.



### 1120-801A\*

12.75"(w) x 8.5"(h) - (2) 9W, 3000K, 80CRI LED  
Toasted Sienna | Old World  
Etruscan Glass with Amber Accents  
Bulbs Provided are Non-Dimming



### 1120-801H\*

12.75"(w) x 8.5"(h) - (2) 9W, 3000K, 80CRI LED  
Satin Nickel | Gloss White  
Satin Opal Glass  
Bulbs Provided are Non-Dimming



### 1133-801\*

13.25"(w) x 9"(h) - (2) 9W, 3000K, 80CRI LED  
Satin Nickel | Gloss White  
Faux Alabaster Glass  
Bulbs Provided are Non-Dimming



### 1147-801\*

12.75"(w) x 8.5"(h) - (2) 9W, 3000K, 80CRI LED  
Satin Nickel | Oiled Bronze  
Silver Mercury Glass  
Bulbs Provided are Non-Dimming



### 1157-0665

12.75"(w) x 8.5"(h) - (2) 7W, 2700K, 80CRI M,  
Dimmable LED  
White | Satin Nickel  
Clear Seeded Glass  
Dimmable LED Bulbs Included



### 1157-4486

12.75"(w) x 8.5"(h) - (2) 7W, 2700K, 80CRI M,  
Dimmable LED  
Toasted Sienna | Oiled Bronze  
Clear Seeded Glass  
Dimmable LED Bulbs Included



### 1158-801\*

10.75"(w) x 6.5"(h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Linen Glass  
Bulbs Provided are Non-Dimming



### 1165-0665

10.75"(w) x 6.5"(h) - (2) 7W, 2700K, 80CRI M,  
Dimmable LED  
White | Satin Nickel  
Clear Seeded Glass  
Dimmable LED Bulbs Included



### 1165-4486

10.75"(w) x 6.5"(h) - (2) 7W, 2700K, 80CRI M,  
Dimmable LED  
Toasted Sienna | Oiled Bronze  
Clear Seeded Glass  
Dimmable LED Bulbs Included





**1166-801\***  
13"(w) x 7.5"(h) - (2) 9W, 3000K, 80CRI LED  
Satin Nickel | Gloss White  
Faux Alabaster Glass  
Bulbs Provided are Non-Dimming



**1177-801\***  
13"(w) x 7.5"(h) - (2) 9W, 3000K, 80CRI LED  
Oiled Bronze | Satin Nickel  
Satin Opal Glass  
Bulbs Provided are Non-Dimming



**1228-801\***  
12.75"(w) x 7"(h) - (2) 13W M Spiral CFL  
Toasted Sienna | Old World  
Linen Glass  
Bulbs Provided are Non-Dimming



**1232-801\***  
12.75"(w) x 7"(h) - (2) 9W, 3000K, 80CRI LED  
Toasted Sienna | Old World  
Amber Scavo Glass  
Bulbs Provided are Non-Dimming



**1858-965**  
11"(w) x 4.75"(h) - (3) 40W C (Included)  
Satin Nickel  
Cream Fabric Shade



**1858-986**  
11"(w) x 4.75"(h) - (3) 40W C (Included)  
Oiled Bronze  
Cream Fabric Shade

# PATIO CONTEMPORARY SELECTIONS

---

Contemporary doesn't get any cooler than Quorum's Patio Contemporary Designs. Outdoor spaces deserve a pick me up and nothing perks up a patio like the modern, sleek and sophisticated style of these fans.



# BRONX 52" PATIO



## AVAILABLE FINISHES




### 142523-86

Oiled Bronze

Walnut ABS Blades

Light Kit uses (1) 75W JD-E11 Mini-Can Halogen Lamp (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4.5" Downrod

- Distance of 15"
- Distance of 12"

#### GENERAL SPECS

Lifetime Motor Warranty  
Three ABS Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4.5" Downrod Included

#### MECHANICAL SPECS

172 x 17 Motor Size  
4 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.55/.42/.27/.23 AMPS on H/M/L  
66/37/16/12 WATTS on H/M/L  
207/150/91/78 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (1) 75W JD-E11 Mini-Can  
Halogen Bulb (Included)  
UL Wet Listed

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 3293 Cubic Feet/Minute  
Electricity Use: 41 Watts (Excludes Lights)  
Airflow Efficiency: 81 Cubic Feet/Minute/Watt

#### BULB TYPE



JD-E11 Mini-Can

#### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-1401-0

# PROXIMA 60" PATIO



**AVAILABLE FINISHES**




**196608-86**  
Oiled Bronze  
Oiled Bronze Blades



**196608-65**  
Satin Nickel  
Satin Nickel Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 18"
- Distance of 15"

**GENERAL SPECS**

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Eight Blades
- 60" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 6 Poles
- .45/.30/.21/.14/.10/.07 AMPS on H/M/L
- 32/20/14/9/6/4 WATTS on H/M/L
- 147/125/109/91/73/53 RPMS on H/M/L
- UL Wet Listed
- Remote Control Adaptable
- Not Light Kit Adaptable

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 5399 Cubic Feet/Minute
- Electricity Use: 20 Watts (Excludes Lights)
- Airflow Efficiency: 270 Cubic Feet/Minute/Watt

**WALL CONTROL**



Included

# PROXIMA 72" PATIO

---





## AVAILABLE FINISHES




**196728-86**  
Oiled Bronze  
Oiled Bronze Blades



**196728-65**  
Satin Nickel  
Satin Nickel Blades

### HEIGHT CHART



### FAN HEIGHT

Using 4" Downrod

- Distance of 18"
- Distance of 15"

### GENERAL SPECS

2 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Eight Blades  
72" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

### MECHANICAL SPECS

DC Motor  
6 Speeds-Reversible w/Wall Controller  
6 Poles  
.47/.29/.19/.13/.09/.06 AMPS on H/M/L  
33/20/13/8/5/3 WATTS on H/M/L  
94/79/66/55/42/32 RPMS on H/M/L  
UL Wet Listed  
Remote Control Adaptable  
Not Light Kit Adaptable

### ENERGY SPECS

Energy Information at High Speed  
Airflow: 5959 Cubic Feet/Minute  
Electricity Use: 22 Watts (Excludes Lights)  
Airflow Efficiency: 277 Cubic Feet/Minute/Watt

### WALL CONTROL



Included

# PATIO SOFT CONTEMPORARY SELECTIONS

---

The softer side of contemporary comes through in this collection designed to bring a modern yet traditional feel to outdoor spaces. Interesting shapes and appealing finishes provide the perfect balance of poise and panache.



# HUDSON 52" PATIO



**AVAILABLE FINISHES**



**137525-95**  
Old World  
Walnut ABS Blades



**137525-9**  
Galvanized  
Medium Oak ABS Blades




**137525-924**  
Galvanized  
Walnut ABS Blades



**Optional Black ABS Blades**  
**525151314**  
Shown on 137525-9 Ceiling Fan

**HEIGHT CHART**



**FAN HEIGHT**

- Using 6" Downrod
- Distance of 16.5"
- Distance of 14.75"

**GENERAL SPECS**

- 3 Finish Combinations Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 6" Downrod Included

**MECHANICAL SPECS**

- 172 x 14 Motor Size
- 3 Speeds-Reversible
- 16 Poles
- .57/.39/.21 AMPS on H/M/L
- 68/30/9 WATTS on H/M/L
- 163/110/65 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- UL Wet Listed

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3774 Cubic Feet/Minute
- Electricity Use: 41 Watts (Excludes Lights)
- Airflow Efficiency: 93 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0




7-1401-0

# MARIANA DAMP

---



**AVAILABLE FINISHES**




**35154-86**  
18"(w) x 67.5"(h)  
Oiled Bronze



**35154-65**  
18"(w) x 67.5"(h)  
Satin Nickel

**DIMENSIONS CHART**



**FAN DIMENSIONS**

- Distance of 40"
- Distance of 63.5"
- \* Distance of 18"

**GENERAL SPECS**

- 2 Finishes Available
- Lifetime Motor Warranty
- Four Blades
- 15" Blade Sweep
- Solid Wood Tripod

**MECHANICAL SPECS**

- 13' Power Cord
- On/Off Oscillation Feature
- Oscillates 45 Degrees
- Tilt Forward/Back 20 Degrees

# MYKONOS 52" DAMP

---

NEW





**AVAILABLE FINISHES**



**65210-86**  
Oiled Bronze  
Khaki Canvas Blades




**65210-69**  
Noir  
White Canvas Blades



**65210-65**  
Satin Nickel  
Gray Canvas Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 8" Downrod

- Distance of 19"
- Distance of 12.75"

**GENERAL SPECS**

- 3 Finishes Available
- Lifetime Motor Warranty
- Ten Blades
- 52" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 8" Downrod Included

**MECHANICAL SPECS**

- DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 6 Poles
- .44/.32/.20/.14/.08/.05 AMPS on H/M/L
- 31/21/13/9/5/3 WATTS on H/M/L
- 125/110/95/80/65/50 RPMS on H/M/L
- Wall Control Included
- Light Kit Adaptable
- Not Hugger Adaptable
- Remote Control Adaptable
- Maximum 25° Slope w/Minimum 18" Downrod
- Maximum Length Optional Downrod 48"

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 1833 Cubic Feet/Minute
- Electricity Use: 19 Watts (Excludes Lights)
- Airflow Efficiency: 97 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included      8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.

## MYKONOS 52" DAMP LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>satin nickel - NEW</b>			
1902-65	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-65	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-65	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-65	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-65	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-65	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>noir - NEW</b>			
1902-69	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-69	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-69	Satin Opal	11 "(w) x 6."(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-69	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-69	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-69	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**1904-9**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Galvanized | Satin Opal  
 UL Damp



**1903-86**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI M, Dimming LED (Included)  
 Oiled Bronze | Satin Opal Glass  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Seeded Glass  
 UL Damp



**1905-69**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Noir  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze | Clear hammered Glass  
 UL Damp



**1975-65**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Satin Nickel | Clear hammered Glass  
 UL Damp

# MYKONOS 60" DAMP

---

NEW



**AVAILABLE FINISHES**



**66010-86**  
Oiled Bronze  
Khaki Canvas Blades




**66010-69**  
Noir  
White Canvas Blades



**66010-65**  
Satin Nickel  
Gray Canvas Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 10" Downrod

- Distance of 21"
- Distance of 14.75"

**GENERAL SPECS**

- 3 Finishes Available
- Lifetime Motor Warranty
- Ten Blades
- 60" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 10" Downrod Included

**MECHANICAL SPECS**

- DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 6 Poles
- .41/.31/.24/.19/.14/.11 AMPS on H/M/L
- 28/21/15/12/8/5 WATTS on H/M/L
- 86/77/70/64/57/50 RPMs on H/M/L
- Wall Control Included
- Light Kit Adaptable
- Not Hugger Adaptable
- Remote Control Adaptable
- Maximum 25° Slope w/Minimum 18" Downrod
- Maximum Length Optional Downrod 48"

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 2531 Cubic Feet/Minute
- Electricity Use: 18 Watts (Excludes Lights)
- Airflow Efficiency: 77 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included      8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.

## MYKONOS 60" DAMP LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>satin nickel - NEW</b>			
1902-65	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-65	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-65	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-65	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-65	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-65	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>noir - NEW</b>			
1902-69	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-69	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-69	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-69	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-69	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-69	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**1904-69**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Noir | Satin Opal  
 UL Damp



**1903-9**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Galvanized | Satin Opal  
 UL Damp



**1902-65**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Satin Nickel | Clear Seeded Glass  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled bronze  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze | Clear hammered Glass  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear hammered Glass  
 UL Damp

# MYKONOS 72" DAMP

NEW





**AVAILABLE FINISHES**



**67210-86**  
Oiled Bronze  
Khaki Canvas Blades




**67210-69**  
Noir  
White Canvas Blades



**67210-65**  
Satin Nickel  
Gray Canvas Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 10" Downrod

- Distance of 21.25"
- Distance of 15"

**GENERAL SPECS**

- 3 Finishes Available
- Lifetime Motor Warranty
- Ten Blades
- 72" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 10" Downrod Included

**MECHANICAL SPECS**

- DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 8 Poles
- .37/.26/.18/.13/.10/.06 AMPS on H/M/L
- 25/18/12/8/6/4 WATTS on H/M/L
- 61/54/48/42/35/30 RPMS on H/M/L
- Wall Control Included
- Light Kit Adaptable
- Not Hugger Adaptable
- Remote Control Adaptable
- Maximum 19° Slope w/Minimum 18" Downrod
- Maximum Length Optional Downrod 48"

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 1836 Cubic Feet/Minute
- Electricity Use: 18 Watts (Excludes Lights)
- Airflow Efficiency: 104 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included      8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.

## MYKONOS 72" DAMP LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>satin nickel - NEW</b>			
1902-65	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-65	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-65	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-65	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-65	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-65	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>noir - NEW</b>			
1902-69	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-69	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-69	Satin Opal	11 "(w) x 6."(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-69	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-69	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-69	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11 "(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11 "(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11 "(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**1904-65**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Satin Nickel | Satin Opal  
 UL Damp



**1903-9**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Galvanized | Satin Opal Glass  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Seeded Glass  
 UL Damp



**1905-69**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Noir  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze | Clear Hammered Glass  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Hammered Glass  
 UL Damp

# MYKONOS 92" DAMP

NEW



**AVAILABLE FINISHES**



**69210-86**  
Oiled Bronze  
Khaki Canvas Blades




**69210-69**  
Noir  
White Canvas Blades



**69210-65**  
Satin Nickel  
Gray Canvas Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 10" Downrod

- Distance of 21.25"
- Distance of 15"

**GENERAL SPECS**

- 3 Finishes Available
- Lifetime Motor Warranty
- Ten Blades
- 92" Blade Sweep
- 18-Degree Blade Pitch
- 80" Lead Wire
- 10" Downrod Included

**MECHANICAL SPECS**

- DC Motor
- 6 Speeds-Reversible w/ Wall Control
- 8 Poles
- .60/.36/.24/.17/.10/.06 AMPS on H/M/L
- 43/26/16/10/7/4 WATTS on H/M/L
- 45/40/35/30/25/20 RPMS on H/M/L
- Wall Control Included
- Light Kit Adaptable
- Not Hugger Adaptable
- Remote Control Adaptable
- Maximum 19° Slope w/Minimum 18" Downrod
- Maximum Length Optional Downrod 48"

**REMOTE CONTROL OPTIONS**



Included

8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.

## MYKONOS 92" DAMP LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>satin nickel - NEW</b>			
1902-65	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-65	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-65	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-65	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-65	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-65	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>noir - NEW</b>			
1902-69	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-69	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-69	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-69	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-69	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-69	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**1904-86**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Oiled Bronze | Satin Opal  
 UL Damp



**1903-65**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Satin Nickel | Satin Opal  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Seeded Glass  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled bronze  
 UL Damp



**1974-69**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Noir | Clear hammered Glass  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear hammered Glass  
 UL Damp

# TRIUMPH DAMP

---





**AVAILABLE FINISHES**




**30154-86**  
19.75"(w) x 70"(h)  
Oiled Bronze



**30154-65**  
19.75"(w) x 70"(h)  
Satin Nickel

**DIMENSIONS CHART**



**FAN DIMENSIONS**

- Distance of 40.5"
- Distance of 67"
- \* Distance of 19.75"

**GENERAL SPECS**

- 2 Finishes Available
- Lifetime Motor Warranty
- Four Blades
- 15" Blade Sweep
- Solid Wood Tripod

**MECHANICAL SPECS**

- 13' Power Cord
- On/Off Oscillation Feature
- Oscillates 45 Degrees
- Tilt Forward/Back 20 Degrees

# WESTLAND 60" PATIO



**AVAILABLE FINISHES**



**16605-86**  
Oiled Bronze  
Walnut ABS Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Dimming LED (Included)



**16605-69**  
Noir  
Walnut ABS Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Dimming LED (Included)




**16605-9**  
Galvanized  
Walnut ABS Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Dimming LED (Included)



**16605-8**  
Studio White  
Studio White ABS Blades  
Light Kit uses (2) 10W, 3000K, 90CRI M, Dimming LED (Included)

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" Downrod

- Distance of 16"
- Distance of 9.5"

**GENERAL SPECS**

4 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Five ABS Blades  
60" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included

**MECHANICAL SPECS**

188 x 25 Motor Size  
3 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.58/49/34 AMPS on H/M/L  
70/40/16 WATTS on H/M/L  
134/99/54 RPMS on H/M/L  
Bulbs Provided are Dimmable  
UL Wet Listed

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 4165 Cubic Feet/Minute  
Electricity Use: 45 Watts (Excludes Lights)  
Airflow Efficiency: 92 Cubic Feet/Minute/Watt

**BULB TYPE**



90CRI M LED Bulbs

**REMOTE CONTROL OPTIONS**



Included



7-1305-0



8-1401

# PATIO TRADITIONAL SELECTIONS

---

Nothing soothes the soul like the gentle breeze of a ceiling fan on a warm summer night. Our Traditional Patio designs will warm your heart while cooling your outdoor space.



# ALLURE PATIO ALL-WEATHER 52"

---



**AVAILABLE FINISHES**




**146525-86**  
Oiled Bronze  
Walnut ABS Blades



**146525-6**  
Gloss White  
White ABS Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 13.75"
- Distance of 12.75"

**GENERAL SPECS**

- 2 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 80" Lead Wire
- 13.5-Degree Blade Pitch
- 4" and 6" Aluminum Downrods Included

**MECHANICAL SPECS**

- 153x16 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .53/.37/.21 AMPS on H/M/L
- 64/33/12 WATTS on H/M/L
- 160/110/60 RPMS on H/M/L
- ABS Housing, Canopy, and Blades
- Remote Control Adaptable w/Manual Reverse
- UL Wet listed

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3392 Cubic Feet/Minute
- Electricity Use: 39 Watts (Excludes Lights)
- Airflow Efficiency: 88 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0      7-1401-0

**BLADE ALTERNATIVES**

Use outdoor blade type 1-52 - See page 344

# BALTIC 52" PATIO

---






## AVAILABLE FINISH



### 145525-86

Oiled Bronze | Clear Seeded Glass  
Walnut ABS Blades  
Light Kit uses (3) 40W C Bulbs (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod  
● Distance of 23.5"  
○ Distance of 10.75"

#### GENERAL SPECS

Lifetime Motor Warranty  
Powder Coated Finish  
Five ABS Blades  
52" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

#### MECHANICAL SPECS

172x17 Motor Size  
4 Speeds-Reversible /Manual Reverse Switch  
16 Poles  
.59/.40/.22/.18 AMPS on H/M/L  
57/30/10/8 WATTS on H/M/L  
165/110/90/50 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/Manual Reverse  
Light Kit Uses (3) 40W C Bulbs (Included)  
UL Wet Listed

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 4160 Cubic Feet/Minute  
Electricity Use: 42 Watts (Excludes Lights)  
Airflow Efficiency: 99 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra

#### REMOTE CONTROL OPTIONS



Included



7-1401-0



7-1305-0

# EDEN 52" UNI-PACK PATIO



**AVAILABLE FINISHES**



**18525-86**  
Oiled Bronze | Satin Opal Glass  
Walnut ABS Blades  
Light Kit Uses (2) 9W, 3000K, 80CRI M LED (Included)



**18525-69**  
Nior | Satin Opal Glass  
Walnut ABS Blades  
Light Kit Uses (2) 9W, 3000K, 80CRI M LED (Included)



**18525-44**  
Toasted Sienna | Satin Opal Glass  
Walnut ABS Blades  
Light Kit Uses (2) 9W, 3000K, 80CRI M LED (Included)




**18525-17**  
Zinc | Satin Opal Glass  
Walnut ABS Blades  
Light Kit Uses (2) 9W, 3000K, 80CRI M LED (Included)



**18525-6**  
White | Satin Opal Glass  
White ABS Blades  
Light Kit Uses (2) 9W, 3000K, 80CRI M LED (Included)

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod

- Distance of 18.75"
- Distance of 11.5"

**GENERAL SPECS**

5 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
52" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

172 x 17 Motor Size  
3 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.54/.41/.26 AMPS on H/M/L  
67/36/14 WATTS on H/M/L  
175/130/73 RPMS on H/M/L  
Not Remote Control Adaptable  
Light Kit Uses (2) 13W M CFL (Included)  
Bulbs Are Non-Dimmable  
Detachable Switch Cup  
Skirted Blade Arms

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 4093 Cubic Feet/Minute  
Electricity Use: 41 Watts (Excludes Lights)  
Airflow Efficiency: 99 Cubic Feet/Minute/Watt

**BULB TYPE**



9W, 3000K, LED M Bulb (Non-Dimming)

# EDEN 60" UNI-PACK PATIO



**AVAILABLE FINISHES**



**18605-86**  
Oiled Bronze | Satin Opal Glass  
Walnut ABS Blades  
Light Kit Uses (2) 13W M Spiral CFL Bulbs (Included)



**18605-69**  
Nior | Satin Opal Glass  
Walnut ABS Blades  
Light Kit Uses (2) 13W M Spiral CFL Bulbs (Included)



**18605-44**  
Toasted Sienna | Satin Opal Glass  
Walnut ABS Blades  
Light Kit Uses (2) 13W M Spiral CFL Bulbs (Included)




**18605-17**  
Zinc | Satin Opal Glass  
Walnut ABS Blades  
Light Kit Uses (2) 13W M Spiral CFL Bulbs (Included)



**18605-6**  
White | Satin Opal Glass  
White ABS Blades  
Light Kit Uses (2) 13W M Spiral CFL Bulbs (Included)

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 18.75"
- Distance of 11.5"

**GENERAL SPECS**

- 5 Finishes Available
- Lifetime Motor Warranty
- Five Blades
- 60" Blade Sweep
- 13.5-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 188 x 25 Motor Size
- 3 Speeds-Reversible/Manual Reverse Switch
- 16 Poles
- .49/.37/.26 AMPS on H/M/L
- 58/33/15 WATTS on H/M/L
- 125/90/59 RPMS on H/M/L
- Not Remote Control Adaptable
- Light Kit Uses (2) 13W M CFL (Included)
- Bulbs Are Non-Dimmable
- Detachable Switch Cup
- Skirted Blade Arms

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 4384 Cubic Feet/Minute
- Electricity Use: 47 Watts (Excludes Lights)
- Airflow Efficiency: 102 Cubic Feet/Minute/Watt

**BULB TYPE**



13W M SPIRAL CFL Bulb

# ESTATE 52" UNI-PACK PATIO



**AVAILABLE FINISHES**



**1435259395**  
Old World | Amber Scavo  
Walnut ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**143525-995**  
Old World | Satin Opal Glass  
Walnut ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**143525-986**  
Oiled Bronze | Amber Scavo  
Walnut ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**143525-959**  
Matte Black | Satin Opal Glass  
Medium Oak ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)

**AVAILABLE FINISHES**



**1435255959**

Matte Black | Satin Opal Glass  
Matte Black ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**143525-944**

Toasted Sienna | Amber Scavo Glass  
Rosewood ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)



**1435259924**

Galvanized | Satin Opal Glass  
Walnut ABS Blades  
Light Kit uses (2) 60W C Bulbs (Included)






**143525-906**

Gloss White | Satin Opal Glass  
 White ABS Blades  
 Light Kit uses (2) 60W C Bulbs (Included)

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod  
 ● Distance of 19.25"  
 ○ Distance of 11.5"

**GENERAL SPECS**

8 Finish Combinations Available (Powder Coated)  
 Lifetime Motor Warranty  
 Five ABS Blades  
 52" Blade Sweep  
 14-Degree Blade Pitch  
 80" Lead Wire  
 4" and 6" Downrod Included

**MECHANICAL SPECS**

153 x 15 Motor Size  
 3 Speeds - Reversible  
 14 Poles  
 .57/.39/.21 AMPS on H/M/L  
 55/30/9 WATTS on H/M/L  
 154/105/52 RPMS on H/M/L  
 Triple Capacitor  
 Remote Control Adaptable w/Manual Reverse  
 Light Kit Uses (2) 60W C Bulbs (Included)  
 Skirted Blade Arms/Sealed Vent Holes  
 UL Wet Listed

**ENERGY SPECS**

Energy Information at High Speed  
 Airflow: 3144 Cubic Feet/Minute  
 Electricity Use: 33 Watts (Excludes Lights)  
 Airflow Efficiency: 94 Cubic Feet/Minute/Watt

**BULB TYPE**



Candelabra

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

**BLADE ALTERNATIVES**

Use outdoor blade type 1-52 - See page 344

# ESTATE 30" PATIO

---



**AVAILABLE FINISHES**



**143306-95**  
Old World  
Walnut ABS Blades




**143306-86**  
Oiled Bronze  
Oiled Bronze ABS Blades



**143306-6**  
Gloss White  
White ABS Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 12"
- Distance of 10.75"

**GENERAL SPECS**

- 3 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Six ABS Blades
- 30" Blade Sweep
- Blade Type 1-30" with Semi-Square Tip
- 25-Degree Blade Pitch
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 12 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .29/.21/.09 AMPS on H/M/L
- 53/27/9 WATTS on H/M/L
- 245/185/103 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms/Sealed Vent Holes
- UL Wet Listed

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 2305 Cubic Feet/Minute
- Electricity Use: 33 Watts (Excludes Lights)
- Airflow Efficiency: 70 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use outdoor blade type 1-30 - See page 342

# ESTATE 42" PATIO

---



**AVAILABLE FINISHES**



**143425-95**  
Old World  
Walnut ABS Blades



**143425-86**  
Oiled Bronze  
Oiled Bronze ABS Blades




**143425-9**  
Galvanized  
Medium Oak ABS Blades



**143425-6**  
Gloss White  
White ABS Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 12"
- Distance of 10.75"

**GENERAL SPECS**

- 4 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 42" Blade Sweep
- 14-Degree Blade Pitch
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 13 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .42/.31/.18 AMPS on H/M/L
- 61/26/9 WATTS on H/M/L
- 214/156/52 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms/Sealed Vent Holes
- UL Wet Listed

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 2386 Cubic Feet/Minute
- Electricity Use: 33 Watts (Excludes Lights)
- Airflow Efficiency: 86 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use outdoor blade type 1-42 - See page 343

# ESTATE 52" PATIO

---



**143525-86**  
Oiled Bronze  
Walnut ABS Blades



**143525-599**  
Matte Black  
Black ABS Blades

---

**AVAILABLE FINISHES**



**143525-95**  
Old World  
Walnut ABS Blades



**143525-67**  
Antique White  
Antique White ABS Blades



**143525-44**  
Toasted Sienna  
Rosewood ABS Blades



**143525-9**  
Galvanized  
Medium Oak ABS Blades




**143525-924**  
Galvanized  
Walnut ABS Blades



**143525-6**  
Gloss White  
White ABS Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 12"
- Distance of 10.5"

**GENERAL SPECS**

- 8 Finish Combinations Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 153 x 15 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .57/.38/.21 AMPS on H/M/L
- 65/29/8 WATTS on H/M/L
- 168/112/65 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms/Sealed Vent Holes
- UL Wet Listed

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3329 Cubic Feet/Minute
- Electricity Use: 38 Watts (Excludes Lights)
- Airflow Efficiency: 87 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use outdoor blade type 1-52 - See page 344

# GALVESTON 52" PATIO





**AVAILABLE FINISHES**



**13525-86**  
 Oiled Bronze  
 Walnut ABS Blades  
 Light Kit Uses (1) 14W M 2700K CFL Bulb (Included)



**13525-44**  
 Toasted Sienna  
 Walnut ABS Blades  
 Light Kit Uses (1) 14W M 2700K CFL Bulb (Included)




**13525-9**  
 Galvanized  
 Walnut ABS Blades  
 Light Kit Uses (1) 14W M 2700K CFL Bulb (Included)



**13525-8**  
 Studio White  
 White ABS Blades  
 Light Kit Uses (1) 14W M 2700K CFL Bulb (Included)

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 18.5"
- Distance of 10.75"

**GENERAL SPECS**

- 4 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 80" Lead Wire
- 13.5-Degree Blade Pitch
- 4" and 6" Downrods Included

**MECHANICAL SPECS**

- 172x17 Motor Size
- 3 Speeds-Reversible
- 14 Poles
- .57/.38/.20 AMPS on H/M/L
- 63/29/8 WATTS on H/M/L
- 175/127/59 RPMS on H/M/L
- Remote Control Adaptable w/ Manual Reverse
- Light Kit uses (1) 14W M 2700K Bulb (Included)
- Bulb Provided is Non-Dimming
- UL Wet listed

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3594 Cubic Feet/Minute
- Electricity Use: 36 Watts (Excludes Lights)
- Airflow Efficiency: 100 Cubic Feet/Minute/Watt

**BULB TYPE**



14W M CFL Bulb

**REMOTE CONTROL OPTIONS**



Included



7-1401-0



7-1305-0

# GEORGIA 52" PATIO

---




## AVAILABLE FINISHES



### 174525-995

Old World I Clear Hammered Glass  
Walnut ABS Blades  
Light Kit uses (3) 40W C Bulbs (Included)

#### HEIGHT CHART



#### FAN HEIGHT

Using 4" Downrod  
● Distance of 21.75"  
○ Distance of 10"

#### GENERAL SPECS

Lifetime Motor Warranty  
Five ABS Blades  
52" Blade Sweep  
14-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

#### MECHANICAL SPECS

172 x 17 Motor Size  
4 Speeds-Reversible / Manual Reverse  
16 Poles  
.54/.36/.26/.12 AMPS on H/M/L  
60/35/19/8 WATTS on H/M/L  
162/109/81/43 RPMS on H/M/L  
4 Speed Wall Control Included  
Remote Control Adaptable w/ Manual Reverse  
Skirted Blade Arms  
Light Kit Uses (3) 40W C Bulbs (Included)  
UL Wet Listed

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 2634 Cubic Feet/Minute  
Electricity Use: 27 Watts (Excludes Lights)  
Airflow Efficiency: 97 Cubic Feet/Minute/Watt

#### BULB TYPE



Candelabra

#### REMOTE CONTROL OPTIONS



Included



7-1305-0



7-1401-0

# MEDALLION 30" PATIO

---



## AVAILABLE FINISH



### 151306-8

Studio White  
Studio White ABS Blades

#### HEIGHT CHART



#### FAN HEIGHT

- Distance of 8"
- Distance of 7.75"

#### GENERAL SPECS

Powder Coated Finish  
Lifetime Motor Warranty  
Six ABS Blades  
30" Blade Sweep  
25-Degree Blade Pitch

#### MECHANICAL SPECS

153 x 12 Motor Size  
3 Speeds-Reversible  
14 Poles  
.44/.32/.19 AMPS on H/M/L  
53/26/9 WATTS on H/M/L  
203/146/84 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms  
Sealed Vent Holes  
UL Damp Listed

#### ENERGY SPECS

Energy Information at High Speed  
Airflow: 2010 Cubic Feet/Minute  
Electricity Use: 30 Watts (Excludes Lights)  
Airflow Efficiency: 67 Cubic Feet/Minute/Watt

#### REMOTE CONTROL OPTIONS



7-1305-0



7-1401-0

#### BLADE ALTERNATIVES

Use outdoor blade type 1-30 - See page 342

# MEDALLION 42" PATIO

---



**AVAILABLE FINISHES**



**151425-95**  
Old World  
Walnut ABS Blades



**151425-8**  
Studio White  
Studio White ABS Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Distance of 8"
- Distance of 7.25"

**GENERAL SPECS**

2 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Five ABS Blades  
42" Blade Sweep  
14-Degree Blade Pitch

**MECHANICAL SPECS**

153 x 13 Motor Size  
3 Speeds-Reversible  
14 Poles  
.42/.31/.19 AMPS on H/M/L  
54/25/9 WATTS on H/M/L  
240/179/102 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms  
Sealed Vent Holes  
UL Damp Listed

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 2479 Cubic Feet/Minute  
Electricity Use: 33 Watts (Excludes Lights)  
Airflow Efficiency: 76 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use outdoor blade type 1-42 - See page 343

# MEDALLION 52" PATIO

---





**AVAILABLE FINISHES**



**151525-95**  
Old World  
Walnut ABS Blades



**151525-8**  
Studio White  
Studio White ABS Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Distance of 7.5"
- Distance of 7.5"

**GENERAL SPECS**

2 Finishes Available (Powder Coated)  
Lifetime Motor Warranty  
Five ABS Blades  
52" Blade Sweep  
14-Degree Blade Pitch

**MECHANICAL SPECS**

153 x 15 Motor Size  
3 Speeds-Reversible  
14 Poles  
.55/.39/.21 AMPS on H/M/L  
66/31/10 WATTS on H/M/L  
167/116/62 RPMS on H/M/L  
Triple Capacitor  
Remote Control Adaptable  
Detachable Switch Cup  
Skirted Blade Arms  
Sealed Vent Holes  
UL Damp Listed

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 2948 Cubic Feet/Minute  
Electricity Use: 36 Watts (Excludes Lights)  
Airflow Efficiency: 83 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



**BLADE ALTERNATIVES**

Use outdoor blade type 1-52 - See page 344

# MONACO 52" PATIO

---




**AVAILABLE FINISHES**



**135525-95**  
Old World  
Walnut ABS Blades



**135525-65**  
Satin Nickel  
Maple ABS Blades




**135525-44**  
Toasted Sienna  
Rosewood ABS Blades



**135525-8**  
Studio White  
Studio White ABS Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 16.75"
- Distance of 13.5"

**GENERAL SPECS**

- 4 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 14-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 188 x 15 Motor Size
- 3 Speeds/Reversible
- 16 Poles
- .52/.38/.26 AMPS on H/M/L
- 67/38/18 WATTS on H/M/L
- 170/120/78 RPMS on H/M/L
- Triple Capacitor
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- UL Wet Listed

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 3556 Cubic Feet/Minute
- Electricity Use: 40 Watts (Excludes Lights)
- Airflow Efficiency: 89 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0



7-1401-0

# PIAZZA PATIO

---



**AVAILABLE FINISHES**



**94144-86**  
Oiled Bronze  
Oiled Bronze Blades



**94144-69**  
Noir  
Noir Blades




**94144-65**  
Satin Nickel  
Satin Nickel Blades



**94144-62**  
Polished Nickel  
Chrome Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Extension of 21.5"
- Height of 22.25"
- ★ Diameter of 18.5"

**GENERAL SPECS**

- 4 Finishes Available
- Lifetime Motor Warranty
- Four ABS Blades
- 14" Blade Sweep
- 12" Lead Wire
- On/Off Switch for Oscillating Function
- Oscillates 45 Degree

**MECHANICAL SPECS**

- 84mm Motor Size
- 3 Speeds
- .48/42/34 AMPS on H/M/L
- 56/42/27 WATTS on H/M/L
- 824/677/501 RPMS on H/M/L
- Not Remote Control Adaptable
- ETL Damp listed

**ENERGY SPECS**

- Energy Information at High Speed
- Airflow: 1189 Cubic Feet/Minute
- Electricity Use: 56 Watts (Excludes Lights)
- Airflow Efficiency: 21 Cubic Feet/Minute/Watt

**WALL CONTROL**



7-1094-6  
Included

# PINNACLE 52" PATIO

---



The Pinnacle fan can be converted to a 56" or 60" sweep by simply purchasing a set of optional blades. See page 346 & 347 for optional blade selection.

---

**AVAILABLE FINISHES**



**191525-95**  
Old World  
Walnut ABS Blades



**191525-86**  
Oiled Bronze  
Walnut ABS Blades




**191525-69**  
Noir  
Matte Black ABS Blades



**191525-8**  
Studio White  
Studio White ABS Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Using 4" Downrod
- Distance of 13"
- Distance of 11.25"

**GENERAL SPECS**

- 4 Finishes Available (Powder Coated)
- Lifetime Motor Warranty
- Five ABS Blades
- 52" Blade Sweep
- 16-Degree Blade Pitch
- 80" Lead Wire
- 4" and 6" Downrod Included

**MECHANICAL SPECS**

- 188 x 22 Motor Size.
- 3 Speeds-Reversible
- 16 Poles
- .72/.47/.24 AMPS on H/M/L
- 83/37/10 WATTS on H/M/L
- 173/110/54 RPMS on H/M/L
- Remote Control Adaptable
- Detachable Switch Cup
- Skirted Blade Arms
- Sealed Vent Holes
- UL Wet Listed

**ENERGY SPECS**

- Energy Information at High Speed w/52" Blades
- Airflow: 6417 Cubic Feet/Minute
- Electricity Use: 87 Watts (Excludes Lights)
- Airflow Efficiency: 74 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



7-1305-0

7-1401-0

**BLADE ALTERNATIVES**

- Use outdoor blade type 5-52 - See page 345
- Use outdoor blade type 5-56 - See page 346
- Use outdoor blade type 5-60 - See page 347

# PORTICO 60" PATIO

---





**AVAILABLE FINISHES**



**14605-86**  
Oiled Bronze  
Weathered Oak ABS Blades  
Light Kit Uses (1) 14W M 2700K CFL Bulb (Included)



**14605-69**  
Nior  
Walnut ABS Blades  
Light Kit Uses (1) 14W M 2700K CFL Bulb (Included)




**14605-65**  
Satin Nickel  
Satin Nickel ABS Blades  
Light Kit Uses (1) 14W M 2700K CFL Bulb (Included)



**14605-17**  
Zinc  
Weathered Oak ABS Blades  
Light Kit Uses (1) 14W M 2700K CFL Bulb (Included)

**HEIGHT CHART**



**FAN HEIGHT**

Using 4" Downrod

- Distance of 19.5"
- Distance of 10.75"

**GENERAL SPECS**

4 Finishes Available  
Lifetime Motor Warranty  
Five Blades  
60" Blade Sweep  
13.5-Degree Blade Pitch  
80" Lead Wire  
4" and 6" Downrod Included

**MECHANICAL SPECS**

188 x 25 Motor Size  
3 Speeds-Reversible/Manual Reverse Switch  
16 Poles  
.49/.36/.28 AMPS on H/M/L  
61/33/15 WATTS on H/M/L  
120/88/57 RPMS on H/M/L  
Light Kit Uses (1) 14W M 2700K CFL (Included)  
Bulb Provided is Non-Dimming  
UL Wet listed

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 3393 Cubic Feet/Minute  
Electricity Use: 52 Watts (Excludes Lights)  
Airflow Efficiency: 65 Cubic Feet/Minute/Watt

**BULB TYPE**



14W M CFL Bulb (Non-Dimming)

**WALL CONTROL**



Included

# VERANDA PATIO

---



**AVAILABLE FINISHES**




**92413-86**  
Oiled Bronze  
Oiled Bronze Blades



**92413-65**  
Satin Nickel  
Satin Nickel Blades

**HEIGHT CHART**



**FAN HEIGHT**

- Extension of 18"
- Height of 23"
- ★ Diameter of 16"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Four ABS Blades  
13" Blade Sweep  
12" Lead Wire  
On/Off Switch for Oscillating Function  
Oscillates 45 Degrees

**MECHANICAL SPECS**

153x16 Motor Size  
3 Speeds  
14 Poles  
.49/.50/.48 AMPS on H/M/L  
60/49/40 WATTS on H/M/L  
1299/1107/899 RPMS on H/M/L  
Not Remote Control Adaptable  
UL Damp listed

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 1411 Cubic Feet/Minute  
Electricity Use: 60 Watts (Excludes Lights)  
Airflow Efficiency: 24 Cubic Feet/Minute/Watt

**WALL CONTROL**



7-1094-6  
Included

# WINDMILL 44" DAMP

---




**AVAILABLE FINISHES**



**194410-86**  
Oiled Bronze  
Weathered Oak Finished Blades

**194410-9**  
Galvanized  
Weathered Oak Finished Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" Downrod  
● Distance of 16.5"  
○ Distance of 11.5"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Ten Blades  
44" Blade Sweep  
30-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included  
ETL Damp Listed

**MECHANICAL SPECS**

DC-165L Motor  
6 Speeds-Reversible w/ Wall Control  
6 Poles  
.39/.29/.20/.13/.11/.05 AMPS on H/M/L  
32/22/15/10/7/3 WATTS on H/M/L  
100/90/80/70/60/50 RPMs on H/M/L  
Wall Control Included  
Light Kit Adaptable  
Remote Control Adaptable  
Not Hugger Adaptable  
Not Slope Ceiling Kit Adaptable  
Maximum 25° Slope with Minimum 18" Downrod  
Maximum Length Optional Downrod 48"

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 1106 Cubic Feet/Minute  
Electricity Use: 23 Watts (Excludes Lights)  
Airflow Efficiency: 47 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included 8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.



## WINDMILL 44" DAMP LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**1904-86**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Oiled Bronze | Satin Opal  
 UL Damp



**1903-9**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Galvanized | Satin Opal  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Seeded Glass  
 Light Kit shown on 94410-9 ceiling fan  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled bronze  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze | Clear hammered Glass  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear hammered Glass  
 Light Kit shown on 94410-9 ceiling fan  
 UL Damp

# WINDMILL 52" DAMP

---





**AVAILABLE FINISHES**




**195210-86**  
Oiled Bronze  
Weathered Oak Finished Blades



**195210-9**  
Galvanized  
Weathered Oak Finished Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" Downrod  
● Distance of 16.5"  
○ Distance of 11.5"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Ten Blades  
52" Blade Sweep  
30-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included  
ETL Damp Listed

**MECHANICAL SPECS**

DC-165L Motor  
6 Speeds-Reversible w/ Wall Control  
6 Poles  
.33/22/16/09/06/04 AMPS on H/M/L  
26/17/12/9/5/3 WATTS on H/M/L  
84/74/62/51/41/30 RPMS on H/M/L  
Wall Control Included  
Light Kit Adaptable  
Remote Control Adaptable  
Not Hugger Adaptable  
Not Slope Ceiling Kit Adaptable  
Maximum 25° Slope with Minimum 18" Downrod  
Maximum Length Optional Downrod 48"

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 1361 Cubic Feet/Minute  
Electricity Use: 32 Watts (Excludes Lights)  
Airflow Efficiency: 42 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included 8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.



## WINDMILL 52" DAMP LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

*\*All light kits comply with 2005 Energy Policy Act.*

**OPTIONAL LIGHT KITS**



**1904-9**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Galvanized I Satin Opal  
 UL Damp



**1903-86**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI M, Dimming LED (Included)  
 Oiled Bronze I Satin Opal Glass  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized I Clear Seeded Glass  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze I Clear hammered Glass  
 Light Kit shown on 95210-86 ceiling fan  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized I Clear hammered Glass  
 UL Damp

# WINDMILL 60" DAMP

---



**AVAILABLE FINISHES**




**196015-86**  
Oiled Bronze  
Weathered Oak Finished Blades



**196015-9**  
Galvanized  
Weathered Oak Finished Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" Downrod  
● Distance of 16.5"  
○ Distance of 11.5"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Fifteen Blades  
60" Blade Sweep  
30-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included  
ETL Damp Listed

**MECHANICAL SPECS**

DC-165L Motor  
6 Speeds-Reversible w/ Wall Control  
6 Poles  
.46/.29/.20/.15/.11/.08 AMPS on H/M/L  
33/20/13/9/7/5 WATTS on H/M/L  
74/61/54/47/40/33 RPMS on H/M/L  
Wall Control Included  
Light Kit Adaptable  
Remote Control Adaptable  
Not Hugger Adaptable  
Not Slope Ceiling Kit Adaptable  
Maximum 25° Slope with Minimum 18" Downrod  
Maximum Length Optional Downrod 48"

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 1424 Cubic Feet/Minute  
Electricity Use: 22 Watts (Excludes Lights)  
Airflow Efficiency: 66 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included 8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.



## WINDMILL 60" DAMP LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25"(w) x 6"(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11"(w) x 6"(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11"(w) x 6.5"(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75"(w) x 6.5"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75"(w) x 7"(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

\*All light kits comply with 2005 Energy Policy Act.

**OPTIONAL LIGHT KITS**



**1904-86**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Oiled Bronze | Satin Opal  
 UL Damp



**1903-9**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Galvanized | Satin Opal  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear Seeded Glass  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled bronze  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze | Clear hammered Glass  
 UL Damp



**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized | Clear hammered Glass  
 UL Damp

# WINDMILL 72" DAMP

---





**AVAILABLE FINISHES**




**197215-86**  
Oiled Bronze  
Weathered Oak Finished Blades



**197215-9**  
Galvanized  
Weathered Oak Finished Blades

**HEIGHT CHART**



**FAN HEIGHT**

Using 6" Downrod  
● Distance of 16.5"  
○ Distance of 11.5"

**GENERAL SPECS**

2 Finishes Available  
Lifetime Motor Warranty  
Fifteen Blades  
72" Blade Sweep  
30-Degree Blade Pitch  
80" Lead Wire  
6" Downrod Included  
ETL Damp Listed

**MECHANICAL SPECS**

DC-165L Motor  
6 Speeds-Reversible w/ Wall Control  
6 Poles  
.41/.27/.18/.14/.10/.07 AMPS on H/M/L  
32/21/13/10/6/4 WATTS on H/M/L  
53/49/41/44/29/23 RPMS on H/M/L  
Wall Control Included  
Light Kit Adaptable  
Remote Control Adaptable  
Not Hugger Adaptable  
Not Slope Ceiling Kit Adaptable  
Maximum 25° Slope with Minimum 18" Downrod  
Maximum Length Optional Downrod 48"

**ENERGY SPECS**

Energy Information at High Speed  
Airflow: 1781 Cubic Feet/Minute  
Electricity Use: 21 Watts (Excludes Lights)  
Airflow Efficiency: 85 Cubic Feet/Minute/Watt

**REMOTE CONTROL OPTIONS**



Included 8-9860-0

**INSTALLATION NOTE**

Multiple fans installed on the same circuit require individual wall controls and switch legs. The power supply wire from the control to the fans can not be shared.



## WINDMILL 72" LIGHT KIT OPTIONS

item #	glass	dimensions	lights
<b>galvanized</b>			
1902-9	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-9	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-9	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-9	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-9	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-9	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
<b>oiled bronze</b>			
1902-86	Clear Seeded	11 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1903-86	Satin Opal	9.25 "(w) x 6 "(h)	(1) 10W, 2700K, 90CRI, Dimming LED (Included)
1904-86	Satin Opal	11 "(w) x 6 "(h)	(1) 18W, 3000K, 90CRI, Dimming LED (Included)
1905-86	NA	11 "(w) x 6.5 "(h)	(3) 6W, 2700K, 80CRI, Dimming LED (Included)
1974-86	Clear Hammered	9.75 "(w) x 6.5 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)
1975-86	Clear Hammered	12.75 "(w) x 7 "(h)	(1) 6W, 2700K, 80CRI, Dimming LED (Included)

*\*All light kits comply with 2005 Energy Policy Act.*

**OPTIONAL LIGHT KITS**



**1904-9**  
 11"(w) x 6"(h) - (1) 18W, 3000K, 90CRI, Dimming LED (Included)  
 Galvanized I Satin Opal  
 UL Damp



**1903-9**  
 9.25"(w) x 6"(h) - (1) 10W, 2700K, 90CRI, Dimming LED (Included)  
 Galvanized I Satin Opal Glass  
 UL Damp



**1902-9**  
 11"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized I Clear Seeded Glass  
 UL Damp



**1905-86**  
 14"(w) x 5.5"(h) - (3) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze  
 UL Damp



**1974-86**  
 9.75"(w) x 6.5"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Oiled Bronze I Clear Hammered Glass  
 UL Damp




**1975-9**  
 12.75"(w) x 7"(h) - (1) 6W, 2700K, 80CRI M, Dimming LED (Included)  
 Galvanized I Clear Hammered Glass  
 UL Damp

# PATIO FAN LIGHT KIT SELECTIONS

---

Choose from dozens of light kit styles to compliment your Patio Ceiling Fan. Each is built to last and ready for whatever Mother Nature throws at it.





**1375-895\*** (shown)  
12.75" (w) x 7" (h) - (1) M Energy Saving Bulbs  
Old World | Clear Hammered Glass  
Bulb Provided is Non-Dimming  
UL Wet

**Additional Finishes:**



**1375-886\***  
Oiled Bronze  
Clear Hammered Glass



**1375-859\***  
Matte Black  
Clear Hammered Glass



**1375-844\***  
Toasted Sienna  
Clear Hammered Glass



**1375-809\***  
Galvanized  
Clear Hammered Glass



**1375-808\***  
Studio White  
Clear Hammered Glass




**1374-809\*** (shown)  
9.75" (w) x 6.5" (h) - (1) M Energy Saving Bulbs  
Galvanized | Clear Hammered Glass  
Bulb Provided is Non-Dimming  
UL Wet

**Additional Finishes:**



**1374-895\***  
Old World  
Clear Hammered Glass



**1374-886\***  
Oiled Bronze  
Clear Hammered Glass



**1374-859\***  
Matte Black  
Clear Hammered Glass



**1374-844\***  
Toasted Sienna  
Clear Hammered Glass



**1374-806\***  
Gloss White  
Clear Hammered Glass



**1376-895\***

13" (w) x 9.25" (h) - (1) 9W, 3000K, 80CRI LED  
Old World | Clear Hammered Glass  
Bulb Provided is Non-Dimming  
UL Wet

\* Bulbs included. All items comply with 2005 Energy Policy Act.



**1377-886\*** (shown)  
10" (w) x 6" (h) - (1) M Energy Saving Bulbs  
Oiled Bronze | Amber Scavo Glass  
Bulb Provided is Non-Dimming  
UL Wet

**Additional Finishes:**



**1377-895\***  
Old World  
Satin Opal Glass



**1377-867\***  
Antique White  
Satin Opal Glass



**1377-859\***  
Matte Black  
Satin Opal Glass



**1377-844\***  
Toasted Sienna  
Amber Scavo Glass



**1377-806\***  
Gloss White  
Satin Opal Glass



**1395-808\*** (shown)  
13.75" (w) x 5.5" (h) - (2) 13W M Spiral CFL  
Studio White | Faux Alabaster Glass  
Bulbs Provided are Non-Dimming  
UL Wet





**2313-8044\***

6" (w) x 4" (h) - (3) 9W, 3000K, 80CRI LED

Toasted Sienna

Bulbs Provided are Non-Dimming

UL Wet



**4106-806\*** (shown)

4.25" (w) x 2.25" (h) - (1) 9W, 3000K, 80CRI LED

Gloss White

Bulb Provided is Non-Dimming

UL Wet

**Additional Finishes:**



**4106-8095\***  
Old Word



**4106-8044\***  
Toasted Sienna

# GLASS SELECTIONS

---

The right glass can make all the difference when choosing a light for your ceiling fan. That's why we offer many varieties of glass colors, shapes and sizes designed to enhance the beauty and style of your Quorum ceiling fan.



# LIGHT KIT GLASS



**2104**  
5" (w) x 4.75" (h)  
Clear Hammered



**2156**  
5.75" (w) x 4.25" (h)  
Frost



**2291**  
4.5" (w) x 4.75" (h)  
Clear Ribbed



**2292**  
4.5" (w) x 4.75" (h)  
Frost Ribbed



**2520H**  
5" (w) x 5" (h)  
Satin Opal



**2520**  
5" (w) x 5" (h)  
Opal



**2531**  
4.25" (w) x 4.75" (h)  
Clear Ribbed



**2532**  
4.25" (w) x 5" (h)  
Frost Ribbed



**2747**  
4.25" (w) x 5" (h)  
Silver Mercury



**2801**  
5"(w) x 5.25"(h)  
Clear Seeded



**2807**  
4.75"(w) x 4.5"(h)  
Clear Crackle



**2812**  
5.5"(w) x 5"(h)  
Faux Alabaster



**2812A**  
5.5"(w) x 5"(h)  
Etruscan w/Amber Accent



**2812A1**  
5.5"(w) x 5"(h)  
Amber Indian Scavo



**2812E**  
5.5"(w) x 5"(h)  
Cream Mottled Scavo



**2812P**  
5.5"(w) x 5"(h)  
Amber Stone



**2813**  
6"(w) x 4.5"(h)  
Faux Alabaster



**2814**  
5.5"(w) x 5"(h)  
Faux Brown Alabaster

# LIGHT KIT GLASS



**2819**  
5.5"(w) x 4.75"(h)  
Linen



**2831**  
5.5"(w) x 4.75"(h)  
Amber Linen



**2840**  
5.5"(w) x 4.75"(h)  
Amber Scavo



**2842**  
5.5"(w) x 5"(h)  
Amber Scavo



**2843**  
4.25"(w) x 5.25"(h)  
Amber Scavo



**2847**  
5.5"(w) x 4.75"(h)  
Silver Mercury



**2900**  
5.5"(w) x 4.5"(h)  
Clear Seeded



**2915**  
5.5"(w) x 5.25"(h)  
Faux Alabaster



**2943**  
4.25"(w) x 5.25"(h)  
Faux Alabaster



**2943A3**  
4.25" (w) x 5.25" (h)  
Antique Amber Scavo



**2943E**  
4.25" (w) x 5.25" (h)  
Cream Mottled Scavo



**2943H**  
4.25" (w) x 5.25" (h)  
Satin Opal



**2947**  
5.5" (w) x 5.25" (h)  
Silver Mercury



**4100**  
8" (w) x 6" (h)  
Opal

# ACCESSORY SELECTIONS

---

Remote controls, down rods, conversion kits, ceiling adapters, wall controls and custom blade options are just a few of the fan accessories you can choose from for your Quorum ceiling fan. Our accessories are designed to make installing and using your fan as easy and convenient as possible.





# BLADE ALTERNATIVES

---


**CUSTOMIZE YOUR NEW QUORUM FAN:**

**Step 1:** Find the blade type for the fan you have selected.  
**NOTE:** Blade type is found in your fan's specifications table under "Blade Alternative".  
 Not all fans offer blade alternatives.

**Step 2:** Select your new blade set from those available for your fan.

**Step 3:** Order your fan WITH the alternative blade item number.  
**Example:** 43525-86 w/ 5252020721

**HOW BLADE NUMBERS WORK (in general):**



**CONTENTS**

**Indoor Blade Types..... 321**

- Blade Type 1 - 30 ..... 321
- Blade Type 1 - 42 ..... 322
- Blade Type 1 - 52 ..... 324
- Blade Type 2 - 52 ..... 328
- Blade Type 4 - 52 ..... 330
- Blade Type 5 - 52 ..... 331
- Blade Type 3 - 56 ..... 335
- Blade Type 5 - 56 ..... 336
- Blade Type 3 - 60 ..... 338
- Blade Type 4 - 60 ..... 339
- Blade Type 5 - 60 ..... 340

**Outdoor Blade Types..... 342**

- Blade Type 1 - 30 ..... 342
- Blade Type 1 - 42 ..... 343
- Blade Type 1 - 52 ..... 344
- Blade Type 5 - 52 ..... 345
- Blade Type 5 - 56 ..... 346
- Blade Type 5 - 60 ..... 347




**BLADE TYPE 1 - 30 INDOOR**

Blade type 1 - 30 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 6 count with a 30" sweep.

**Alternative Blades For:**



**Estate 30 - 43306-XX**




**Medallion 30 - 51306-XX**



**3066524121**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**3066565121**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**3060606121**  
White | White  
Blade Tip - Semi-Square



**3066767121**  
Antique White | Antique White  
Blade Tip - Semi-Square



**3060808121**  
Studio White | Studio White  
Blade Tip - Semi-Square



**3068383121**  
Teak | Teak  
Blade Tip - Semi-Square



**3062222121**  
Cherry | Cherry  
Blade Tip - Semi-Square



**3068324121**  
Teak | Walnut  
Blade Tip - Semi-Square



**3064608121**  
Maple | Studio White  
Blade Tip - Semi-Square



**3068624121**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square



**3065524121**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**3068686321**  
Oiled Bronze  
Blade Tip - Semi-Square

## BLADE TYPE 1 - 42 INDOOR

Blade type 1 - 42 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 42" sweep.

### Alternative Blades For:



Capri 42 - 77425-XX



Custom Hugger 42 - 11425-XX



Estate 42 - 43425-XX




Medallion 42 - 51425-XX



**4250606111**  
White | White  
Blade Tip - Pointed



**4254608111**  
Maple | Studio White  
Blade Tip - Pointed



**4250606121**  
White | White  
Blade Tip - Semi-Square



**4254608121**  
Maple | Studio White  
Blade Tip - Semi-Square



**4252222121**  
Cherry | Cherry  
Blade Tip - Semi-Square



**4255524111**  
Rosewood | Walnut  
Blade Tip - Pointed



**4254545111**  
Old Pine | Old Pine  
Blade Tip - Pointed



**4255524121**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**4254545121**  
Old Pine | Old Pine  
Blade Tip - Semi-Square



**4255650111**  
Dark Oak | Medium Oak  
Blade Tip - Pointed



**4255650121**  
Dark Oak | Medium Oak  
Blade Tip - Semi-Square



**4256767111**  
Antique White | Antique White  
Blade Tip - Pointed



**4255655121**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square



**4256767121**  
Antique White | Antique White  
Blade Tip - Semi-Square



**4256524111**  
Satin Nickel | Walnut  
Blade Tip - Pointed



**4258383121**  
Teak | Teak  
Blade Tip - Semi-Square



**4256524121**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**4258324121**  
Teak | Walnut  
Blade Tip - Semi-Square



**4256565121**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**4258624121**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square

## BLADE TYPE 1 - 52 INDOOR

Blade type 1 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



Capri 52 - 77525-XX



Capri 2 Light Uni-Pack -  
77525-90XX/92XX/94XX/95XX



Capri 4 Light Uni-Pack -  
77525-80XX/81XX/82XX/83XX



Custom Hugger 52 - 11525-XX



Estate 52 - 43525-XX



Medallion 52 - 51525-XX



Monticello - 17525-XX



**5202222181**  
Antique Flemish | Antique Flemish  
With Patina Edge  
Blade Tip - Muted



**5202525181**  
Pecan | Pecan  
With Patina Edge  
Blade Tip - Muted




**5202424181**  
Walnut | Walnut  
With Patina Edge  
Blade Tip - Muted



**5205555181**  
Rosewood | Rosewood  
With Patina Edge  
Blade Tip - Muted



**5250606111**  
White | White  
Blade Tip - Pointed



**5250606121**  
White | White  
Blade Tip - Semi-Square



**5250808111**  
Studio White | Studio White  
Blade Tip - Pointed



**5250808121**  
Studio White | Studio White  
Blade Tip - Semi-Square



**5252020721**  
Vintage Walnut | Vintage Walnut  
Scrapped  
Blade Tip - Semi-Square



**5253345111**  
Cobblestone | Old Pine  
Blade Tip - Pointed



**5252020821**  
Vintage Walnut | Vintage Walnut  
Distressed  
Blade Tip - Semi-Square



**5254141121**  
Weathered Oak  
Blade Tip - Semi-Square



**5252020961**  
Vintage Walnut  
Distressed with Trim  
Blade Tip - Scalloped



**5254424111**  
Toasted Sienna | Walnut  
Blade Tip - Pointed



**5252222111**  
Cherry | Cherry  
Blade Tip - Pointed



**5254545111**  
Old Pine | Old Pine  
Blade Tip - Pointed



**5252222121**  
Cherry | Cherry  
Blade Tip - Semi-Square



**5254545121**  
Old Pine | Old Pine  
Blade Tip - Semi-Square



**5252225111**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Pointed



**5254608111**  
Maple | Studio White  
Blade Tip - Pointed



**5252225121**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**5254608121**  
Maple | Studio White  
Blade Tip - Semi-Square

1 - 52 indoor continued on following page



**5254747821**  
Weathered Pine | Weathered Pine  
Distressed  
Blade Tip - Semi-Square



**5255524121**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**5255024111**  
Medium Oak | Walnut  
Blade Tip - Pointed



**5255624111**  
Dark Oak | Walnut  
Blade Tip - Pointed



**5255024121**  
Medium Oak | Walnut  
Blade Tip - Semi-Square



**5255624121**  
Dark Oak | Walnut  
Blade Tip - Semi-Square



**5255050221**  
Medium Oak | Medium Oak  
Hi Gloss  
Blade Tip - Semi-Square



**5255650111**  
Dark Oak | Medium Oak  
Blade Tip - Pointed



**5255055111**  
Medium Oak | Rosewood  
Blade Tip - Pointed



**5255650121**  
Dark Oak | Medium Oak  
Blade Tip - Semi-Square



**5255455121**  
Pine | Rosewood  
Blade Tip - Semi-Square



**5255655111**  
Dark Oak | Rosewood  
Blade Tip - Pointed



**5255524111**  
Rosewood | Walnut  
Blade Tip - Pointed



**5255655121**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square





**5255858621**  
 Ash | Ash  
 Unfinished  
 Blade Tip - Semi-Square



**5258324121**  
 Teak | Walnut  
 Blade Tip - Semi-Square



**5256524111**  
 Satin Nickel | Walnut  
 Blade Tip - Pointed



**5258383111**  
 Teak | Teak  
 Blade Tip - Pointed



**5256524121**  
 Satin Nickel | Walnut  
 Blade Tip - Semi-Square



**5258383121**  
 Teak | Teak  
 Blade Tip - Semi-Square



**5256565121**  
 Satin Nickel | Satin Nickel  
 Blade Tip - Semi-Square



**5258524111**  
 Mystic Silver | Walnut  
 Blade Tip - Pointed



**5256752121**  
 Antique White | Washed Oak  
 Blade Tip - Semi-Square



**5258624111**  
 Oiled Bronze | Walnut  
 Blade Tip - Pointed



**5256767111**  
 Antique White | Antique White  
 Blade Tip - Pointed



**5258624121**  
 Oiled Bronze | Walnut  
 Blade Tip - Semi-Square



**5256767121**  
 Antique White | Antique White  
 Blade Tip - Semi-Square



**5259524111**  
 Old World | Walnut  
 Blade Tip - Pointed


## BLADE TYPE 2 - 52 INDOOR

Blade type 2 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



Venture - 79525-XX



**5250606122**  
White | White  
Blade Tip - Semi-Square



**5254608122**  
Maple | Studio White  
Blade Tip - Semi-Square



**5252222122**  
Cherry | Cherry  
Blade Tip - Semi-Square



**5255024122**  
Medium Oak | Walnut  
Blade Tip - Semi-Square



**5252225122**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**5255524122**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**5254141122**  
Weathered Oak  
Blade Tip - Semi-Square



**5255650122**  
Dark Oak | Medium Oak  
Blade Tip - Semi-Square



**5254545122**  
Old Pine | Old Pine  
Blade Tip - Semi-Square



**5255655122**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square



**5255858622**  
Ash | Ash  
Unfinished  
Blade Tip - Semi-Square



**5258383122**  
Teak | Teak  
Blade Tip - Semi-Square



**5256524122**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**5258624122**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square



**5256262122**  
Dark Teak | Dark Teak  
Blade Tip - Semi-Square



**5402424182**  
Walnut | Walnut  
With Patina Edge  
Blade Tip - Muted



**5256565122**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**5402525182**  
Pecan | Pecan  
With Patina Edge  
Blade Tip - Muted



**5256752122**  
Antique White | Washed Oak  
Blade Tip - Semi-Square



**5405555182**  
Rosewood | Rosewood  
With Patina Edge  
Blade Tip - Muted


## BLADE TYPE 4 - 52 INDOOR

Blade type 4 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



Chateaux - 78525-XX



**5250808164**  
Studio White | Studio White  
Blade Tip - Scalloped



**5255655164**  
Dark Oak | Rosewood  
Blade Tip - Scalloped



**5252020964**  
Vintage Walnut  
Distressed with Trim  
Blade Tip - Scalloped



**5256524164**  
Satin Nickel | Walnut  
Blade Tip - Scalloped



**5252225164**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Scalloped



**5256752164**  
Antique White | Washed Oak  
Blade Tip - Scalloped



**5254141164**  
Weathered Oak  
Blade Tip - Scalloped



**5258524164**  
Mystic Silver | Walnut  
Blade Tip - Scalloped



**5254424164**  
Toasted Sienna | Walnut  
Blade Tip - Scalloped



**5258624164**  
Oiled Bronze | Walnut  
Blade Tip - Scalloped



**5255024164**  
Medium Oak | Walnut  
Blade Tip - Scalloped



**8-78525-44**  
Rosewood | Walnut  
Blade Tip - Scalloped



**5255624164**  
Dark Oak | Walnut  
Blade Tip - Scalloped



**8-78525-70**  
Weathered Pine | Weathered Pine  
Distressed  
Blade Tip - Scalloped

**BLADE TYPE 5 - 52 INDOOR**

Blade type 5 - 52 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

**Alternative Blades For:**



**Barclay - 76525-XX**



**Cimarron - 69525-XX**



**Galloway - 48525-XX**



**Liberty - 49525-XX**



**Pinnacle - 91525-XX**



**5202424185**  
Walnut | Walnut  
With Patina Edge  
Blade Tip - Muted



**5252020125**  
Vintage Walnut | Vintage Walnut  
Blade Tip - Semi-Square



**5202525185**  
Pecan | Pecan  
With Patina Edge  
Blade Tip - Muted




**5252020725**  
Vintage Walnut | Vintage Walnut  
Scrapped  
Blade Tip - Semi-Square



**5205555185**  
Rosewood | Rosewood  
With Patina Edge  
Blade Tip - Muted



**5252020825**  
Vintage Walnut | Vintage Walnut  
Distressed  
Blade Tip - Semi-Square



**5250606125**  
White | White  
Blade Tip - Semi-Square



**5252222125**  
Cherry | Cherry  
Blade Tip - Semi-Square



**5250808125**  
Studio White | Studio White  
Blade Tip - Semi-Square

**5 - 52 indoor continued on following page**



**525225125**  
 Antique Flemish | Pecan  
 With Patina Edge  
 Blade Tip - Semi-Square



**5254424155**  
 Toasted Sienna | Walnut  
 Blade Tip - Napoleon



**525225155**  
 Antique Flemish | Pecan  
 With Patina Edge  
 Blade Tip - Napoleon



**5254424165**  
 Toasted Sienna | Walnut  
 Blade Tip - Scalloped



**5252525125**  
 Pecan | Pecan  
 With Patina Edge  
 Blade Tip - Semi-Square



**5254608125**  
 Maple | Studio White  
 Blade Tip - Semi-Square



**5252544125**  
 Pecan | Toasted Sienna  
 Blade Tip - Semi-Square



**5254747825**  
 Weathered Pine | Weathered Pine  
 Distressed  
 Blade Tip - Semi-Square



**5254124125**  
 Walnut | Weathered Oak  
 Blade Tip - Semi-Square



**5254747125**  
 Weathered Pine | Weathered Pine  
 Blade Tip - Semi-Square



**5254141125**  
 Weathered Oak  
 Blade Tip - Semi-Square



**5255055125**  
 Medium Oak | Rosewood  
 Blade Tip - Semi-Square



**5254424125**  
 Toasted Sienna | Walnut  
 Blade Tip - Semi-Square



**5255206125**  
 Washed Oak | White  
 Blade Tip - Semi-Square



**5255524125**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**5258383125**  
Teak | Teak  
Blade Tip - Semi-Square



**5255624125**  
Dark Oak | Walnut  
Blade Tip - Semi Square



**5258524165**  
Mystic Silver | Walnut  
Blade Tip - Scalloped



**5255655125**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square



**5258525155**  
Mystic Silver | Pecan  
Blade Tip - Napoleon



**5256524125**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**5258624125**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square



**5256565125**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**5258624165**  
Oiled Bronze | Walnut  
Blade Tip - Scalloped



**5258324125**  
Teak | Walnut  
Blade Tip - Semi-Square



**5258824165**  
Corsican Gold | Walnut  
Blade Tip - Scalloped



**5258324165**  
Teak | Walnut  
Blade Tip - Scalloped



**5259224125**  
Antique Silver | Walnut  
Blade Tip - Semi-Square

**5 - 52 indoor continued on following page**



**5259224155**  
Antique Silver | Walnut  
Blade Tip - Napoleon



**5259524165**  
Old World | Walnut  
Blade Tip - Scalloped



**5259224165**  
Antique Silver | Walnut  
Blade Tip - Scalloped



**5259525125**  
Old World | Pecan  
Blade Tip - Semi-Square



**5259524125**  
Old World | Walnut  
Blade Tip - Semi-Square



**5259525165**  
Old World | Pecan  
Blade Tip - Scalloped



**5259524155**  
Old World | Walnut  
Blade Tip - Napoleon



## BLADE TYPE 3 - 56 INDOOR

Blade type 3 - 56 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 56" sweep.

### Alternative Blades For:



Apex - 90565-XX



**5650808133**  
White | White  
Blade Tip - Semi-Square



**5656524133**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**5655624133**  
Dark Oak | Walnut  
Blade Tip - Semi-Square



**5658624133**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square

## BLADE TYPE 5 - 56 INDOOR

Blade type 5 - 56 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 56" sweep.

### Alternative Blades For:



Pinnacle - 91525-XX



Salon - 83565-XX



**5650808125**  
Studio White | Studio White  
Blade Tip - Semi-Square



**5654141165**  
Weathered Oak  
Blade Tip - Napoleon



**5652222125**  
Cherry | Cherry  
Blade Tip - Semi-Square



**5654424125**  
Toasted Sienna | Walnut  
Blade Tip - Semi-Square



**5652225125**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**5654608125**  
Maple | Studio White  
Blade Tip - Semi-Square



**5654124125**  
Walnut | Weathered Oak  
Blade Tip - Semi-Square



**5654747125**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**5654141125**  
Weathered Oak  
Blade Tip - Semi-Square



**5655055125**  
Medium Oak | Rosewood  
Blade Tip - Semi-Square



**5655206125**  
Washed Oak | White  
Blade Tip - Semi-Square



**5656565125**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**5655524125**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**5656767165**  
Antique White | Antique White  
Blade Tip - Napoleon



**5655524165**  
Rosewood | Walnut  
Blade Tip - Napoleon



**5658383125**  
Teak | Teak  
Blade Tip - Semi-Square



**5655624125**  
Dark Oak | Walnut  
Blade Tip - Semi-Square



**5658524125**  
Mystic Silver | Walnut  
Blade Tip - Semi-Square



**5655624165**  
Dark Oak | Walnut  
Blade Tip - Napoleon



**5658524165**  
Mystic Silver | Walnut  
Blade Tip - Napoleon



**5655650125**  
Dark Oak | Medium Oak  
Blade Tip - Semi-Square



**5658624125**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square



**5655655125**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square



**5658624165**  
Oiled Bronze | Walnut  
Blade Tip - Scalloped



**5656524125**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**5659224125**  
Antique Silver | Walnut  
Blade Tip - Semi-Square

## BLADE TYPE 3 - 60 INDOOR

Blade type 3 - 60 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 60" sweep.

### Alternative Blades For:



Apex - 90565-XX



**6050808133**  
White | White  
Blade Tip - Semi-Square



**6056524133**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**6055624133**  
Dark Oak | Walnut  
Blade Tip - Semi-Square



**6058624133**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square

**BLADE TYPE 4 - 60 INDOOR**

Blade type 4 - 60 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 60" sweep.

**Alternative Blades For:**



**Chateaux 60 Uni-pack - 78605-XXXX** **Chateaux 60 - 78605-XX**



**6054141164**  
Weathered Oak  
Blade Tip - Scalloped



**6058624164**  
Oiled Bronze | Walnut  
Blade Tip - Scalloped



**6055024164**  
Medium Oak | Walnut  
Blade Tip - Scalloped



**8-78605-70**  
Weathered Pine | Weathered Pine  
Distressed  
Blade Tip - Scalloped

## BLADE TYPE 5 - 60 INDOOR

Blade type 5 - 60 indoor allows you to customize your indoor fan to a variety of blade finishes. All blades are 5 count with a 60" sweep.

### Alternative Blades For:



Pinnacle - 91525-XX



**6052525125**  
Pecan | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**6050606125**  
White | White  
Blade Tip - Semi-Square



**6054124125**  
Walnut | Weathered Oak  
Blade Tip - Semi-Square



**6050808125**  
Studio White | Studio White  
Blade Tip - Semi-Square



**6054141125**  
Weathered Oak  
Blade Tip - Semi-Square



**6052222125**  
Cherry | Cherry  
Blade Tip - Semi-Square



**6054424125**  
Toasted Sienna | Walnut  
Blade Tip - Semi-Square



**6052225125**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Semi-Square



**6054424155**  
Toasted Sienna | Walnut  
Blade Tip - Napoleon



**6052225155**  
Antique Flemish | Pecan  
With Patina Edge  
Blade Tip - Napoleon



**6054608125**  
Maple | Studio White  
Blade Tip - Semi-Square



**6054747125**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**6058624125**  
Oiled Bronze | Walnut  
Blade Tip - Semi-Square



**6055055125**  
Medium Oak | Rosewood  
Blade Tip - Semi-Square



**6055655125**  
Dark Oak | Rosewood  
Blade Tip - Semi-Square



**6055206125**  
Washed Oak | White  
Blade Tip - Semi-Square



**6056524125**  
Satin Nickel | Walnut  
Blade Tip - Semi-Square



**6055524125**  
Rosewood | Walnut  
Blade Tip - Semi-Square



**6056665125**  
Satin Nickel | Satin Nickel  
Blade Tip - Semi-Square



**6055650125**  
Dark Oak | Medium Oak  
Blade Tip - Semi-Square



**6056767125**  
Antique White | Antique White  
Blade Tip - Semi-Square



**6058383125**  
Teak | Teak  
Blade Tip - Semi-Square




**6059224125**  
Antique Silver | Walnut  
Blade Tip - Semi-Square



**6058524125**  
Mystic Silver | Walnut  
Blade Tip - Semi-Square



**6059224155**  
Antique Silver | Walnut  
Blade Tip - Napoleon



**6058525155**  
Mystic Silver | Pecan  
Blade Tip - Napoleon



**6059524155**  
Old World | Walnut  
Blade Tip - Napoleon


## BLADE TYPE 1 - 30 OUTDOOR

Blade type 1 - 30 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 6 count with a 30" sweep.

### Alternative Blades For:



Estate 30 Patio - 143306-XX



Medallion 30 Patio - 151306-XX



**3060606321**  
White | White  
Blade Tip - Semi-Square



**3062424321**  
Walnut | Walnut  
Blade Tip - Semi-Square



**3061515321**  
Black | Black  
Blade Tip - Semi-Square



**3064747321**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



## BLADE TYPE 1 - 42 OUTDOOR

Blade type 1 - 42 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 42" sweep.

### Alternative Blades For:



Estate 42 Patio - 143425-XX



Medallion 42 Patio - 151425-XX



**4250606321**  
White | White  
Blade Tip - Semi-Square



**4255050321**  
Medium Oak | Medium Oak  
Blade Tip - Semi-Square



**4251515321**  
Black | Black  
Blade Tip - Semi-Square



**4255555321**  
Rosewood | Rosewood  
Blade Tip - Semi-Square



**4252424321**  
Walnut | Walnut  
Blade Tip - Semi-Square

NEW



**4258686321**  
Oiled Bronze  
Blade Tip - Semi-Square



**4254747321**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square

## BLADE TYPE 1 - 52 OUTDOOR

Blade type 1 - 52 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



All-Weather Allure Patio - 146525-XX



Estate 52 Patio - 143525-XX



Estate Uni-Pack Patio - 143525-9XX



Medallion Patio - 151525-XX



**5250606321**  
White | White  
Blade Tip - Semi-Square



**5255050321**  
Medium Oak | Medium Oak  
Blade Tip - Semi-Square



**5251313321**  
Brown | Brown  
Blade Tip - Semi-Square



**5255555321**  
Rosewood | Rosewood  
Blade Tip - Semi-Square



**5251515321**  
Black | Black  
Blade Tip - Semi-Square



**5255656321**  
Dark Oak | Dark Oak  
Blade Tip - Semi-Square



**5252424321**  
Walnut | Walnut  
Blade Tip - Semi-Square



**5256767321**  
Antique White | Antique White  
Blade Tip - Semi-Square



**5254141321**  
Weathered Oak | Weathered Oak  
Blade Tip - Semi-Square

NEW



**5258686321**  
Oiled Bronze  
Blade Tip - Semi-Square



**5254747321**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square

## BLADE TYPE 5 - 52 OUTDOOR

Blade type 5 - 52 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 52" sweep.

### Alternative Blades For:



Pinnacle Patio - 191525-XX



**5250808325**  
Studio White | Studio White  
Blade Tip - Semi-Square



**5254747325**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**5251515325**  
Black | Black  
Blade Tip - Semi-Square



**5255555325**  
Rosewood | Rosewood  
Blade Tip - Semi-Square



**5252424325**  
Walnut | Walnut  
Blade Tip - Semi-Square



**5255656325**  
Dark Oak | Dark Oak  
Blade Tip - Semi-Square

NEW



**5254141325**  
Weathered Oak  
Blade Tip - Semi-Square

NEW



**5256969325**  
Noir  
Blade Tip - Semi-Square

## BLADE TYPE 5 - 56 OUTDOOR

Blade type 5 - 56 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 56" sweep.

### Alternative Blades For:



Pinnacle Patio - 191525-XX



**5650808325**  
Studio White | Studio White  
Blade Tip - Semi-Square



**5654747325**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**5651515325**  
Black | Black  
Blade Tip - Semi-Square



**565555325**  
Rosewood | Rosewood  
Blade Tip - Semi-Square



**5652424325**  
Walnut | Walnut  
Blade Tip - Semi-Square

NEW



**5656969325**  
Noir  
Blade Tip - Semi-Square

## BLADE TYPE 5 - 60 OUTDOOR

Blade type 5 - 60 outdoor allows you to customize your outdoor fan to a variety of blade finishes. All blades are 5 count with a 60" sweep.

### Alternative Blades For:



Pinnacle Patio - 191525-XX



**6050808325**  
Studio White | Studio White  
Blade Tip - Semi-Square



**6054747325**  
Weathered Pine | Weathered Pine  
Blade Tip - Semi-Square



**6051515325**  
Black | Black  
Blade Tip - Semi-Square



**6055555325**  
Rosewood | Rosewood  
Blade Tip - Semi-Square



**6052424325**  
Walnut | Walnut  
Blade Tip - Semi-Square

NEW



**6056969325**  
Noir  
Blade Tip - Semi-Square

## OPTIONAL 1/2" DOWNRODS

These downrods allow you to choose how far your fan will hang from the ceiling. We offer a complete line of extension rods to match Quorum finishes. For odd lengths or extra long drops, use our Downrod Coupler to join two downrods together. Remember, your fan should always hang at least 7 feet above the floor.

<b>Downrod Finish</b>	<b>6"</b>	<b>12"</b>	<b>18"</b>	<b>24"</b>	<b>36"</b>	<b>48"</b>	<b>60"</b>	<b>72"</b>
Polished Brass	6-062	6-122	6-182	6-242	6-362	6-482	6-602	6-722
Antique Brass	6-064	6-124	6-184	6-244	6-364	6-484	6-604	6-724
White	6-066	6-126	6-186	6-246	6-366	6-486	6-606	6-726
Studio White	6-0608	6-128	6-188	6-248	6-368	6-488	6-608	6-728
Galvanized	6-069	6-129	6-189	6-249	6-369	6-489	6-609	6-729
Chrome	6-0614	6-1214	6-1814	6-2414	6-3614	6-4814	6-6014	6-7214
Black	6-0615	6-1215	6-1815	6-2415	6-3615	6-4815	6-6015	6-7215
Zinc	NA	6-12117	6-18117	6-24117	6-36117	6-48117	6-60117	6-72117
Antique Flemish	NA	6-1222	6-1822	6-2422	6-3622	6-4822	6-6022	6-7222
Toasted Sienna	6-0644	6-1244	6-1844	6-2444	6-3644	6-4844	6-6044	6-7244
Baltic Granite	NA	6-1245	6-1845	6-2445	6-3645	6-4845	6-6045	6-7245
Mystic Silver	NA	6-1258	6-1858	6-2458	6-3658	6-4858	6-6058	6-7258
Aged Silver Leaf	NA	6-1260	6-1860	6-2460	6-3660	6-4860	6-6060	6-7260
Matte Black	6-0659	6-1259	6-1859	6-2459	6-3659	6-4859	6-6059	6-7259
Polished Nickel	NA	6-1262	6-1862	6-2462	6-3662	6-4862	6-6062	6-7262
Satin Nickel	6-0665	6-1265	6-1865	6-2465	6-3665	6-4865	6-6065	6-7265
Antique White	6-0667	6-1267	6-1867	6-2467	6-3667	6-4867	6-6067	6-7267
Noir	NA	6-1269	6-1869	6-2469	6-3669	6-4869	6-6069	6-7269
Persian White	NA	6-1270	6-1870	6-2470	6-3670	6-4870	6-6070	6-7270
Aged Brass	NA	6-1280	6-1880	6-2480	6-3680	6-4880	6-6080	6-7280
Oiled Bronze	NA	6-1286	6-1886	6-2486	6-3686	6-4886	6-6086	6-7286
Antique Silver	6-0692	6-1292	6-1892	6-2492	6-3692	6-4892	6-6092	6-7292
Old World	6-0695	6-1295	6-1895	6-2495	6-3695	6-4895	6-6095	6-7295

---

## DOWNROD COUPLERS

When it is necessary to hang your fan from a non-standard size downrod, use our downrod couplers to join 2 of our 1/2" downrods together to form the perfect length. Strong, safe and easy to install.



## STANDARD COUPLER

<b>Finish</b>	<b>Item#</b>	<b>Finish</b>	<b>Item#</b>	<b>Finish</b>	<b>Item#</b>
Polished Brass	6-002	Black	6-015	Antique White	6-0067
Antique Brass	6-004	Antique Flemish	6-022	Oiled Bronze	6-086
White	6-006	Toasted Sienna	6-044	Antique Silver	6-092
Studio White	6-008	Mystic Silver	6-058	Old World	6-095
Galvanized	6-009	Matte Black	6-059		
Chrome	6-014	Satin Nickel	6-0065		

## 45 DEGREE CEILING ADAPTER

When you have a ceiling with a slope up to 45 degrees, use this adapter to hang your ceiling fan.6"(w) x 3.25"(h).

<b>Item#</b>	<b>Finish</b>	<b>Item#</b>	<b>Finish</b>
7-1745-2	Polished Brass	7-1745-60	Aged Silver Leaf
7-1745-4	Antique Brass	7-1745-62	Polished Nickel
7-1745-6	White	7-1745-65	Satin Nickel
7-1745-8	Studio White	7-1745-67	Antique White
7-1745-9	Galvanized	7-1745-69	Noir
7-1745-14	Chrome	7-1745-70	Persian White
7-1745-15	Black	7-1745-80	Aged Brass
7-1745-117	Zinc	7-1745-86	Oiled Bronze
7-1745-22	Antique Flemish	7-1745-92	Antique Silver
7-1745-44	Toasted Sienna	7-1745-95	Old World
7-1745-58	Mystic Silver		
7-1745-59	Matte Black		

---

## HuGGER ADAPTER

Use a Hugger Adapter to mount your fan flush to the ceiling. This easy to install unit fits all standard body Quorum ceiling fans. 5"(w) x 2"(h). Includes hanging bracket and canopy.

<b>Item#</b>	<b>Finish</b>	<b>Item#</b>	<b>Finish</b>
7-1600-2	Polished Brass	7-1600-62	Polished Nickel
7-1600-4	Antique Brass	7-1600-65	Satin Nickel
7-1600-6	White	7-1600-67	Antique White
7-1600-8	Studio White	7-1600-69	Noir
7-1600-15	Black	7-1600-70	Persian White
7-1600-117	Zinc	7-1600-80	Aged Brass
7-1600-22	Antique Flemish	7-1600-86	Oiled Bronze
7-1600-44	Toasted Sienna	7-1600-92	Antique Silver
7-1600-58	Mystic Silver	7-1600-95	Old World
7-1600-59	Matte Black		
7-1600-60	Aged Silver Leaf		

---



## BOWL KIT END CAPS

Personalize your decor with one of the many optional finishes of end caps for bowl style light kits. Caps are drilled for fan speed and light pull chains.

Item#	Finish	Item#	Finish
7-1100-02	Polished Brass	7-1100-062	Polished Nickel
7-1100-04	Antique Brass	7-1100-065	Satin Nickel
7-1100-06	White	7-1100-067	Antique White
7-1100-08	Studio White	7-1100-069	Noir
7-1100-17	Zinc	7-1100-070	Persian White
7-1100-022	Antique Flemish	7-1100-080	Aged Brass
7-1100-044	Toasted Sienna	7-1100-086	Oiled Bronze
7-1100-058	Mystic Silver	7-1100-092	Antique Silver
7-1100-059	Matte Black	7-1100-095	Old World
7-1100-060	Aged Silver Leaf		

---

## STANDARD REMOTE CONTROLS

### 2-Wire Canopy Remote Control Kit with Reverse Function

#### a. 7-1401-0

Controls 3 speeds and forward/reverse functions on one fan and light dimmer. Also features a temperature sensor. Receiver fits in ceiling canopy and uses 2 existing wires. Can be used with halogen light kits, 100W bulb max.

### 2-Wire Canopy Remote Control Kit For LED

#### b. 7-501-0

On/Off and forward/reverse fan function, 3 fan speed settings, infinite light dimmer control for LED Kits. Timer setting to turn fan off after 2, 4 or 8 hours running time. Receiver fits in ceiling canopy and uses existing 2 wires.



a



b

## 2-WIRE CANOPY CONTROLS

Canopy controls provide additional convenience when operating your ceiling fan. Imagine the ease of controlling a fan without having to use the fan's pull chains. This is also another way to control ceiling fans hanging on high, hard-to-reach ceilings and in applications where running a 3rd wire for a ceiling fan is prohibitive. Canopy controls are easy to install and will control the fan speed functions and the light functions.



a

b

### a. 2-Wire Canopy Wall Control with Reverse Function

#### 7-1301-0

Controls 3 speeds and forward/reverse functions on one fan and light dimmer. Receiver fits in ceiling canopy cup and uses 2 existing wires. Can be used with halogen light kits, 100W bulb max. Will work with all models compatible with the 7-1401-0 as listed for assorted models throughout the fan section.

### b. Battery Operated Wall Control with Reverse Function

#### 7-1305-0

Controls 3 speeds and forward/reverse functions for one ceiling fan. Light on/off with dimmer for incandescent lamp. Light on/off only for fluorescent or LED lamps. 300W light max (no halogen). Receiver fits inside ceiling canopy and uses two existing wires. This control is supplied with removable white and ivory face plates. 12 volt battery included. Compatible with specified models as noted in the fan general specifications.

---

## WALL CONTROLS

Quorum offers a full line of slider and rotary style fan and light kit wall controls. They are guaranteed not to cause humming or noise when used with Quorum ceiling fans.



d. 7-1191-6



e. 7-1192-6



f. 7-1199-6



g. 7-1190-6



h. 7-1196-0  
3 speeds



h. 7-1197-0  
4 speeds

### d. Slider Wall Control (fan only)

Controls a single ceiling fan's 3 speeds and the power on/off.

**7-1191-6\*** - White

\*faceplate is included

### e. Slider Wall Control (fan/light kit)

Controls the 3 speeds, power on/off and the light kit settings for one fan.

**7-1192-6\*** - White

\*faceplate is included

### f. 2 Amp Slider Wall Control (fan only)

Controls the 3 speeds and the power on/off for 2 ceiling fans.

**7-1199-6\*** - White

\*faceplate is included

### g. 5 Amp Slider Wall Control (fan only)

Controls the 3 speeds and the power on/off for 4-5 ceiling fans.

**7-1190-6\*** - White

\*faceplate is included

### h. Rotary Wall Control (fan only)

Controls a single ceiling fan's speeds and the power on/off. Clear knob will blend with any existing faceplate.

**7-1196-0\*** 3 Speeds

**7-1197-0\*** 4 Speeds

\*Supplied with gold and silver rotary knobs

PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#
1032-65.....	208	1375-859.....	308	1504-886.....	209
1032-8.....	208	1375-886.....	308	151306-8.....	275
1032-95.....	208	1375-895.....	308	151425-8.....	277
1120-801A.....	214	137525-9.....	227	151425-95.....	277
1120-801H.....	214	137525-924.....	227	151525-8.....	279
1129-806.....	208	137525-95.....	227	151525-95.....	279
1129-865.....	208	1376-895.....	309	16605-69.....	249
1133-801.....	214	1377-806.....	310	16605-8.....	249
1141-806.....	137, 208	1377-844.....	310	16605-86.....	249
1141-862.....	208	1377-859.....	310	16605-9.....	249
1141-869.....	208	1377-867.....	310	174525-995.....	273
11425-6.....	115	1377-886.....	310	17525-44.....	141
1147-801.....	214	1377-895.....	310	17525-65.....	141
11525-4.....	117	1395-808.....	310	17525-6522.....	141
11525-6.....	117	142523-86.....	219	17525-70.....	141
11525-65.....	117	143306-6.....	265	17525-86.....	141
1157-0665.....	214	143306-86.....	265	180-1.....	025
1157-4486.....	214	143306-95.....	265	18525-17.....	257
1158-801.....	214	143425-6.....	267	18525-44.....	257
1165-0665.....	214	143425-86.....	267	18525-6.....	257
1165-4486.....	214	143425-9.....	267	18525-69.....	257
1166-801.....	215	143425-95.....	267	18525-86.....	257
1177-801.....	215	143525-44.....	269	1858-965.....	215
1180-808.....	209	143525-599.....	268	1858-986.....	215
1180-862.....	209	143525-6.....	269	18605-17.....	259
1180-865.....	209	143525-67.....	269	18605-44.....	259
1180-869.....	209	143525-86.....	268	18605-6.....	259
1180-880.....	209	143525-9.....	269	18605-69.....	259
1180-886.....	209	143525-906.....	263	18605-86.....	259
1228-801.....	215	143525-924.....	269	1902-65.....	058, 062, 066, 070, 232
1232-801.....	215	143525-944.....	262	1902-69.....	058, 062, 066, 070, 232
13525-44.....	271	143525-95.....	269	1902-86.....	
13525-8.....	271	143525-959.....	261		058, 062, 066, 070, 154, 158, 162, 166, 232,
13525-86.....	271	143525-986.....	261		236, 240, 244, 292
13525-9.....	271	143525-995.....	261	1902-9.....	
135525-44.....	281	1435255959.....	262		058, 062, 066, 070, 154, 158, 162, 166, 232,
135525-65.....	281	1435259395.....	261		236, 240, 244, 292
135525-8.....	281	1435259924.....	262	1903-65.....	058, 062, 066, 070, 232
135525-95.....	281	145525-86.....	255	1903-69.....	058, 062, 066, 070, 232
1374-806.....	308	14605-17.....	287	1903-86.....	
1374-809.....	308	14605-65.....	287		058, 062, 066, 070, 154, 158, 162, 166, 232,
1374-844.....	308	14605-69.....	287		236, 240, 244, 292
1374-859.....	308	14605-86.....	287	1903-9.....	
1374-886.....	308	146525-6.....	253		058, 062, 066, 070, 154, 158, 162, 166, 232,
1374-895.....	308	146525-86.....	253		236, 240, 244, 292
1375-808.....	308	1504-862.....	209	1904-65.....	058, 232, 062, 066, 070
1375-809.....	308	1504-865.....	185, 209	1904-69.....	058, 232, 062, 066, 070
1375-844.....	308	1504-869.....	209	1904-86.....	

PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		21542-14.....	027	2409-865.....	213
1904-9 .....		2156.....	314	2444-802.....	211
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		2291.....	314	2444-804.....	211
1905-65.....	058, 232, 062, 066, 070	2292.....	314	2444-8044.....	211
1905-69.....	058, 232, 062, 066, 070	2303-902.....	210	2444-8058.....	211
1905-86.....		2303-904.....	210	2444-8059.....	211
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		2303-9044.....	210	2444-806.....	211
1905-9 .....		2303-9058.....	210	2444-8060.....	211
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		2303-9059.....	210	2444-8062.....	211
191525-69.....	285	2303-906.....	210	2444-8065.....	211
191525-8.....	285	2303-9060.....	210	2444-8067.....	211
191525-86.....	285	2303-9062.....	210	2444-8069.....	211
191525-95.....	285	2303-9065.....	210	2444-8070.....	141, 211
194410-86.....	291	2303-9067.....	210	2444-808.....	211
194410-9.....	291	2303-9069.....	210	2444-8080.....	211
195210-86.....	295	2303-908.....	210	2444-8086.....	211
195210-9.....	295	2303-9080.....	210	2444-8092.....	211
196015-86.....	299	2303-9086.....	210	2444-8095.....	211
196015-9.....	299	2303-9092.....	210	2520.....	314
196608-65.....	221	2303-9095.....	210	2520H.....	314
196608-86.....	221	2313-8044.....	311	2530-8044.....	212
196728-65.....	223	2326-865.....	213	2530-8065.....	212
196728-86.....	223	2360-070.....	101	2530-8070.....	212
197215-86.....	303	2360-086.....	101	2530-8086.....	212
197215-9.....	303	2383-9022.....	090	2530-8095.....	212
1974-65.....	058, 062, 066, 070, 232	2383-9044.....	090, 094, 112	2531.....	314
1974-69.....	058, 062, 066, 070, 232	2383-9086.....	090, 094, 112, 147	2532.....	314
1974-86.....		2383-9095.....	090, 094, 112	2747.....	314
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		2384-9186.....	090, 094, 112, 147	27603-70.....	101
1974-9.....		2386-9144.....	090, 094, 112	27603-86.....	101
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		2386-9158.....	112	2801.....	315
1975-65.....	058, 062, 066, 070, 232	2388-9144.....	090, 094, 112	2807.....	315
1975-69.....	058, 062, 066, 070, 232	2388-9186.....	090, 094, 112, 147	2812.....	315
1975-86.....		2388-9195.....	090, 094, 112	2812A.....	315
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		2389-9122.....	090	2812A1.....	315
1975-9.....		2389-9144.....	090, 094, 112	2812E.....	315
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		2389-9165.....	090, 094	2812P.....	315
1975-65.....	058, 062, 066, 070, 232	2389-9195.....	090, 094, 112	2813.....	315
1975-69.....	058, 062, 066, 070, 232	2401-804.....	210	2814.....	315
1975-86.....		2401-8044.....	210	2819.....	316
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		2401-806.....	210	2831.....	316
1975-9.....		2401-8065.....	210	2840.....	316
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		2401-808.....	210	2842.....	316
1975-9.....		2401-8086.....	210	2843.....	316
058, 062, 066, 070, 154, 158, 162, 166, 232, 236, 240, 244, 292		2401-8095.....	210	2847.....	316
20543-914.....	037	2409-806.....	213	28682-70.....	149
20543-965.....	037	2409-814.....	031, 213	28682-86.....	149
2104.....	314	2409-859.....	213	2900.....	316

PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#
2915.....	316	4250606111 .....	322	43425-86 .....	123
2943 .....	316	4250606121 .....	322	43525-44 .....	125
2943A3 .....	317	4250606321 .....	343	43525-6.....	125
2943E .....	317	4251515321.....	343	43525-65.....	125
2943H.....	317	4252222121 .....	322	43525-67.....	125
2947.....	317	42523-65.....	015	43525-8.....	125
30154-65 .....	079, 247	4252424321 .....	343	43525-86 .....	124
30154-86.....	079, 247	42525-65.....	085	43525-95.....	125
3060606121 .....	321	42525-8.....	085	48525-995 .....	127
3060606321 .....	342	42525-80 .....	085	49525-44 .....	133
3060808121.....	321	42525-86 .....	085	49525-95 .....	133
3061515321 .....	342	4254545111 .....	322	51306-8 .....	135
3062222121 .....	321	4254545121 .....	322	51425-6.....	137
3062424321.....	342	4254608111 .....	322	51425-8.....	137
3064608121.....	321	4254608121 .....	322	51525-4.....	139
3064747321 .....	342	4254747321.....	343	51525-6 .....	139
3065524121.....	321	4255050321.....	343	51525-6522.....	139
3066524121.....	321	4255524111 .....	322	51525-8 .....	139
3066566121.....	321	4255524121 .....	322	5202222181 .....	324
3066767121 .....	321	4255555321.....	343	5202424181.....	324
3068324121.....	321	4255650111 .....	322	5202424185.....	331
3068383121 .....	321	4255650121.....	323	5202525181 .....	324
3068624121 .....	321	4255655121 .....	323	5202525185 .....	331
3068686321 .....	321	4256524111 .....	323	5205555181 .....	324
32323-65.....	131	4256524121 .....	323	5205555185 .....	331
32323-8.....	131	4256565121 .....	323	5250606111.....	324
35154-65 .....	049, 229	4256767111 .....	323	5250606121.....	324
35154-86.....	049, 229	4256767121.....	323	5250606122.....	328
3525-65.....	129	4258324121 .....	323	5250606125.....	331
3525-86.....	129	4258383121 .....	323	5250606321.....	344
35525-8.....	119	4258624121.....	323	5250808111 .....	324
35525-86.....	119	4258686321.....	343	5250808121 .....	324
36524-14 .....	021	42605-22 .....	089	5250808125.....	331
36525-9186.....	045	42605-44.....	089	5250808164 .....	330
36525-986.....	045	42605-65.....	089	5250808325.....	345
36525-992 .....	045	42605-86.....	089	5251313321.....	344
39525-65.....	053	42605-95.....	089	5251515321.....	344
39525-86 .....	053	42705-44 .....	093	5251515325.....	345
400525-14.....	031	42705-65.....	093	5252020125 .....	331
40625-65.....	041	42705-86 .....	093	5252020721 .....	325
40625-69.....	041	42705-95 .....	093	5252020725 .....	331
40625-8.....	041	43306-6.....	121	5252020821.....	325
40625-80 .....	041	43306-65.....	121	5252020825.....	331
40625-86.....	041	43306-86.....	121	5252020961.....	325
4100.....	317	43306-95.....	121	5252020964.....	330
4106-8044.....	311	43425-44 .....	123	5252222111 .....	325
4106-806 .....	311	43425-6 .....	123	5252222121 .....	325
4106-8095.....	311	43425-65 .....	123	5252222122 .....	328

PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#
5252222125 .....	332	5255524122 .....	328	5258624121 .....	327
5252225111 .....	325	5255524125 .....	333	5258624122 .....	329
5252225121 .....	325	5255555321 .....	344	5258624125 .....	333
5252225122 .....	328	5255555325 .....	345	5258624164 .....	330
5252225125 .....	332	5255624111 .....	326	5258624165 .....	333
5252225155 .....	332	5255624121 .....	326	5258686321 .....	344
5252225164 .....	330	5255624125 .....	333	5258824165 .....	334
5252424321 .....	344	5255624164 .....	330	5259224125 .....	334
5252424325 .....	345	5255650111 .....	326	5259224155 .....	334
5252525125 .....	332	5255650121 .....	326	5259224165 .....	334
5252544125 .....	332	5255650122 .....	328	5259524111 .....	327
5253345111 .....	325	5255655111 .....	326	5259524125 .....	334
5254124125 .....	332	5255655121 .....	326	5259524155 .....	334
5254141121 .....	325	5255655122 .....	328	5259524165 .....	334
5254141122 .....	328	5255655125 .....	333	5259525125 .....	334
5254141125 .....	332	5255655164 .....	330	5259525165 .....	334
5254141164 .....	330	5255656321 .....	344	53524-86 .....	055
5254141321 .....	344	5255656325 .....	345	5402424182 .....	329
5254141325 .....	345	5255858621 .....	327	5402525182 .....	329
5254424111 .....	325	5255858622 .....	329	5405555182 .....	329
5254424125 .....	332	5256262122 .....	329	54525-65 .....	205
5254424155 .....	332	5256524111 .....	327	54525-69 .....	205
5254424164 .....	330	5256524121 .....	327	54525-8 .....	205
5254424165 .....	332	5256524122 .....	329	54525-80 .....	205
5254545111 .....	325	5256524125 .....	333	54525-86 .....	205
5254545121 .....	325	5256524164 .....	330	5650808125 .....	336
5254545122 .....	328	5256565121 .....	327	5650808133 .....	335
5254608111 .....	325	5256565122 .....	329	5650808325 .....	346
5254608121 .....	325	5256565125 .....	333	5651515325 .....	346
5254608122 .....	328	5256752121 .....	327	5652222125 .....	336
5254608125 .....	332	5256752122 .....	329	5652225125 .....	336
5254747125 .....	332	5256752164 .....	330	5652424325 .....	346
5254747321 .....	344	5256767111 .....	327	5654124125 .....	336
5254747325 .....	345	5256767121 .....	327	5654141125 .....	336
5254747821 .....	326	5256767321 .....	344	5654141165 .....	336
5254747825 .....	332	5256969325 .....	345	5654424125 .....	336
5255024111 .....	326	5258324121 .....	327	5654608125 .....	336
5255024121 .....	326	5258324125 .....	333	5654747125 .....	336
5255024122 .....	328	5258324165 .....	333	5654747325 .....	346
5255024164 .....	330	5258383111 .....	327	5655055125 .....	336
5255050221 .....	326	5258383121 .....	327	5655206125 .....	337
5255050321 .....	344	5258383122 .....	329	5655524125 .....	337
5255055111 .....	326	5258383125 .....	333	5655524165 .....	337
5255055125 .....	333	5258524111 .....	327	5655555325 .....	346
5255206125 .....	333	5258524164 .....	330	5655624125 .....	337
5255455121 .....	326	5258524165 .....	333	5655624133 .....	335
5255524111 .....	326	5258525155 .....	333	5655624165 .....	337
5255524121 .....	326	5258624111 .....	327	5655650125 .....	337

PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#
5655655125 .....	337	6-1215 .....	348	6-2422 .....	348
5656524125 .....	337	6-122 .....	348	6-244 .....	348
5656524133 .....	335	6-1222 .....	348	6-2444 .....	348
5656565125 .....	337	6-124 .....	348	6-2445 .....	348
5656767165 .....	337	6-1244 .....	348	6-2458 .....	348
5656969325 .....	346	6-1245 .....	348	6-2459 .....	348
5658383125 .....	337	6-1258 .....	348	6-246 .....	348
5658524125 .....	337	6-1259 .....	348	6-2460 .....	348
5658524165 .....	337	6-126 .....	348	6-2462 .....	348
5658624125 .....	337	6-1260 .....	348	6-2465 .....	348
5658624133 .....	335	6-1262 .....	348	6-2467 .....	348
5658624165 .....	337	6-1265 .....	348	6-2469 .....	348
5659224125 .....	337	6-1267 .....	348	6-2470 .....	348
59605-65 .....	017	6-1269 .....	348	6-248 .....	348
59605-8 .....	017	6-1270 .....	348	6-2480 .....	348
59725-65 .....	019	6-128 .....	348	6-2486 .....	348
59725-8 .....	019	6-1280 .....	348	6-249 .....	348
6-002 .....	349	6-1286 .....	348	6-2492 .....	348
6-004 .....	349	6-129 .....	348	6-2495 .....	348
6-006 .....	349	6-1292 .....	348	6-36117 .....	348
6-0065 .....	349	6-1295 .....	348	6-3614 .....	348
6-0067 .....	349	6-18117 .....	348	6-3615 .....	348
6-008 .....	349	6-1814 .....	348	6-362 .....	348
6-009 .....	349	6-1815 .....	348	6-3622 .....	348
6-014 .....	349	6-182 .....	348	6-364 .....	348
6-015 .....	349	6-1822 .....	348	6-3644 .....	348
6-022 .....	349	6-184 .....	348	6-3645 .....	348
6-044 .....	349	6-1844 .....	348	6-3658 .....	348
6-058 .....	349	6-1845 .....	348	6-3659 .....	348
6-059 .....	349	6-1858 .....	348	6-366 .....	348
6-0608 .....	348	6-1859 .....	348	6-3660 .....	348
6-0614 .....	348	6-186 .....	348	6-3662 .....	348
6-0615 .....	348	6-1860 .....	348	6-3665 .....	348
6-062 .....	348	6-1862 .....	348	6-3667 .....	348
6-064 .....	348	6-1865 .....	348	6-3669 .....	348
6-0644 .....	348	6-1867 .....	348	6-3670 .....	348
6-0659 .....	348	6-1869 .....	348	6-368 .....	348
6-066 .....	348	6-1870 .....	348	6-3680 .....	348
6-0665 .....	348	6-188 .....	348	6-3686 .....	348
6-0667 .....	348	6-1880 .....	348	6-369 .....	348
6-069 .....	348	6-1886 .....	348	6-3692 .....	348
6-0692 .....	348	6-189 .....	348	6-3695 .....	348
6-0695 .....	348	6-1892 .....	348	6-48117 .....	348
6-086 .....	349	6-1895 .....	348	6-4814 .....	348
6-092 .....	349	6-24117 .....	348	6-4815 .....	348
6-095 .....	349	6-2414 .....	348	6-482 .....	348
6-12117 .....	348	6-2415 .....	348	6-4822 .....	348
6-1214 .....	348	6-242 .....	348	6-484 .....	348



PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#
6-4844 .....	348	6-7259 .....	348	6058624125 .....	341
6-4845 .....	348	6-726 .....	348	6058624133 .....	338
6-4858 .....	348	6-7260 .....	348	6058624164 .....	339
6-4859 .....	348	6-7262 .....	348	6059224125 .....	341
6-486 .....	348	6-7265 .....	348	6059224155 .....	341
6-4860 .....	348	6-7267 .....	348	6059524155 .....	341
6-4862 .....	348	6-7269 .....	348	64525-62 .....	077
6-4865 .....	348	6-7270 .....	348	64525-65 .....	077
6-4867 .....	348	6-728 .....	348	64525-80 .....	077
6-4869 .....	348	6-7280 .....	348	64525-86 .....	077
6-4870 .....	348	6-7286 .....	348	64525-8641 .....	077
6-488 .....	348	6-729 .....	348	65210-65 .....	057, 231
6-4880 .....	348	6-7292 .....	348	65210-69 .....	057, 231
6-4886 .....	348	6-7295 .....	348	65210-86 .....	057, 231
6-489 .....	348	6050606125 .....	340	65524-8 .....	047
6-4892 .....	348	6050808125 .....	340	65524-86 .....	047
6-4895 .....	348	6050808133 .....	338	65524-92 .....	047
6-60117 .....	348	6050808325 .....	347	65524-95 .....	047
6-6014 .....	348	6051515325 .....	347	66010-65 .....	061, 235
6-6015 .....	348	6052222125 .....	340	66010-69 .....	061, 235
6-602 .....	348	6052225125 .....	340	66010-86 .....	061, 235
6-6022 .....	348	6052225155 .....	340	66565-65 .....	023
6-604 .....	348	6052424325 .....	347	66565-8 .....	023
6-6044 .....	348	6052525125 .....	340	66565-86 .....	023
6-6045 .....	348	6054124125 .....	340	67210-65 .....	065, 239
6-6058 .....	348	6054141125 .....	340	67210-69 .....	065, 239
6-6059 .....	348	6054141164 .....	339	67210-86 .....	065, 239
6-606 .....	348	6054424125 .....	340	68524-62 .....	073
6-6060 .....	348	6054424155 .....	340	68524-65 .....	073
6-6062 .....	348	6054608125 .....	340	68524-80 .....	073
6-6065 .....	348	6054747125 .....	341	68524-86 .....	073
6-6067 .....	348	6054747325 .....	347	69210-65 .....	069, 243
6-6069 .....	348	6055024164 .....	339	69210-69 .....	069, 243
6-6070 .....	348	6055055125 .....	341	69210-86 .....	069, 243
6-6080 .....	348	6055206125 .....	341	69525-44 .....	111
6-6086 .....	348	6055524125 .....	341	69525-58 .....	111
6-609 .....	348	6055555325 .....	347	69525-86 .....	111
6-6092 .....	348	6055624133 .....	338	69525-95 .....	111
6-6095 .....	348	6055650125 .....	341	7-1100-02 .....	351
6-72117 .....	348	6055655125 .....	341	7-1100-022 .....	351
6-7214 .....	348	6056524125 .....	341	7-1100-04 .....	351
6-7215 .....	348	6056524133 .....	338	7-1100-044 .....	351
6-722 .....	348	6056565125 .....	341	7-1100-058 .....	351
6-7222 .....	348	6056767125 .....	341	7-1100-059 .....	351
6-724 .....	348	6056969325 .....	347	7-1100-06 .....	351
6-7244 .....	348	6058383125 .....	341	7-1100-060 .....	351
6-7245 .....	348	6058524125 .....	341	7-1100-062 .....	351
6-7258 .....	348	6058525155 .....	341	7-1100-065 .....	351

PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#	PRODUCT# .....	PAGE#
7-1100-067 .....	351	7-1745-60 .....	350	7525-3008 .....	190
7-1100-069 .....	351	7-1745-62 .....	350	7525-3065 .....	188
7-1100-070 .....	351	7-1745-65 .....	350	7525-3086 .....	188
7-1100-08 .....	351	7-1745-67 .....	350	7525-3144 .....	189
7-1100-080 .....	351	7-1745-69 .....	350	7525-3165 .....	188
7-1100-086 .....	351	7-1745-70 .....	350	7525-3344 .....	189
7-1100-092 .....	351	7-1745-8 .....	350	7525-344 .....	195
7-1100-095 .....	351	7-1745-80 .....	350	7525-9008 .....	202
7-1100-17 .....	351	7-1745-86 .....	350	7525-9065 .....	200
7-1190-6 .....	353	7-1745-9 .....	350	7525-9086 .....	200
7-1191-6 .....	353	7-1745-92 .....	350	7525-9244 .....	201
7-1192-6 .....	353	7-1745-95 .....	350	7525-9265 .....	200
7-1196-0 .....	353	7-501-0 .....	351	7525-9286 .....	199
7-1197-0 .....	353	7-85-44 .....	169	7525-9644 .....	201
7-1199-6 .....	353	70443-65 .....	029	75445-65 .....	099
7-1301-0 .....	352	7052-65 .....	173	75445-70 .....	099
7-1305-0 .....	352	7052-69 .....	173	75445-86 .....	099
7-1401-0 .....	351	7052-8 .....	173	76525-65 .....	097
7-1600-117 .....	350	7052-80 .....	173	76525-70 .....	097
7-1600-15 .....	350	7052-86 .....	173	76525-86 .....	097
7-1600-2 .....	350	70525-308 .....	177	77425-6 .....	181
7-1600-22 .....	350	70525-365 .....	177	77425-65 .....	181
7-1600-4 .....	350	70525-369 .....	177	77425-8 .....	181
7-1600-44 .....	350	70525-380 .....	177	77425-95 .....	181
7-1600-58 .....	350	70525-386 .....	177	77525-1044 .....	189
7-1600-59 .....	350	70525-408 .....	179	77525-1065 .....	188
7-1600-6 .....	350	70525-465 .....	179	77525-1086 .....	188
7-1600-60 .....	350	70525-469 .....	179	77525-1606 .....	190
7-1600-62 .....	350	70525-480 .....	179	77525-1608 .....	190
7-1600-65 .....	350	70525-486 .....	179	77525-1644 .....	189
7-1600-67 .....	350	70525-65 .....	175	77525-1665 .....	188
7-1600-69 .....	350	70525-8 .....	175	77525-1686 .....	188
7-1600-70 .....	350	70525-80 .....	175	77525-1695 .....	187
7-1600-8 .....	350	70525-86 .....	175	77525-1744 .....	189
7-1600-80 .....	350	73525-908 .....	075	77525-1786 .....	187
7-1600-86 .....	350	73525-9165 .....	075	77525-1795 .....	187
7-1600-92 .....	350	73525-9186 .....	075	77525-1886 .....	187
7-1600-95 .....	350	73525-944 .....	075	77525-2 .....	185
7-1745-117 .....	350	73525-965 .....	075	77525-4 .....	185
7-1745-14 .....	350	74603-65 .....	025	77525-44 .....	184
7-1745-15 .....	350	74603-8 .....	025	77525-59 .....	184
7-1745-2 .....	350	74603-86 .....	025	77525-6 .....	185
7-1745-22 .....	350	7525-008 .....	196	77525-65 .....	184
7-1745-4 .....	350	7525-065 .....	194	77525-6522 .....	183
7-1745-44 .....	350	7525-086 .....	193	77525-656 .....	183
7-1745-58 .....	350	7525-144 .....	195	77525-67 .....	183
7-1745-59 .....	350	7525-165 .....	194	77525-8 .....	184
7-1745-6 .....	350	7525-186 .....	192	77525-8065 .....	194

77525-8086.....	193	8-78525-44.....	330		
77525-8102.....	196	8-78525-70.....	330		
77525-8106.....	196	8-78605-70.....	339		
77525-8108.....	195	8-81725-24.....	083		
77525-8144.....	195	81524-65.....	081		
77525-8165.....	194	81524-86.....	081		
77525-8167.....	194	81524-8641.....	081		
77525-8195.....	193	81725-65.....	083		
77525-8286.....	193	81725-86.....	083		
77525-8344.....	195	83565-86.....	146		
77525-8395.....	193	85525-44.....	169		
77525-86.....	183	85525-67.....	169		
77525-9044.....	201	90565-65.....	043		
77525-9065.....	200	90565-8.....	043		
77525-9086.....	199	90565-80.....	043		
77525-9206.....	202	90565-86.....	043		
77525-9208.....	202	91525-4.....	145		
77525-9244.....	201	91525-44.....	143		
77525-9265.....	200	91525-6.....	144		
77525-9295.....	199	91525-60.....	143		
77525-9444.....	201	91525-65.....	143		
77525-9486.....	199	91525-8.....	144		
77525-9495.....	199	91525-86.....	143		
77525-95.....	183	91525-92.....	143		
77525-9506.....	202	91525-95.....	143		
77525-9508.....	201	92413-65.....	289		
77525-9544.....	201	92413-86.....	289		
77525-9565.....	200	94144-62.....	283		
77525-9595.....	199	94144-65.....	283		
7752516652.....	189	94144-69.....	283		
7752581652.....	195	94144-86.....	283		
7752581656.....	194	94410-86.....	153		
78525-1686.....	107	94410-9.....	153		
78525-1786.....	107	94525-62.....	051		
78525-1970.....	107	94525-65.....	051		
78525-44.....	105	94525-86.....	051		
78525-65.....	104	95210-86.....	157		
78525-67.....	104	95210-9.....	157		
78525-70.....	104	96015-86.....	161		
78525-8.....	105	96015-9.....	161		
78525-86.....	103	96608-65.....	033		
78525-92.....	103	96608-86.....	033		
78525-95.....	103	96728-65.....	035		
78605-70.....	109	96728-86.....	035		
78605-86.....	109	97215-86.....	165		
79525-62.....	151	97215-9.....	165		
79525-86.....	151				
79525-95.....	151				

**Q**UORUM  
INTERNATIONAL





## **BE SURE TO PICK UP THE NEW 2019 QUORUM LIGHTING CATALOG!**

You'll find hundreds of fresh new designs for both indoor and outdoor lighting fixtures.

With Quorum's enormous selection of styles ranging from traditional to contemporary, you're sure to find your perfect fixture in the pages of our new catalog. You can also view all of our lighting and ceiling fans online at: [QuorumInternational.com](http://QuorumInternational.com)

**QUORUM INTERNATIONAL** - 201 Railhead Road | Fort Worth, Texas 76106  
817.626.5483 p | 800.934.8176 f | [QuorumInternational.com](http://QuorumInternational.com)

JANUARY 2019 QUORUM INTERNATIONAL | ALL RIGHTS RESERVED. CATFANQ19