



- LED with a traditional incandescent look and feel
- Omni-directional light source
- Smooth dimming
- Long life - 25,000 hours
- Wet Location
- UL listed for totally enclosed fixtures

S22433

| Item Number | UPC | Voltage | Watts | Lamp Shape | Base | ANSI Base | Lamp Code | | |
|--------------------------------|-----------------|---|-------|------------|---------------|-------------------------------|--------------------------------|-----------------------------|-------------|
| S22433 | 045923224331 | 120 | 4 | PS52 | Medium | E26 | 4PS52/LED/AMB/E26/VINTAGE/120V | | |
| Dimmable/Non-Dimmable | | Suggested Dimmers | | Finish | MOL In Inches | MOD In Inches | Initial Lumens | Average Rated Hours | Kelvin Temp |
| Dimmable | | Compatible dimmers for S22433 | | Clear | 11-13/16" | 6-1/2" | 200 | 25000 | 2150 |
| CRI | Beam Spread Deg | Operating Temperature | | Pack | Package Type | CEC Status | RoHS Compliant | UL Classification | |
| 90 | 360 | -20C (-4F) to a maximum of +45C (+113F) | | 6/1 | Box | Lawful for sale in California | Yes | cETLus - Wet Location Rated | |
| Warranty | | | | | | | | | |
| 3 Year Limited | | | | | | | | | |



National Toll-Free:
800.43.SATCO
(800.437.2826)
www.satco.com

Distribution Centers:
New York, Florida, Texas,
Washington, California,
Puerto Rico

Corporate Offices:
110 Heartland Blvd.,
Brentwood, NY 11717
800.437.2826 631.243.2022
Fax 631.243.2027



©2012, Satco Products, Inc. Not responsible for typographical errors. 06/12 S1051