Job Name:

Job Type:

Quantity:

Life Illuminated | Since 1919

## **Product Number: 11017**



#### 11017 - Remodel Non-IC Housing

Remodel Non-IC 6" Housing

Trims: 11032AT, 11037AT, 11038AT, 11044AT, 11045AT, 11020AT, 11023AT, 11033AT, 11034AT, 11035AT, 1136AT, 11039AT, 1151AT, 1154AT, 11055AT

Safe- Listed for Damp Location: Listed for use where insulation is kept at least 3" away from housing.

Easy Access Housing: Housing removable for easy access to junction box.

Sealed Trim: One piece sealed trims. No light leaks.

Snap-In Socket: Snap in socket locates lamp in optimum position.

Easy Installation: Provided with mounting clips for fast, easy

Time-Saving Junction Box Design: Junction box saves installation time with snap-on overs, pry-out knock-outs, riveted ground wire, and through-circuit wiring, with 2-in-2 out #12 wires.

UPC #: 785652110177 Product Type: Recessed

Light

#### Features:

Title 24

#### **Dimensions:**

Diameter: 6 5/8" Switch Type: N/A

Length: 14 3/8" Mounting Proc.: Other

Height: 7 9/16"

#### Bulbs:

1 - Medium Par30S 50w max 120v - Not included

1 - Medium Par30 75w max 120v - Not included

1 - Medium Par38 90w max 120v - Not included

1 - Medium BR-30 65w max 120v - Not included

1 - Medium BR-40 90w max 120v - Not included

1 - Medium Par30L 75w max 120v - Not included

1 - Medium BR-30 65w max 120v - Not included

1 - Medium Par30S 50w max 120v - Not included

1 - Medium Par30L 75w max 120v - Not included

1 - Medium Par38 90w max 120v - Not included

1 - Medium BR-30 65w max 120v - Not included

1 - Medium BR-40 90w max 120v - Not included

1 - Medium Par30L 75w max 120v - Not included

1 - Medium BR-30 65w max 120v - Not included

1 - Medium Par30L 75w max 120v - Not included

1 - Medium BR-30 65w max 120v - Not included

1 - Medium A-19 40w max 120v - Not included

1 - Medium Par30S 50w max 120v - Not included

1 - Medium Par30L 75w max 120v - Not included

1 - Medium Par38 90w max 120v - Not included

1 - Medium A-19 40w max 120v - Not included 1 - Medium A-19 40w max 120v - Not included

1 - Medium A-19 40w max 120v - Not included

1 - Medium A-19 40w max 120v - Not included

#### **Material List:**

1 Housing - Steel - Raw Steel

# Saftey Listing:

cUL Listed for Damp Locations / IC UL Listed for Damp Locations / Non-IC

## **Instruction Sheets**

English (HC-1342)

#### Trim









#### 11020AT-15

#### 6" Open Trim

White Steel Trim Maximum Wattage: 75w Par30L 65w BR-30

#### 11032AT-14

#### 6" Multiplier Trim

White Trim / Baffle Aluminum Trim Maximum Wattage: 75w Par30 90w Par38 65w BR-30 90w BR-40

50w Par30S

#### 11032AT-172

#### 6' Multiplier Trim

Antique Bronze Aluminum Aluminum Multiplier White Aluminum Trim Maximum Wattage: 75w Par30 90w Par38 65w BR-30 90w BR-40 50w Par30S

#### 11032AT-22

50w Par30S

#### 6" Multiplier Trim

Polished Aluminum Aluminum Aluminum Multiplier White Aluminum Trim Maximum Wattage: 75w Par30 90w Par38 65w BR-30 90w BR-40









#### 11032AT-71

#### 6" Multiplier Trim

Antique Bronze Aluminum Aluminum Multiplier Antique Bronze Aluminum Trim Maximum Wattage: 75w Par30 90w Par38 65w BR-30 90w BR-40 50w Par30S

#### 11032AT-849

#### 6" Multiplier Trim

Satin Nickel Aluminum Trim Maximum Wattage: 75w Par30 90w Par38 65w BR-30 90w BR-40 50w Par30S

#### 11032AT-861

#### 6" Multiplier Trim

Satin Nickel - White Aluminum Aluminum Multiplier White Aluminum Trim Maximum Wattage: 75w Par30 90w Par38 65w BR-30 90w BR-40 50w Par30S

#### 11033AT-15

#### 6" Flat Glass Shower Trim

Satin White Glass Diffuser White Aluminum Reflector White Aluminum Trim Maximum Wattage: 40w A-19 Suitable For Shower Light



#### 11034AT-15

#### 6" Drop Lens Shower Trim

Satin White Glass Diffuser White Aluminum Reflector White Aluminum Trim Maximum Wattage: 40w A-19 Suitable For Shower Light

# 11035AT-15

# 6" Flat Glass Trim

Satin White Glass Diffuser White Aluminum Reflector White Steel Trim Maximum Wattage: 40w A-19 Suitable For Shower Light

# 11037AT-15

# 6" Regressed Eyeball Trim

White White Steel Trim Maximum Wattage: 75w Par30L 65w BR-30



# 6" Wall Wash Trim

White Steel Housing White Steel Trim Maximum Wattage: 40w A-19



# 11055AT-15

#### 6" Fresnal Glass Shower T

Clear Glass Glass White Aluminum Reflector



# 1136AT-15

#### 6" Eyeball Trim

White White Steel Trim



# 1151AT-14

# 6" Baffle Trim

White Trim / Baffle Aluminum Trim



# 1151AT-15

#### 6" Baffle Trim

Black Aluminum Baffle White Aluminum Trim

WING AMMINIME THE Maximum Wattage: 40w A-19

Suitable For Shower Light

maximum manage. 75w Par30L

65w BR-30

maximum manage. 75w Par30L 90w Par38 65w BR-30 90w BR-40

50w Par30S

maximum manage. 75w Par30L 90w Par38 65w BR-30 90w BR-40 50w Par30S



#### 1154AT-14

## 6" Open Cone Shower Trim

White Trim / Baffle Aluminum Baffle White Trim / Baffle Aluminum Trim Maximum Wattage: 50w Par30S 75w Par30L 90w Par38 Suitable For Shower Light

Shipping Information									
Package Type	Quantity	UPC	Length	Width	Height	Cube	Weight	UPS Ship	Label
Individual	1	785652110177	14	7	7.5	0.425	2.3	Yes	C IP-3
Master Pack	6	10785652110174	21	20.5	8.75	2.18	15.7	Yes	A M-1