

floorté

CLASSIC series

DISTINCTION PLUS

WPC vinyl plank




7322 Toasted Sienna


	US Units	Metric Units
Style Number	2045V	
Construction	WPC	
Profile	Fold-N-Tap	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.276"	7 mm
Wear Layer Thickness	12 mil (0.012")	0.3 mm
Attached Underlayment	Attached Pad	
Finish	ArmourBead®	
Edge Description	Accent Bevel	
Area per Carton	23.64 sq ft	2.2 sq m
Area per Pallet	1418.4 sq ft	131.77 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
FloorScore Certified	Yes	
Residential Warranty	30 Years Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof Residential Resilient WPC/SPC Waterproof Products Limited Warranty	
Commercial Warranty	7 Year Light Commercial	
Radiant Panel (ASTM E648)	Passes, Class I	

Colors






Coordinating Trim




Baby Threshold*

BT7HS | 94"
VSBT1 | 94"



T-Molding*

TM7HS | 94"
VSTM6 | 94"



Multi-Purpose Reducer

RD7HS | 94"
VSMP6 | 94"



Quarter Round

QTRHS | 94"
VSQT6 | 94"



Flush Stairnose


FS6HS | 94"
VFSN3 | 94"

*Packaged with molding track

Coordinating Metal Trim



Reducer



T-Mold



Stair Cap

Finish

Satin Silver

Satin Nickel

134SA

135SA

137SA

138SA

131SA

132SA

Installation Range

Profile Size

Installation Range

3.5mm

1.5mm to 3.5mm heights

5.5mm

3.6mm to 5.5mm heights

8mm

6mm to 8mm heights

DISTINCTION PLUS

floorté®

CLASSIC series

TREADZ®



Center	LVCTR
Right	LVCAR
Left	LVCAL
White Riser	LVWRI*

*packages of 3



Member of
ICC Global Services